ACCESSORIES AND PARTS EQ-B11B-KJKABCP



Product Type

243.146.AB.1 1.0 GPM (3.8 L/min) Aerated Cache Outlet Spout Assembly EQ Angular Electronic Integral Spout Assembly

Features & Specifications

- """On-Off"" hands-free actuation"
- Maximum run time 10 seconds in high use enviroments
- 0.33 GPC (1.3 LPC) maximum
- Combine with EQ Control box assemblies (sold seperately)
- · Cast brass spout body
- "Includes spout, waterway, electronics module with cable and connector, outlet, and mounting hardware"
- ECAST® design provides durable construction with total lead content equal to or less than 0.25% by weighted average
- CFNow! Item Ships in 3 Days

Warranty

- 5-Year Limited Faucet Warranty
- 1-Year Limited Finish Warranty
- 5-Year Limited Mechanical Warranty
- 3-Year Limited Electronics and Solenoid Warranty
- 5-Year Manufacturing Material Defects Warranty

Codes & Standards

- Certified to NSF/ANSI 61, Section 9 by CSA
- California Health and Safety Code 116875 (AB1953-2006)
- Vermont Bill S.152
- NSF/ANSI 372 Low Lead Content
- ADA ANSI/ICC A117.1

Job Name	
Item Number	
Section/Tag	
Model Specified	
Architect	
Engineer	
Contractor	
[] Submitted as Shown	[] Submitted with Variations
Date	



ECAST

ECAST products are intended for installation where state laws and local codes mandate lead content levels or in any location where lead content is a concern.








EQ-B11B-KJKABCP



Architect/Engineer Specification

Chicago Faucets No. EQ-B11B-KJKABCP, 243.146.AB.1 1.0 GPM (3.8 L/min) Aerated Cache Outlet Spout Assembly EQ Angular Electronic Integral Spout Assembly, Chrome Plated plated."""On-Off"" hands-free actuation". Maximum run time 10 seconds in high use environments. 0.33 GPC (1.3 LPC) maximum. Combine with EQ Control box assemblies (sold seperately). Cast brass spout body. "Includes spout, waterway, electronics module with cable and connector, outlet, and mounting hardware". ECAST® construction with less than 0.25% lead content by weighted average. This product meets ADA ANSI/ICC A117.1 requirements and is tested and certified to industry standards: Certified to NSF/ANSI 61, Section 9 by CSA, California Health and Safety Code 116875 (AB1953-2006), Vermont Bill S.152, and NSF/ANSI 372 Low Lead Content.



Operation and Maintenance

Installation should be in accordance with local plumbing codes. Flush all pipes thoroughly before installation. After installation, remove spout outlet or flow control and flush faucet thoroughly to clear any debris. Care should be taken when cleaning the product. Do not use abrasive cleaners, chemicals or solvents as they can result in surface damage. Use mild soap and warm water for cleaning and protecting the life of Chicago Faucet products. For specific operation and maintenance refer to the installation instructions and repair parts documents that are located at www.chicagofaucets.com.

Chicago Faucets, member of the Geberit Group, is the leading brand of commercial faucets and fittings in the United States, offering a complete range of products for schools, laboratories, hospitals, office buildings, food service, airports and sport facilities. Call 1.800.TECTRUE or 1.847.803.5000 Option 1 for installation or other technical assistance.

