

Performance Data



901 Series

Duct Size	Core Eff. Area (ft ²)	Neck Velocity (FPM)		300		400		500		600		700		800		1000		1200		1400							
		Velocity	Pressure	0.004	0.008	0.013	0.018	0.025	0.033	0.051	0.074	0.1															
6x4	0.122	CFM	36	49	61	73	85	97	122	146	170																
		NC	<20	<20	<20	20	25	30	35	40	40																
		Throw (ft.)	4	4.5	5.5	5	6	8	6	7	9	7	8	12	8	9	13	11	12	14	12	13	19	13	14	22	16
7x4	0.143	CFM	43	57	71	86	100	114	143	171	200																
		NC	<20	<20	<20	20	25	30	35	40	40																
		Throw (ft.)	4	5	6	5	6.5	8.5	7	8	10	8	9	13	9	10	13	12	13	15	13	14	21	14	16	24	18
6x5	0.156	CFM	47	63	78	94	109	125	156	188	219																
		NC	<20	<20	<20	20	25	30	35	40	40																
		Throw (ft.)	4	5	6	5	6.5	8.5	7	8	10	8	9	13	9	10	13	12	13	15	13	14	21	14	16	24	18
10x4	0.210	CFM	63	84	105	126	147	168	210	252	293																
		NC	<20	<20	<20	20	25	30	35	40	45																
		Throw (ft.)	4	5	6	5	6.5	8.5	8	8.5	9.5	7	8.5	11	10	11	15	11	12	16	13	14	20	14	16	24	18
8x6 12x4	0.260	CFM	78	104	130	156	182	208	260	312	364																
		NC	<20	<20	<20	20	25	30	35	40	45																
		Throw (ft.)	5	5.5	6.5	6	7	9	8	9	11	9	10	14	11	12	16	12	13.5	18	14	16	24	16	18	28	19
14x4	0.298	CFM	89	119	149	179	208	238	298	357	417																
		NC	<20	<20	<20	20	25	30	35	40	45																
		Throw (ft.)	5	6	7	6	7.5	9.5	9	10	12	10	11	15	12	14	19	13	15	20	16	18	27	18	21	33	21
10x6 16x4	0.329	CFM	99	132	165	198	231	264	329	395	461																
		NC	<20	<20	<20	20	25	30	35	40	45																
		Throw (ft.)	5	6.5	7.5	7	8	10	10	11	13	11	12	16	13	14.5	20	14	16	22	17	19	29	19	22	34	22
12x6 18x4	0.399	CFM	120	159	199	239	279	319	399	478	558																
		NC	<20	<20	<20	20	25	30	35	40	45-50																
		Throw (ft.)	6	7	9	9	10	12	10	11.5	14.5	12	13.5	18	14	16	22	16	18	24	19	22	32	22	26	38	25
10x8 14x6	0.449	CFM	135	180	225	270	314	359	449	539	629																
		NC	<20	<20	<20	20	25	30	35	40	45-50																
		Throw (ft.)	7	8	10	10	11	13	11	13	16	14	16	21	15	17	23	18	20	27	20	23	35	24	28	42	27
12x8 16x6	0.544	CFM	163	217	272	326	381	435	544	652	761																
		NC	<20	<20	<20	20	25	30	35	40	45-50																
		Throw (ft.)	8	8.5	11	10	11.5	13.5	12	13.5	17	14	16	22	16	18	25	18	20	28	21	24	36	25	29	45	28
10x10 18x6	0.569	CFM	171	228	285	341	398	455	569	683	797																
		NC	<20	<20	<20	20	25	30	35	40	45-50																
		Throw (ft.)	8	8.5	11	10	11.5	14.5	12	14.5	18	15	17	23	18	20	27	19	22	30	22	26	38	26	31	47	29
14x8	0.638	CFM	191	255	319	383	447	510	638	766	893																
		NC	<20	<20	<20	20	25	30	35	40	45-50																
		Throw (ft.)	8	9	11.5	11	13	16	4	16	19	16	18	24	19	21	28	20	23	31	23	27	39	27	32	48	30

Performance Data



901 Series

Duct Size	Core Eff. Area (ft ²)	Neck Velocity (FPM)		300			400			500			600			700			800			1000			1200			1400		
		Velocity	Pressure	0.004	0.008	0.013	0.018	0.025	0.033	0.051	0.074	0.1																		
12x10	0.689	CFM		207	275	344	413	482	551	689	826	964																		
		NC		<20	<20	<20	20	25	30	35	40	45-50																		
		Throw (ft.)	8	9.5	12	12	13.5	17	15	17	20	17	19	25	19	22	29	21	24	32	24	28	40	27	33	49	31	38	56	
16x8	0.732	CFM		220	293	366	439	513	586	732	879	1025																		
		NC		<20	<20	<20	20	25	30	35-40	40-50	>50																		
		Throw (ft.)	9	10	12.5	12	14	17	15	17	20	17	19	25	20	23	30	22	25	33	25	29	41	29	35	51	32	40	58	
12x12 14x10	0.834	CFM		250	333	417	500	583	667	834	1000	1167																		
		NC		<20	<20	<20	20	25	30	35-40	40-50	>50																		
		Throw (ft.)	9	10	12.5	12	14	18	16	18	21	18	20	26	20	23	34	23	26	35	25	30	46	30	36	55	33	42	65	
16x10 20x8	0.928	CFM		278	371	464	557	650	742	928	1114	1299																		
		NC		<20	<20	<20	20	25	30	35-40	40-50	>50																		
		Throw (ft.)	9	11	13.5	13	15	19	17	19	23	19	21	28	21	24	35	24	28	38	27	33	50	33	41	59	38	47	70	
18x10	1.047	CFM		314	419	524	628	733	838	1047	1257	1466																		
		NC		<20	<20	20	25	30	30-35	35-40	40-45	>50																		
		Throw (ft.)	10	11.5	14	14	16	20	18	20	24	19	22	29	22	25	36	25	29	39	28	34	51	34	42	60	39	48	71	
14x14 20x10	1.148	CFM		345	459	574	689	804	919	1148	1378	1608																		
		NC		<20	<20	20	25	30	30-35	35-40	40-45	>50																		
		Throw (ft.)	10	11.5	14.5	14	16	20	18	20	24	19	22	30	23	26	37	25	30	40	29	35	53	34	42	62	40	49	73	
18x12 26x8	1.268	CFM		380	507	634	761	887	1014	1268	1521	1775																		
		NC		<20	<20	20	25	30	30-35	35-40	40-45	>50																		
		Throw(ft.)	11	12.5	15	14	16	20	18	20	24	20	23	32	23	27	38	26	31	42	29	35	55	35	43	65	43	53	75	
16x14	1.318	CFM		396	527	659	791	923	1055	1318	1582	1846																		
		NC		<20	<20	20	25	30	30-35	35-40	40-45	>50																		
		Throw (ft.)	11	12	15	15	17	21	19	21	24	20	23	33	24	28	39	27	32	43	30	36	56	36	44	66	44	55	77	
16x16	1.514	CFM		454	605	757	908	1060	1211	1514	1816	2119																		
		NC		<20	<20	20	25	30	30-35	35-40	40-45	>50																		
		Throw (ft.)	12	13	16	16	18	22	19	22	26	22	25	35	25	30	41	28	34	46	32	39	60	38	47	71	46	57	83	
24x12 28x10	1.702	CFM		511	681	851	1021	1191	1362	1702	2042	2383																		
		NC		<20	<20	20	25	30	30-35	35-40	40-45	>50																		
		Throw (ft.)	13	14.5	18	17	19	23	20	23	28	23	27	37	27	32	43	29	36	48	34	42	64	41	50	76	48	59	89	
18x18 32x10	1.929	CFM		579	772	965	1158	1350	1543	1929	2315	2701																		
		NC		<20	<20	20	25	30	30-35	35-40	40-45	>50																		
		Throw (ft.)	13	14.5	19	18	20	24	21	24	30	24	28	38	27	32	44	30	37	51	36	44	66	43	53	79	50	62	94	
30x12 26x14	2.136	CFM		641	855	1068	1282	1495	1709	2136	2564	2991																		
		NC		<20	<20	20	25	30	30-35	35-40	45-50	>50																		
		Throw (ft.)	14	16	20	19	22	26	22	26	32	25	30	40	29	35	47	32	40	54	38	47	71	46	57	85	53	66	98	

Performance Data



901 Series

Duct Size	Core Eff. Area (ft ²)	Neck Velocity (FPM)	300		400			500			600			700			800			1000			1200			1400		
			Velocity	Pressure	CFM	NC	Throw (ft.)	CFM	NC	Throw (ft.)	CFM	NC	Throw (ft.)	CFM	NC	Throw (ft.)	CFM	NC	Throw (ft.)	CFM	NC	Throw (ft.)	CFM	NC	Throw (ft.)			
36x12 32x14	2.571	CFM	771		1028		1285		1542		1799		2056		2571		3085		3599									
		NC	<20		<20		20		25		30		30-35		35-40		45-50		>50									
		Throw (ft.)	15	17	21	20	23	29	24	29	35	27	33	45	31	38	52	36	44	60	42	52	78	50	62	94	60	73
24x24 36x16	3.465	CFM	1039		1386		1732		2079		2425		2772		3465		4158		4850									
		NC	<20		20		25		30		30-35		35-40		45-50		>50		>50									
		Throw (ft.)	20	23	29	24	29	35	27	33	45	31	38	52	36	44	60	42	52	78	50	62	94	60	73	109	69	85

Performance Notes:

- 1) Performance data calculated with blades set at 0°
- 2) Throw values are measured in feet for terminal velocities of 150/100/50 FPM
- 3) Throw data is based on supply air and room air both at isothermal conditions
- 4) Effective core areas listed in chart are defined as the measurement of space between the blades actually utilized by the air
- 5) Data obtained from tests conducted in accordance with ANSI/ASHRAE standard 70-2006