

Swivel Sink and Pantry Faucets


B-0330CR-PRISON


Double Pantry Faucet

Architect/Engineering Specifications:

8" wall mount mixing faucet with polished chrome plated brass body, 5 3/4" swivel/rigid gooseneck with 1.0 GPM vandal resistant aerator, ceramic cartridges with check valves, solid brass chrome plated lever handles, vandal resistant screws and 1/2" NPT female inlets. Certified to ASME A112.18.1/CSA B125.1, NSF 61-Section 9 and NSF 372. Meets ADA ANSI/ICC A117.1 requirements.

Job Name	
Model Specified	Quantity
Variations Specified	
Date	







Features & Benefits:

- 8" wall mount mixing faucet with polished chrome plated brass body
- 5 3/4" swivel/rigid gooseneck
- 1.0 GPM vandal resistant aerator, Series 6 (B-0199-06-F10)
- Quarter-turn Cerama cartridges w/ check valves to prevent cross flow of water
- Solid brass chrome plated lever handles w/ vandal resistant screws and color coded indexes
- 1/2" NPT female eccentric inlets w/ Ø2" flanges
- adjustable centers from 7 3/4" to 8 1/4"
- Material: Polished chrome plated brass body, tubular spout and handles

Non-Aprated

Product Compliance:

- ASME A112.18.1 / CSA B125.1
- NSF 61 Section 9
- NSF 372 (Low Lead Content)
- ANSI A117.1 (ADA)

Warranty: One Year (Limited)

Cerama Cartridge: Lifetime (Limited)

COWPLIANT

Performance Data:

Pressure: 20 - 125 psi
Temperature: 40 °F - 180 °F
Flow Rate: 1.0 GPM @ 60 psi



Optional Outlets (Series 1 / VR Series 6)

GPN	Aerated	(Laminar)	VR Aerated	VR Non-Aerated	Optional Handles
0.35 0.5 1.0	N/A N/A □ B-0199-01-F1	□ B-0199-01-N035 □ B-0199-01-N05		(VR Laminar) □ B-0199-06-N035 □ B-0199-06-N05	☐ 4" Wrist Action ☐ Lever ☐ 4-Arm
1.2	□ B-0199-01-F1	12 □ B-0199-01-LF12	□ B-0199-06-F12	N/A □ B-0199-06-LF12	Optional Cartridges With Checks
1.5 2.2	□ B-0199-01-W □ B-0199-01	/S □ B-0199-29 □ B-0199-21	□ B-0199-06-WS □ B-0199-06	□ B-0199-29VR □ B-0199-21-VRF	□ Quarter-Turn Cerama w/ Check Valve (Standard)□ Quarter-Turn Eterna w/ Spring Check







T&S BRASS AND BRONZE WORKS, INC.

