

Viega® Flushing Systems Eco Plus® Water Closet Carriers Model 8108.4US for 2 x 6 walls and Model 8108.5US for 2 x 4 walls

Viega flushing system carriers conceal the tank and internal components of a wall hung water closet for a clean, modern look and more floor space. The carrier transfers the weight of a toilet bowl to the wall studs and moves the drain inside of the wall. Elevating the toilet off the floor allows for a cleaner looking installation and a more hygienic space.

All internal components, including flush valve, fill valve, and shutoff valve are accessible behind the flush plate for ease of maintenance.

German engineered fill valves are designed to handle the most aggressive water, making Viega Eco Plus WC carriers ideal for graywater, rainwater, and other water re-use systems.

Multiple award winning flush plates are available in a variety of finishes and materials.

Dual Flush

Dual flush devices are not intended to be used as retrofit devices with existing 1.28 gpf water closet bowls. The bowl installed must be intended for use with a dual flush tank.

Performance may vary. Product not tested with all available bowls.

While Viega Eco Plus WC Carriers are subjected to extensive performance testing, only a complete toilet can comply with official EPA WaterSense. Components such as tanks and bowls can not be listed separately. For a WaterSense listed toilet, install a bowl from the "WaterSense listed when used with:" table.

Certifications:

Frame	load tested to ASME A112.6.2
Flush valves	ASME A112.19.14 ASME A112.19.5 CSA B45.15 IAPMO PS 50
Fill valves	ASME A112.1002 ASSE 1002 CSA B125.12



Compliant with California Energy Commission requirements for toilets.




V1.2*

(*When used with listed bowls. See page 3.)




ADA Compliant

((Products marked with  comply with the American Disabilities Act (ADA) when installed per the requirements of the latest ADA Accessibility Guidelines (ADAAG) and/or ICC/ANSI A117.1))

TechData

viega


Model 8108.4US for 2 x 6 walls
Dual flush: 1.2/0.7 GPF (4.5/2.7 LPF)



TechData



Model 8108.5US for 2 x 4 walls
Dual flush: 1.2/0.8 GPF (4.5/3.0 LPF)



WaterSense listed when used with:

Manufacturer	Model Number	Model Name
Toto	CT437FG	MH
Villeroy & Boch	5614-UR01	Subway-Rimless

Viega products are designed to be installed by licensed and trained plumbing and mechanical professionals who are familiar with Viega products and their installation. **Installation by non-professionals may void Viega LLC's warranty.**

This document is subject to updates. For the most current Viega technical literature please visit www.viega.us.

Viega LLC • 585 Interlocken Blvd. • Broomfield, CO 80021 • Phone (800) 976-9819 • www.viega.us