

LAVATORY FAUCETS



One-Handle **Bathroom Faucet** S44101 + 6



Two-Handle Widespread Bathroom Faucet TS44102***†⋒**❸



Two-Handle Widespread Bathroom Faucet TS44103 *†**െ**



Two-Handle Wallmount Bathroom Faucet TS44104***†⋒**❸



Two-Handle Wallmount **Bathroom Faucet** TS44105*†@

Colinet™ NEW COLLECTION



TUB FILLER



Freestanding Tub Filler S44507 කම

ROMAN TUB FAUCETS



Two-Handle Roman Tub Trim TS44503 *♠❸



Two-Handle Roman Tub Trim TS44505 *⋒




Two-Handle Roman Tub Trim with Handshower TS44504*@❸



Two-Handle Roman Tub Trim with Handshower TS44506*@

Colinet™ NEW COLLECTION



EXACTTEMP® 3/4"



ExactTemp Valve Trim TS44401*@&



ExactTemp Volume Control Trim TS44402*@6 For showerhead options, see page 180

TRANSFER VALVES



M-CORE™ Transfer Valve Trim UTS9381***⋒**&



M-CORE 3S with Integrated Transfer Valve Trim TS9211 ***⋒**❸ Use with valve 3362 only

POSI-TEMP®



Posi-Temp Valve Only Trim Trim TS44201 *⋒**&**

M-CORE* 3-SERIES



M-CORE 3S Tub/Shower Trim UTS344303 ***⋒**᠖ UTS344303EP*◊⋒७

M-CORE 3S Shower Only Trim UTS344302***⋒**❸ UTS344302EP*◊⋒&

M-CORE 3S Valve Only Trim UTS344301 *@&

Colinet[™] NEW COLLECTION



MATCHING ACCESSORIES



Tank Lever YB0501



Double Robe Hook YB0503



Pivoting Paper Holder YB0508 (P



Drawer Knob YB0505



Drawer Pull YB0507



Towel Ring YB0586



18" Towel Bar YB0518 **24" Towel Bar** YB0524





MATCHING ACCESSORIES



One Globe Bath Light YB0561



Two Globe Bath Light YB0562



Three Globe Bath Light YB0563



Four Globe Bath Light YB0564

COLINET® FINISH OPTIONS









Chrome, Brushed Nickel (BN), Brushed Gold (BG), Matte Black (BL)

Not all platforms available in all finishes.

To view ordering instructions, see reference chart on pages 286-293.

- □ Immersion Rainshower Technology
- Moen M•PACT* Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ADA-Compliant
- Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- * Rough-in valve required. Please see price catalog for rough-in model numbers.
- All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense* labeling criteria and contribute toward maximizing LEED* points.



c LISTED us All lighting fixtures can be mounted facing either upward or downward (rings need to be removed if mounted up). Bulbs not