# MOEN


ACCESSORIES STYLE GUIDE





Something magical happens when we interact with water. A warm shower can lift the spirit. A cool glass of water can refresh and renew. Exploring water in nature can make anyone feel a part of something bigger. Water is essential to life. It connects us to our environment, and to each other. It's no wonder that being with water inspires a greater sense of harmony with the world and deepens moments that make us feel most alive. With each new product Moen creates, we celebrate water's ability to nourish, cleanse and bring people together. One innovation after another, we create new products and technologies for the love of water.

# Matching Accessories



Flara® Featured in Chrome Finish









# Flara® NEW COLLECTION









#### MATCHING ACCESSORIES



**Tank Lever** YB0301



**Double Robe Hook** YB0303



Pivoting Paper Holder



**Drawer Knob** YB0305



**Drawer Pull** YB0307



Mirror YB0392



**Hand Towel Bar** YB0386



**18" Towel Bar** YB0318

**24" Towel Bar** YB0324

**24" Double Towel Bar** YB0322



**12" Designer Grab Bar** YG0312

**18" Designer Grab Bar** YG0318

**24" Designer Grab Bar** YG0324

**36" Designer Grab Bar** YG0336

**42" Designer Grab Bar** YG0342



Vanity Shelf YB0390

### Flara® **NEW COLLECTION**





#### MATCHING ACCESSORIES



One Globe Bath Light YB0361



Two Globe Bath Light YB0362



Three Globe Bath Light YB0363



Four Globe Bath Light YB0364

#### FLARA® FINISH OPTIONS









Chrome, Brushed Nickel (BN), Brushed Gold (BG), Polished Nickel (NL)

Not all platforms available in all finishes.

- X Immersion Rainshower Technology
- Moen M●PACT® Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ADA-Compliant
- Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- \* Rough-in valve required. Please see price catalog for rough-in model numbers.
- ♦ All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense\* labeling criteria and contribute toward maximizing LEED\* points.



cultures can be mounted facing either upward or downward (rings need to be removed if mounted up). Bulbs not included.

## Via®









#### MATCHING ACCESSORIES



Single Robe Hook YB5003



**Hand Towel Bar** YB5086



Pivoting Paper Holder



**12" Towel Bar** YB5012

**18" Towel Bar** YB5018

**24" Towel Bar** YB5024



**90° Drawer Pull** YB8807

#### COORDINATING ACCESSORIES



**90° Tank Lever** YB8801



**90° Drawer Knob** YB8805

**90º 12" Designer Grab Bar** YG8812

**90° 18" Designer Grab Bar** YG8818

**90° 24" Designer Grab Bar** YG8824

**90° 36" Designer Grab Bar** YG8836

**90° 42" Designer Grab Bar** YG8842







90° One Globe Bath Light YB8861



90° Two Globe Bath Light YB8862



90° Three Globe Bath Light YB8863



90° Four Globe Bath Light YB8864

#### VIA FINISH OPTIONS



Chrome

- Moen M•PACT<sup>®</sup> Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ADA-Compliant
- Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- \* Rough-in valve required. Please see price catalog for rough-in model numbers.
- All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense\* labeling criteria and contribute toward maximizing LEED® points.



c listed us All lighting fixtures can be mounted facing either upward or downward (rings need to be removed if mounted up). Bulbs not included.

### $\mathsf{Doux}^{\scriptscriptstyle\mathsf{TM}}$









#### MATCHING ACCESSORIES



**Tank Lever** YB0201



**Pivoting Paper Holder** YB0208 (P



**Hand Towel Bar** YB0286



**Corner Shower Basket** YB0275



Single Robe Hook YB0203



18" Towel Bar YB0218

24" Towel Bar YB0224

#### **DOUX FINISH OPTIONS**







- X Immersion Rainshower Technology
- Moen M●PACT<sup>®</sup> Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ADA-Compliant
- Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- \* Rough-in valve required. Please see price catalog for rough-in model numbers.
- All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense\* labeling criteria and contribute toward maximizing LEED\* points.

# Wynford®









#### MATCHING ACCESSORIES



Tank Lever YB5201



**Pivoting Paper Holder** YB5208 (P



**Towel Ring** YB5286



**Double Robe Hook** YB5203



24" Double Towel Bar YB5222



18" Towel Bar YB5218 24" Towel Bar

YB5224



**Shower Basket** YB5275

#### COORDINATING ACCESSORIES




Kingsley® Drawer Knob YB5405



Kingsley Drawer Pull YB5407

## Wynford®





#### COORDINATING ACCESSORIES



Waterhill® One Globe **Bath Light** YB9861



Waterhill Three Globe **Bath Light** YB9863



Waterhill Two Globe **Bath Light** YB9862



Waterhill Four Globe **Bath Light** YB9864

#### FINISH OPTIONS









Chrome, Brushed Nickel (BN). Lifeshine\* Polished Nickel (NL), Oil Rubbed Bronze (ORB) Not all platforms available in all finishes.

- $oldsymbol{ol{olganbol{oldsymbol{ol}ol{oldsymbol{ol}oldsymbol{ol}oldsymbol{oldsymbol{ol}}}}}}}}}}}}}} n}}}$
- **⋒** Moen M•PACT° Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ADA-Compliant
- Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- \* Rough-in valve required. Please see price catalog for rough-in model numbers.
- All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense\* labeling criteria and contribute toward



culpus All lighting fixtures can be mounted facing either upward or downward (rings need to be removed if mounted up). Bulbs not included.

### Rizon®



#### COORDINATING ACCESSORIES



Method<sup>™</sup> Tank Lever YB2401



**Method Pivoting Paper** Holder (₽ YB2408



**Method Hand Towel Bar** YB2486



Method 18" Towel Bar YB2418 Method 24" Towel Bar YB2424



Method 18" Double Towel Bar YB2422

Method 24" Double Towel Bar YB2423

#### **RIZON FINISH OPTIONS** NEW







Chrome, Brushed Nickel (BN), Matte Black (BL) Not all platforms available in all finishes.

- Moen M•PACT<sup>◦</sup> Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ADA-Compliant
- Pivoting Technology
- All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- Rough-in valve required. Please see price catalog for rough-in model numbers.
- All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense\* labeling criteria and contribute toward maximizing LEED\* points.



**Method Double Robe Hook** YB2403

## 







#### MATCHING ACCESSORIES



**Tank Lever** YB2101



**Paper Holder** YB2108



**Towel Ring** YB2186



**Double Robe Hook** YB2103



18" Towel Bar YB2118 24" Towel Bar YB2124

#### COORDINATING ACCESSORIES



**Flara<sup>®</sup> Drawer Knob** YB0305



**Belfield™ 12" Grab Bar** YG6412


**Belfield 18" Grab Bar** YG6418

**Belfield 24" Grab Bar** YG6424



Flara Drawer Pull YB0307

### Dartmoor™



#### COORDINATING ACCESSORIES



Belfield<sup>™</sup> One Globe Bath Light YB6461



**Belfield Two Globe Bath Light** YB6462



**Belfield Three Globe Bath Light** YB6463



**Belfield Four Globe Bath Light** YB6464

#### DARTMOOR FINISH OPTIONS







Chrome, Brushed Nickel (BN), Oli Rubbed Bronze (ORB)

- X Immersion Rainshower Technology
- Moen M•PACT<sup>◦</sup> Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ADA-Compliant
- Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- \* Rough-in valve required. Please see price catalog for rough-in
- All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense\* labeling criteria and contribute toward maximizing LEED\* points.



c dll lighting fixtures can be mounted facing either upward or downward (rings need to be removed if mounted up). Bulbs LISTED not included.

## Glyde™









#### MATCHING ACCESSORIES



**Double Robe Hook** YB2303



Paper Holder YB2308



**Towel Ring** YB2386



**18" Towel Bar** YB2318 **24" Towel Bar** YB2324

### COORDINATING ACCESSORIES



**Doux™ Tank Lever** YB0201



Iso° Drawer Knob YB0705



**Iso Drawer Pull** YB0707

#### **GLYDE FINISH OPTIONS**







Chrome, Brushed Nickel (BN), Matte Black (BL)

- **⋒** Moen M•PACT° Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ADA-Compliant
- Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- \* Rough-in valve required. Please see price catalog for rough-in model numbers.
- All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense\* labeling criteria and contribute toward maximizing LEED\* points.

### Eva®









#### MATCHING ACCESSORIES



**Tank Lever** YB2801



**Single Robe Hook** YB2803



Paper Holder YB2808



Towel Ring YB2886



Towel Shelf YB2894



18" Towel Bar YB2818 24" Towel Bar

YB2824



**12" Designer Grab Bar** YG2812

**18" Designer Grab Bar** YG2818

**24" Designer Grab Bar** YG2824

#### COORDINATING ACCESSORIES




**Iso° Drawer Knob** YB0705



**Iso Drawer Pull** YB0707

### Eva®



#### MATCHING ACCESSORIES



One Globe Bath Light YB2861



Two Globe Bath Light YB2862



Three Globe Bath Light YB2863



Four Globe Bath Light YB2864

#### **EVA FINISH OPTIONS**







Chrome, Brushed Nickel (BN), Oil Rubbed Bronze (ORB)

- 🏿 Immersion Rainshower Technology
- Moen M•PACT<sup>◦</sup> Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ADA-Compliant
- Pivoting Technology
- † All indicated Moon lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- \* Rough-in valve required. Please see price catalog for rough-in model numbers.
- All indicated Moen flow-optimized showerheads use up to 30% less water [compared to traditional showerheads] without sacrificing performance, are certified to meet WaterSense\* labeling criteria and contribute toward maximizing LEED\* points.



CULUSTED All lighting fixtures can be mounted facing either upward or downward (rings need to be removed if mounted up). Bulbs not included.

### Gibson™







#### COORDINATING ACCESSORIES



**Iso" Single Robe Hook** DN0703



Iso Pivoting
Paper Holder
DN0708 (P



**Iso Towel Ring** DN0786



Iso 18" Towel Bar DN0718 Iso 24" Towel Bar DN0724

#### GIBSON FINISH OPTIONS







Chrome, Brushed Nickel (BN), Matte Black (BL)

Not all platforms available in all finishes.

🏿 Immersion Rainshower Technology

**⋒** Moen M•PACT<sup>®</sup> Common Valve System

EP Eco-Performance

NH Without Showverhead

ADA-Compliant

(P Pivoting Technology

† All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.

\* Rough-in valve required. Please see price catalog for rough-in model numbers.

All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense\* labeling criteria and contribute toward maximizing LEED\* points.

### 







#### MATCHING ACCESSORIES



Single Robe Hook BH3803



**Pivoting Paper Holder** BH3808 €



**Hand Towel Bar** BH3886



18" Towel Bar BH3818 24" Towel Bar

BH3824

#### **GENTA FINISH OPTIONS**







Chrome, Brushed Nickel (BN), Matte Black (BL)

- X Immersion Rainshower Technology
- ⋒ Moen M•PACT° Common Valve System
- EP Eco-Performance
- NH Without Showverhead
- ADA-Compliant
- Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- $\textcolor{red}{\bullet} \quad \text{Rough-in valve required. Please see price catalog for rough-in model numbers.}$
- All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense® labeling criteria and contribute toward maximizing LEED® points.