

DRIVING & FASTENING

SHOCKWAVE IMPACT DUTY™ DRIVER BITS

OVERVIEW

Our SHOCKWAVE Impact Duty™ Driver Bits are engineered to be the Most Durable, Best Fitting driver bits on the market. The WEAR GUARD TIP™ delivers increased wear resistance which protects your impact bit’s fit over the life of the bit. The SHOCK ZONE™ is optimized for each tip type and length of driver bit in the set to absorb peak torque and prevent breaking. The driver bits have CUSTOM ALLOY76™ for a customized steel and heat treatment per tip type to extend the life of your driver bits, providing up to 50X life versus other impact driver bits on the market. Our MILWAUKEE® SHOCKWAVE Impact Duty™ driver bits are built to provide you with extreme durability for the most demanding applications.

FEATURES

- Optimized SHOCK ZONE™: Absorbs peak torque and prevents breaking
- WEAR GUARD TIP™: Protects the fit over the life of the driver bit
- CUSTOM ALLOY76™ Steel: Customized per tip type to extend the life of the driver bit

SHOCKWAVE IMPACT DUTY™ PHILLIPS DRIVER BITS

Bit	Length	1 Pack	2 Pack	5 Pack	15 Contractor Pack	25 Contractor Pack	25 Pack + Compact Magnetic Bit Holder	10 Pack	25 Pack	250 Pack	Bulk 10	Bulk 25	Bulk 250
PH1	1"	–	48-32-4411	48-32-4661	–	–	–	–	48-32-4111	48-32-4280	–	48-32-4711	48-32-4880
	2"	48-32-4461	48-32-4961	48-32-4638	–	–	–	–	48-32-4160	–	–	48-32-4760	–
	3-1/2"	48-32-4560	48-32-4660	48-32-4565	–	–	–	–	–	–	–	–	–
	6"	48-32-4800	–	–	–	–	–	48-32-4201	–	–	48-32-4801	–	–
PH2	1"	–	48-32-4412	48-32-4601	48-32-5003	48-32-4604	48-32-5009	–	48-32-4112	48-32-4281	–	48-32-4712	48-32-4881
	2"	48-32-4462	48-32-4962	48-32-4602	48-32-5004	–	–	–	48-32-4162	48-32-4262	–	48-32-4762	48-32-4862
	3-1/2"	48-32-4562	48-32-4662	48-32-4564	–	–	–	–	48-32-4191	–	–	48-32-4791	–
	6"	48-32-4802	–	–	–	–	–	48-32-4207	–	–	48-32-4807	–	–
PR2	1"	–	48-32-4444	–	–	48-32-4644	–	–	48-32-4114	–	–	48-32-4746	–
PH3	1"	–	48-32-4413	48-32-4663	–	–	–	–	48-32-4113	48-32-4282	–	48-32-4713	48-32-4882
	2"	48-32-4463	48-32-4963	48-32-4639	–	–	–	–	48-32-4163	48-32-4263	–	48-32-4763	48-32-4863
	3-1/2"	48-32-4563	48-32-4664	48-32-4566	–	–	–	–	48-32-4192	–	–	48-32-4792	–
	6"	48-32-4308	–	–	–	–	–	48-32-4208	–	–	48-32-4808	–	–



SHOCKWAVE IMPACT DUTY™ POZIDRIV® DRIVER BITS

Bit	Length	1 Pack	2 Pack
PZ1	1"	–	48-32-4431
	2"	48-32-4831	–

Bit	Length	1 Pack	2 Pack
PZ2	1"	–	48-32-4432
	2"	48-32-4832	–

Bit	Length	1 Pack	2 Pack
PZ3	1"	–	48-32-4433
	2"	48-32-4833	–

SHOCKWAVE IMPACT DUTY™ SQUARE DRIVER BITS

Bit	Length	1 Pack	2 Pack	5 Pack	10 Contractor Pack	15 Contractor Pack	10 Pack	25 Pack	Bulk 10	Bulk 25
SQ1	1"	–	48-32-4421	48-32-4621	–	–	–	48-32-4161	–	48-32-4761
	2"	48-32-4471	48-32-4971	48-32-4671	–	–	–	48-32-4171	–	48-32-4771
	3-1/2"	48-32-4571	48-32-4670	48-32-4575	–	–	–	48-32-4194	–	48-32-4794
	6"	48-32-4622	–	–	–	–	48-32-4214	–	48-32-4814	–
SQ2	1"	–	48-32-4422	48-32-4605	48-32-5008	–	–	48-32-4122	–	48-32-4722
	2"	48-32-4472	48-32-4972	48-32-4606	–	48-32-5010	–	48-32-4172	–	48-32-4772
	3-1/2"	48-32-4572	48-32-4672	48-32-4574	–	–	–	48-32-4195	–	48-32-4795
	6"	48-32-4805	–	48-32-4855	–	–	48-32-4215	–	48-32-4815	–
SQ3	1"	–	48-32-4423	–	–	–	–	–	–	48-32-4723
	2"	48-32-4473	48-32-4910	–	–	–	–	48-32-4173	–	48-32-4773
	3-1/2"	48-32-4573	–	–	–	–	–	48-32-4196	–	48-32-4796
	6"	48-32-4809	–	–	–	–	48-32-4216	–	48-32-4816	–

SHOCKWAVE IMPACT DUTY™ TORX® DRIVER BITS

Bit	Length	1 Pack	2 Pack	5 Pack	7 PC	15 Pack Contractor Pack	25 Pack + Compact Magnetic Bit Holder	10 Pack	25 Pack	Bulk 10	Bulk 25
T10	1"	–	48-32-4427	48-32-4627	–	–	–	–	–	–	–
	2"	48-32-4482	48-32-4982	48-32-4682	–	–	–	–	48-32-4182	–	48-32-4782
	3-1/2"	–	48-32-4676	48-32-4576	–	–	–	–	–	–	–
T15	1"	–	48-32-4428	48-32-4628	–	–	–	–	48-32-4134	–	48-32-4734
	2"	48-32-4483	48-32-4983	48-32-4683	–	–	–	–	–	–	48-32-4783
	3-1/2"	–	48-32-4677	48-32-4577	–	–	–	–	48-32-4394	–	48-32-4594
	6"	–	–	–	–	–	–	48-32-4244	–	48-32-4844	–
T20	1"	–	48-32-4414	48-32-4614	–	48-32-5011	48-32-5013	–	48-32-4135	–	48-32-4735
	2"	48-32-4484	48-32-4984	48-32-4684	–	48-32-5012	–	–	48-32-4184	–	48-32-4784
	3-1/2"	–	48-32-4678	48-32-4578	–	–	–	–	48-32-4395	–	48-32-4595
	6"	–	–	–	–	–	–	48-32-4245	–	48-32-4845	–

POZIDRIV® is a registered trademark of Phillips Screw Company.
TORX® is a registered trademark of Acument™ Global Technologies.

SHOCKWAVE IMPACT DUTY™ TORX® DRIVER BITS

Bit	Length	1 Pack	2 Pack	5 Pack	7 PC	15 Pack Contractor Pack	25 Pack + Compact Magnetic Bit Holder	10 Pack	25 Pack	Bulk 10	Bulk 25
T25	1"	–	48-32-4436	48-32-4636	–	48-32-5014	48-32-5016	–	48-32-4136	–	48-32-4736
	2"	48-32-4485	48-32-4985	48-32-4685	–	48-32-5015	–	–	48-32-4185	–	48-32-4785
	3-1/2"	48-32-4561	48-32-4679	48-32-4579	–	–	–	–	48-32-4396	–	48-32-4596
	6"	48-32-4810	–	–	–	–	–	48-32-4246	–	48-32-4846	–
T27	2"	48-32-4486	–	–	–	–	–	–	–	–	48-32-4786
	3-1/2"	–	–	–	–	–	–	–	48-32-4397	–	48-32-4597
	6"	–	–	–	–	–	–	48-32-4247	–	48-32-4847	–
T30	1"	–	48-32-4437	48-32-4637	–	–	–	–	–	–	–
	2"	48-32-4487	48-32-4914	48-32-4687	–	–	–	–	48-32-4187	–	48-32-4787
	3-1/2"	48-32-4289	48-32-4680	48-32-4580	–	–	–	–	48-32-4398	–	48-32-4598
	6"	48-32-4290	–	–	–	–	–	48-32-4248	–	48-32-4848	–
T40	2"	48-32-4488	–	–	–	–	–	–	48-32-4188	–	48-32-4788
T50	1"	–	48-32-4989	–	–	–	–	–	48-32-4189	–	48-32-4789
7 PC TORX® Insert Bits (T10, T15, T20, T25, T27, T30, T40)		–	–	–	48-32-4615	–	–	–	–	–	–

SHOCKWAVE IMPACT DUTY™ SLOTTED DRIVER BITS

Drive Size	Length	1 Pack	2 Pack	25 Pack	Bulk 25
SL7/64" / SL#4	1"	–	–	48-32-4115	48-32-4715
	2"	–	–	48-32-4155	48-32-4755
SL1/8" / SL#6	1"	–	48-32-4416	48-32-4116	48-32-4716
	2"	48-32-4916	–	48-32-4156	48-32-4756
SL3/16" / SL#8	1"	–	48-32-4417	48-32-4117	48-32-4717
	2"	48-32-4919	–	48-32-4157	48-32-4757

Drive Size	Length	1 Pack	2 Pack	25 Pack	Bulk 25
SL1/4" / SL#10	1"	–	48-32-4418	48-32-4118	48-32-4718
	2"	48-32-4918	–	48-32-4158	48-32-4758
SL9/32" / SL#12	1"	–	–	48-32-4119	48-32-4719
	2"	–	–	48-32-4159	48-32-4759
SL3/16" / SL#8 SL1/4" / SL#10	2"	–	48-32-4920	–	–

SHOCKWAVE IMPACT DUTY™ ECX™ DRIVER BITS

Drive Size	Length	25 Pack	Bulk 25
ECX1	1"	48-32-4141	48-32-4741
	2"	48-32-4144	48-32-4744
ECX2	1"	48-32-4142	48-32-4742
	2"	48-32-4145	48-32-4745

Drive Size	Length	2 Pack
ECX™ Combo #1, #2	1"	48-32-4440
	2"	48-32-4443

SHOCKWAVE IMPACT DUTY™ HEX DRIVER BITS

SAE Bit	Length	Bulk 25	SAE Bit	Length	Bulk 25	SAE Bit	Length	Bulk 25	SAE Bit	Length	9 Pack
1/16"	1"	48-32-4700	7/64"	1"	48-32-4703	5/32"	1"	48-32-4706	9 PC SAE Hex Insert Bits (1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 1/4")	1"	48-32-4616
5/64"	1"	48-32-4701	1/8"	1"	48-32-4704	3/16"	1"	48-32-4707			
3/32"	1"	48-32-4702	9/64"	1"	48-32-4705	1/4"	1"	48-32-4709			

SHOCKWAVE IMPACT DUTY™ METRIC HEX DRIVER BITS

Metric Bit	Length	Bulk 25	Metric Bit	Length	Bulk 25	Metric Bit	Length	Bulk 25	Metric Bit	Length	8 Pack
2.5 mm	1"	48-32-4724	5 mm	1"	48-32-4727	10 mm	1"	48-32-4730	8 PC Metric Hex Insert Bits (2.5 mm, 3 mm, 4 mm, 5 mm, 6 mm, 8 mm, 10 mm, 12 mm)	1"	48-32-4617
3 mm	1"	48-32-4725	6 mm	1"	48-32-4728	12 mm	1"	48-32-4731			
4 mm	1"	48-32-4726	8 mm	1"	48-32-4729						

SHOCKWAVE IMPACT DUTY™ DOUBLE-ENDED DRIVER BITS

Bit	Length	1 Pack	Bit	Length	1 Pack
PH2/SL#10	2-3/8"	48-32-4310	PH2/T25	2-3/8"	48-32-4312
PH2/SQ2	2-3/8"	48-32-4311	T20/T25	2-3/8"	48-32-4313

SHOCKWAVE IMPACT DUTY™ SPECIALTY DRIVER BITS

SHOCKWAVE IMPACT DUTY™ SPECIALTY DRIVER BITS

Description		Includes		Part No.
	Specialty Wood Screws SHOCKWAVE Impact Duty™ 1" Insert Bits (2 pk)	(2) HEADLOK™ Bits 1"		48-32-4448
	Specialty Wood Screws SHOCKWAVE Impact Duty™ 2" Insert Bits (2 pk)	(2) HEADLOK™ Bits 2"		48-32-4648
	7 PC SHOCKWAVE Impact Duty™ Hex Security 1" Insert Bit Set	(1) Hex Security Bit 1" 5/64" (1) Hex Security Bit 1" 3/32" (1) Hex Security Bit 1" 7/64" (1) Hex Security Bit 1" 1/8"	(1) Hex Security Bit 1" 9/64" (1) Hex Security Bit 1" 5/32" (1) Hex Security Bit 1" 3/16"	48-32-4619
	9 PC SHOCKWAVE Impact Duty™ Security 1" Insert Bit Set	(1) TORX® Security Bit 1" T20 (2) TORX® Security Bits 1" T25 (1) TORX® Security Bit 1" T30 (1) Hex Security Bit 1" 1/8"	(1) Hex Security Bit 1" 5/32" (1) Spanner Bit 1" SL#10 (1) Clutch G Bit 1" 3/16" (1) Clutch G Bit 1" 5/32"	48-32-4620

SHOCKWAVE IMPACT DUTY™ SPECIALTY DRIVER BITS

Description		Includes		Part No.
	10 PC SHOCKWAVE Impact Duty™ TORX® Security 1" Insert Bit Set	(1) TORX® Security Bit 1" T7 (1) TORX® Security Bit 1" T8 (1) TORX® Security Bit 1" T9 (1) TORX® Security Bit 1" T10 (1) TORX® Security Bit 1" T15	(1) TORX® Security Bit 1" T20 (1) TORX® Security Bit 1" T25 (1) TORX® Security Bit 1" T27 (1) TORX® Security Bit 1" T30 (1) TORX® Security Bit 1" T40	48-32-4618

SHOCKWAVE IMPACT DUTY™ MAGNETIC BIT HOLDERS

OVERVIEW

MILWAUKEE® SHOCKWAVE Impact Duty™ Magnetic Bit Holders are engineered for extreme durability and up to 30X longer life. They are made from CUSTOM ALLOY76™ Steel that maximizes resistance to wear and shock. The bit holders feature an optimized SHOCK ZONE™ which absorbs peak torque and prevents the adapter from breaking. SHOCKWAVE Impact Duty™ Magnetic Bit Holders offer extreme durability for even the most demanding applications.



FEATURES

- CUSTOM ALLOY76™ Steel: Maximizes resistance to wear and shock
- Optimized SHOCK ZONE™: Absorbs peak torque and prevents breaking
- Internal Magnet: Holds fastener
- C-Ring: Holds insert bit in place

SHOCKWAVE IMPACT DUTY™ MAGNETIC BIT HOLDERS

Description	Size	1 Pack	10 Pack	250 Pack	Bulk 10	Bulk 250
SHOCKWAVE Impact Duty™ Magnetic Bit Holder	Compact	48-32-4502	–	48-32-4204	48-32-4504	48-32-4804
SHOCKWAVE Impact Duty™ Magnetic Bit Holder	3"	48-32-4503	48-32-4305	48-32-4203	48-32-4505	48-32-4803
SHOCKWAVE Impact Duty™ Magnetic Bit Holder	6"	48-32-4511	–	–	48-32-4521	–
SHOCKWAVE Impact Duty™ Magnetic Bit Holder	12"	48-32-4512	–	–	48-32-4522	–

SHOCKWAVE IMPACT DUTY™ LOCKING BIT HOLDERS

OVERVIEW

MILWAUKEE® SHOCKWAVE Impact Duty™ Locking Bit Holders are engineered to be the most durable, strongest locking bit holders on the market. The intuitive auto-locking design fits all inserts and 1/4" hex bits, the small-profile quick release collar allows for easy one-handed bit tip changes. The new locking bit holders feature two magnets to maximize magnetic transfer and holding power to the fastener and prevent drops. As with all SHOCKWAVE Impact Duty™ Accessories, each bit holder features an optimized SHOCK ZONE™ geometry to provide up to 30X longer life and absorb 3X more torque to prevent breakage.



FEATURES

- Auto-Locking Design: Fits all inserts and 1/4" hex bits
- Quick Release Collar: One-handed bit changes
- Dual Magnets: Maximize magnetic transfer and holding power to fastener
- Optimized SHOCK ZONE™: Absorbs peak torque and prevents breaking

SHOCKWAVE IMPACT DUTY™ LOCKING BIT HOLDERS

Description	1 Pack
2-7/8" SHOCKWAVE Impact Duty™ Locking Bit Holder	48-32-4531
6" SHOCKWAVE Impact Duty™ Locking Bit Holder	48-32-4532
12" SHOCKWAVE Impact Duty™ Locking Bit Holder	48-32-4533
18" SHOCKWAVE Impact Duty™ Locking Bit Holder	48-32-4534

SHOCKWAVE IMPACT DUTY™ MAGNETIC DRIVE GUIDES

OVERVIEW

SHOCKWAVE Impact Duty™ Magnetic Drive Guides are engineered to be the most durable and offer the best control on the market. The new stainless steel sleeve provides increased fastener stability and 2X the magnetism of our previous drive guide. MILWAUKEE® drive guides also feature a laser-etched depth gauge for best-in-class depth control. The new drive guides feature our optimized SHOCK ZONE™ that absorbs peak torque and provides us up to 30X longer life vs. the competition.

FEATURES

- Optimized SHOCK ZONE™: Absorbs peak torque and prevents breaking
- Stainless Steel Sleeve: Extends for improved fastener stability
- Laser-etched Depth Gauge: Increased fastener control
- Magnet: Holds fasteners to the drive guide
- C-Ring: Retains the insert bit
- CUSTOM ALLOY76™ Steel: Maximizes resistance to wear and shock



SHOCKWAVE IMPACT DUTY™ MAGNETIC DRIVE GUIDES

Description	1 Pack	Bulk 10
3" SHOCKWAVE Impact Duty™ Magnetic Drive Guide	48-32-4508	48-32-4509
4" SHOCKWAVE Impact Duty™ Magnetic Drive Guide	48-32-4516	48-32-4526
6" SHOCKWAVE Impact Duty™ Magnetic Drive Guide	48-32-4517	48-32-4527

SHOCKWAVE IMPACT DUTY™ MAGNETIC DRIVE GUIDE SETS

Description	Includes	Part No.
 3 PC SHOCKWAVE Impact Duty™ Magnetic Drive Guide Set	(1) 3" Magnetic Drive Guide (1) 4" Magnetic Drive Guide (1) 6" Magnetic Drive Guide	48-32-4519
 7 PC SHOCKWAVE Impact Duty™ Magnetic Drive Guide Set	(1) 3" Magnetic Drive Guide (2) Phillips Insert Bits 1" PH2 (1) Square Recess Insert Bit 1" SQ2 (1) TORX® Insert Bit 1" T20 (2) TORX® Insert Bits 1" T25	48-32-4515
 7 PC SHOCKWAVE Impact Duty™ Magnetic Drive Guide Set	(1) 6" Magnetic Drive Guide (2) Phillips Insert Bits 1" PH2 (1) Square Recess Insert Bit 1" SQ2 (1) TORX® Insert Bit 1" T20 (2) TORX® Insert Bits 1" T25	48-32-4518

SHOCKWAVE IMPACT DUTY™ SPECIALTY BIT HOLDERS

OVERVIEW

The MILWAUKEE® SHOCKWAVE Impact Duty™ Right Angle Adapter features an internal optimized SHOCK ZONE™ which absorbs peak torque and prevents breaking. The shank is made from CUSTOM ALLOY76™ Steel which is engineered for extended life. The hardened gears provide increased torque transfer for added durability. With only a 1/4" Slim Profile, the adapter allows access into the tightest of spaces. The SHOCKWAVE Impact Duty™ Right Angle Adapter is designed for use in both Impact Drivers and Drill Drivers and works with all 1/4" Hex Shank accessories.

FEATURES

- Optimized Internal SHOCK ZONE™: Absorbs peak torque and prevents breaking
- CUSTOM ALLOY76™ Steel: Engineered for extended life
- 1/4" Slim Profile: For tight access



SHOCKWAVE IMPACT DUTY™ SPECIALTY BIT HOLDERS

Description	Includes	Part No.
 SHOCKWAVE Impact Duty™ Right Angle Adapter	(1) Impact Right Angle Adapter	48-32-2390
 5 PC SHOCKWAVE Impact Duty™ Conduit Reaming Bit Holder	(1) Conduit Reaming Bit Holder (1) ECX™ Insert Bit 1" ECX2 (1) Phillips Insert Bit 1" PH2 (1) Square Recess Insert Bit 1" SQ2 (1) Slotted Insert Bit 1" SL#10	48-32-2350
 5 PC SHOCKWAVE Impact Duty™ Conduit Reamer Replacement Blades	(2) Cap Screws (1) Hex Key (2) Replacement Blades	48-32-2351
 11 PC SHOCKWAVE Impact Duty™ 30° KNUCKLE™ Pivoting Bit Holder	(1) 30° KNUCKLE™ Pivoting Bit Holder (1) Phillips Insert Bit 1" PH1 (1) Phillips Insert Bit 1" PH2 (1) Phillips Insert Bit 1" PH3 (1) Square Recess Insert Bit 1" SQ1 (1) Square Recess Insert Bit 1" SQ2 (1) Slotted Insert Bit 1" SL#6 (1) Slotted Insert Bit 1" SL#8 (1) Slotted Insert Bit 1" SL#10 (1) Slotted Insert Bit 1" SL#12 (1) TORX® Insert Bit 1" T25	48-32-2301

SHOCKWAVE IMPACT DUTY™ MAGNETIC NUT DRIVERS

OVERVIEW

MILWAUKEE® SHOCKWAVE Impact Duty™ Magnetic Nut Drivers are engineered for extreme durability and up to 30X life. They are made from CUSTOM ALLOY76™ Steel that maximizes resistance to wear and shock. The nut drivers feature a powerful magnet allowing for SECURE GRIP™ and unyielding bit engagement. The bits feature color-coded rings for quick and easy size identification and chamfered edges to allow for fastening in tight spaces. SHOCKWAVE Impact Duty™ Nut Drivers offer extreme durability for even the most demanding applications.

FEATURES

- CUSTOM ALLOY76™ Steel: Maximizes resistance to wear and shock
- Strong Magnetic Tip: Secure grip
- Color-coded Band: Easy size identification

SHOCKWAVE IMPACT DUTY™ MAGNETIC NUT DRIVERS

Length	Size	1 Pack	3 Pack	10 Pack	250 Pack	Bulk 10	Bulk 250
Insert	1/4"	–	49-66-4512	–	–	49-66-4712	–
	5/16"	–	49-66-4513	–	–	49-66-4713	–
	3/8"	–	49-66-4515	–	–	49-66-4715	–
	7/16"	–	49-66-4516	–	–	49-66-4716	–
	1/2"	–	49-66-4517	–	–	49-66-4717	–
1-7/8"	1/4"	49-66-4502	49-66-4522	49-66-0502	–	49-66-4702	–
	5/16"	49-66-4503	49-66-4523	49-66-0503	–	49-66-4703	–
	3/8"	49-66-4505	49-66-4525	49-66-0505	–	49-66-4705	–
	7/16"	49-66-4506	49-66-4526	49-66-0506	–	49-66-4706	–
2-9/16"	1/4"	49-66-4532	–	49-66-0532	49-66-0932	49-66-4732	49-66-4832
	5/16"	49-66-4533	–	49-66-0533	49-66-0933	49-66-4733	49-66-4833
	3/8"	49-66-4535	–	49-66-0535	49-66-0935	49-66-4735	49-66-4835
	7/16"	49-66-4536	–	49-66-0536	–	49-66-4736	–
	1/2"	49-66-4537	–	49-66-0537	–	49-66-4737	–
	7 mm	–	–	49-66-0707	–	49-66-4607	–
	8 mm	–	–	49-66-0708	–	49-66-4608	–
	10 mm	–	–	49-66-0710	–	49-66-4610	–
	12 mm	–	–	49-66-0712	–	49-66-4612	–
	13 mm	–	–	49-66-0713	–	49-66-4613	–



SHOCKWAVE IMPACT DUTY™ MAGNETIC NUT DRIVER SETS

Description	Length	Includes	Part No.
 3 PC SHOCKWAVE Impact Duty™ Magnetic Nut Driver Set	1-7/8"	(1) 1/4" Nut Driver (1) 5/16" Nut Driver (1) 3/8" Nut Driver	49-66-4561
 4 PC SHOCKWAVE Impact Duty™ Magnetic Nut Driver Set	1-7/8"	(1) 1/4" Nut Driver (1) 5/16" Nut Driver (1) 3/8" Nut Driver (1) 7/16" Nut Driver	49-66-4562
 5 PC SHOCKWAVE Impact Duty™ 1" Insert Nut Driver Set	Insert	(1) Insert 1/4" Nut Driver (1) Insert 5/16" Nut Driver (1) Insert 3/8" Nut Driver (1) Insert 7/16" Nut Driver (1) Insert 1/2" Nut Driver	49-66-4563

SHOCKWAVE IMPACT DUTY™ BIT SETS

SHOCKWAVE IMPACT DUTY™ BIT SETS

Description	Includes		Part No.
 10 PC SHOCKWAVE Impact Duty™ Square Recess 2" Power Bit Set w/ Carabiner	(2) Square Bits 2" SQ1 (6) Square Bits 2" SQ2 (2) Square Bits 2" SQ3 (1) Carabiner		48-32-4090
 10 PC SHOCKWAVE Impact Duty™ Square Recess 2" Power Bit Set w/ Carabiner	(10) Square Bits 2" SQ2 (1) Carabiner		48-32-4091
 10 PC SHOCKWAVE Impact Duty™ Phillips and Square Recess 2" Power Bit Set w/ Carabiner	(3) Phillips Bits 2" PH2 (1) Phillips Bit 2" PH3 (1) Square Bit 2" SQ1	(4) Square Bits 2" SQ2 (1) Square Bit 2" SQ3 (1) Carabiner	48-32-4092
 10 PC SHOCKWAVE Impact Duty™ TORX® 2" Power Bit Set w/ Carabiner	(1) Phillips Bit 2" PH2 (1) Square Bit 2" SQ2 (1) TORX® Bit 2" T10 (1) TORX® Bit 2" T15	(1) TORX® Bit 2" T20 (2) TORX® Bits 2" T25 (3) TORX® Bits 2" T30 (1) Carabiner	48-32-4093
 10 PC SHOCKWAVE Impact Duty™ Expand Set	(1) 6" Magnetic Bit Holder (1) Compact Magnetic Bit Holder (2) Phillips Bits 1" PH2 (2) Square Bits 1" SQ2	(2) TORX® Bits 1" T25 (1) 1/4" Insert Magnetic Nut Driver (1) 5/16" Insert Magnetic Nut Driver	48-32-4513
 18 PC SHOCKWAVE Impact Duty™ Driver Bit Set	(1) Compact Magnetic Bit Holder (1) Phillips Bit 1" PH1 (1) Phillips Bit 1" PH2 (1) Phillips Bit 1" PH3 (1) Square Bit 1" SQ1 (1) Square Bit 1" SQ2 (1) Slotted Bit 1" SL#8 (1) Slotted Bit 1" SL#10	(2) Phillips Bits 2" PH2 (1) Phillips Bit 2" PH3 (2) Square Bits 2" SQ2 (1) Square Bit 2" SQ3 (1) TORX® Bit 2" T20 (1) TORX® Bit 2" T25 (1) Phillips Bit 3-1/2" PH2 (1) Square Bit 3-1/2" SQ2	48-32-4403

TORX® is a registered trademark of Acument™ Global Technologies.

SHOCKWAVE IMPACT DUTY™ BIT SETS

Description	Includes		Part No.
 22 PC SHOCKWAVE Impact Duty™ Driver Bit Set Tube	(1) Compact Magnetic Bit Holder (1) Phillips Bit 1" PH1 (3) Phillips Bits 1" PH2 (2) Phillips Bits 1" PH3 (1) Square Bit 1" SQ1 (3) Square Bits 1" SQ2 (1) Square Bit 1" SQ3 (1) TORX® Bit 1" T10 (1) TORX® Bit 1" T15	(1) TORX® Bit 1" T20 (1) TORX® Bit 1" T25 (1) TORX® Bit 1" T27 (1) TORX® Bit 1" T30 (1) Slotted Bit 1" SL#6 (1) Slotted Bit 1" SL#8 (1) Slotted Bit 1" SL#10 (1) Slotted Bit 1" SL#12	48-32-4011
 22 PC SHOCKWAVE Impact Duty™ Driver Bit Set PDQ	(1) Compact Magnetic Bit Holder (1) Phillips Bit 1" PH1 (3) Phillips Bits 1" PH2 (2) Phillips Bits 1" PH3 (1) Square Bit 1" SQ1 (3) Square Bits 1" SQ2 (1) Square Bit 1" SQ3 (1) TORX® Bit 1" T10 (1) TORX® Bit 1" T15	(1) TORX® Bit 1" T20 (1) TORX® Bit 1" T25 (1) TORX® Bit 1" T27 (1) TORX® Bit 1" T30 (1) Slotted Bit 1" SL#6 (1) Slotted Bit 1" SL#8 (1) Slotted Bit 1" SL#10 (1) Slotted Bit 1" SL#12	48-32-4012
 26 PC SHOCKWAVE Impact Duty™ Drive and Fasten Set	(1) Compact Magnetic Bit Holder (1) Phillips Bit 1" PH1 (3) Phillips Bits 1" PH2 (1) Phillips Bit 1" PH3 (1) Square Bit 1" SQ1 (2) Square Bits 1" SQ2 (1) Square Bit 1" SQ3 (2) TORX® Bits 1" T20 (2) TORX® Bits 1" T25 (1) TORX® Bit 1" T30 (1) Slotted Bit 1" SL#8	(1) Phillips Bit 2" PH2 (1) Square Bit 2" SQ2 (1) TORX® Bit 2" T20 (1) TORX® Bit 2" T25 (1) 1/4" Magnetic Nut Driver (1) 5/16" Magnetic Nut Driver (1) 3/8" Magnetic Nut Driver (1) 1/4" Hex to 3/8" Square Socket Adapter (1) 3/8" Drive Deep Socket, 1/2" (1) 3/8" Drive Deep Socket, 9/16"	48-32-4408
 32 PC SHOCKWAVE Impact Duty™ Driver Bit Set	(1) Compact Magnetic Bit Holder (1) Hex Bit 1" 3/16" (1) Hex Bit 1" 1/4" (1) Phillips Bit 1" PH1 (4) Phillips Bits 1" PH2 (1) Phillips Bit 1" PH3 (1) Phillips Reduced Bit 1" PR2 (1) Square Bit 1" SQ1 (3) Square Bits 1" SQ2 (1) Square Bit 1" SQ3 (1) TORX® Bit 1" T15 (2) TORX® Bits 1" T20	(2) TORX® Bits 1" T25 (1) TORX® Bit 1" T30 (1) Slotted Bit 1" SL#8 (1) Slotted Bit 1" SL#10 (2) Phillips Bits 2" PH2 (1) Phillips Bit 2" PH3 (1) Square Bit 2" SQ2 (1) TORX® Bit 2" T20 (1) TORX® Bit 2" T25 (1) Slotted Bit 2" SL#10 (1) 1/4" Magnetic Nut Driver (1) 5/16" Magnetic Nut Driver	48-32-4004
 36 PC SHOCKWAVE Impact Duty™ Driver Bit Set	(1) Compact Magnetic Bit Holder (1) 6" Magnetic Bit Tip Holder (1) Hex Bit 1" 5/64" 1) Hex Bit 1" 3/32" (1) Hex Bit 1" 7/64" (1) Hex Bit 1" 1/8" (1) Hex Bit 1" 9/64" (1) Hex Bit 1" 5/32" (1) Hex Bit 1" 3/16" (1) Hex Bit 1" 1/4" (1) Phillips Bit 1" PH1 (3) Phillips Bits 1" PH2 (1) Phillips Bit 1" PH3 (1) Phillips Reduced Bit 1" PR2 (1) Slotted Bit 1" SL#8	(2) Slotted Bits 1" SL#10 (1) Slotted Bit 1" SL#12 (1) Square Bit 1" SQ1 (2) Square Bits 1" SQ2 (1) Square Bit 1" SQ3 (1) TORX® Bit 1" T10 (1) TORX® Bit 1" T15 (2) TORX® Bits 1" T20 (2) TORX® Bits 1" T25 (1) TORX® Bit 1" T27 (1) TORX® Bit 1" T30 (1) TORX® Bit 1" T40 (1) 1/4" Insert Magnetic Nut Driver (1) 5/16" Insert Magnetic Nut Driver (1) Insert 3/8" Socket Adapter	48-32-4005
 40 PC SHOCKWAVE Impact Duty™ Drill and Drive Set	(1) Compact Magnetic Bit Holder (1) 1/8" Titanium RED HELIX™ Drill Bit (1) 3/16" Titanium RED HELIX™ Drill Bit (1) 1/4" Titanium RED HELIX™ Drill Bit (1) Hex Bit 1" 1/8" (1) Hex Bit 1" 5/32" (1) Hex Bit 1" 3/16" (1) Hex Bit 1" 1/4" (1) Phillips Bit 1" PH1 (3) Phillips Bits 1" PH2 (1) Phillips Bit 1" PH3 (1) Phillips Reduced Bit 1" PR2 (1) Square Bit 1" SQ1 (2) Square Bits 1" SQ2 (1) Square Bit 1" SQ3 (1) TORX® Bit 1" T15	(1) TORX® Bit 1" T20 (2) TORX® Bits 1" T25 (1) Slotted Bit 1" SL#8 (1) Slotted Bit 1" SL#10 (4) Phillips Bits 2" PH2 (1) Phillips Bit 2" PH3 (1) Square Bit 2" SQ2 (1) Square Bit 2" SQ3 (1) TORX® Bit 2" T20 (2) TORX® Bits 2" T25 (1) Slotted Bit 2" SL#10 (1) 1/4" Magnetic Nut Driver (1) 5/16" Magnetic Nut Driver (1) 3/8" Magnetic Nut Driver (1) 3/8" Socket Adapter (1) 1/2" Socket Adapter	48-32-4006

SHOCKWAVE IMPACT DUTY™ BIT SETS

Description	Includes		Part No.
 50 PC SHOCKWAVE Impact Duty™ Drill and Drive Set	(1) Compact Magnetic Bit Holder (1) Hex Bit 1" 3/16" (1) Hex Bit 1" 1/4" (1) Phillips Bit 1" PH1 (4) Phillips Bits 1" PH2 (2) Phillips Bits 1" PH3 (2) Phillips Reduced Bits 1" PR2 (1) Square Bit 1" SQ1 (4) Square Bits 1" SQ2 (3) Square Bits 1" SQ3 (1) TORX® Bit 1" T15 (2) TORX® Bits 1" T20 (5) TORX® Bits 1" T25 (1) TORX® Bit 1" T30 (1) Slotted Bit 1" SL#6 (1) Slotted Bit 1" SL#10	(2) Phillips Bits 2" PH2 (2) Phillips Bits 2" PH3 (2) Square Bits 2" SQ2 (1) Square Bit 2" SQ3 (1) TORX® Bit 2" T20 (1) TORX® Bit 2" T25 (1) 1/16" Titanium RED HELIX™ Drill Bit (1) 3/32" Titanium RED HELIX™ Drill Bit (2) 1/8" Titanium RED HELIX™ Drill Bits (1) 3/16" Titanium RED HELIX™ Drill Bit (1) 7/32" Titanium RED HELIX™ Drill Bit (1) 1/4" Titanium RED HELIX™ Drill Bit (1) 1/4" Magnetic Nut Driver (1) 5/16" Magnetic Nut Driver (1) 3/8" Socket Adapter (1) 1/2" Socket Adapter	48-32-4013
 52 PC SHOCKWAVE Impact Duty™ Electrician's Drill and Drive Set	(1) 3" Magnetic Bit Holder (1) Hex Bit 1" 3/16" (1) Hex Bit 1" 1/4" (1) Phillips Bit 1" PH1 (5) Phillips Bits 1" PH2 (1) Phillips Bit 1" PH3 (2) Phillips Bits 2" PH2 (1) Square Bit 1" SQ1 (4) Square Bits 1" SQ2 (1) Square Bit 1" SQ3 (1) Square Bit 2" SQ2 (1) TORX® Bit 1" T20 (2) TORX® Bits 1" T25 (1) TORX® Bit 1" T27 (1) TORX® Bit 1" T30 (1) TORX® Bit 1" T40 (1) Slotted Bit 1" SLSL#8 (1) Slotted Bit 1" SL#10 (1) TORX® Security Bit 1" T10 (1) TORX® Security Bit 1" T15 (1) TORX® Security Bit 1" T20	(1) TORX® Security Bit 1" T25 (1) TORX® Security Bit 1" T27 (1) TORX® Security Bit 1" T30 (1) Hex Security Bit 1" 1/8" (1) Hex Security Bit 1" 9/64" (1) Hex Security Bit 1" 5/32" (1) Hex Security Bit 1" 3/16" (1) Spanner Bit 1" #6 (1) Spanner Bit 1" #8 (1) Spanner Bit 1" #10 (1) Spanner Bit 1" #12 (1) Clutch G Bit 1" 1/8" (1) Clutch G Bit 1" 5/32" (1) Clutch G Bit 1" 3/16" (2) 1/8" Titanium RED HELIX™ Drill Bits (1) 3/16" Titanium RED HELIX™ Drill Bit (1) 1/4" Titanium RED HELIX™ Drill Bit (1) 1/4" Insert Magnetic Nut Driver (1) 5/16" Insert Magnetic Nut Driver (1) 3/8" Insert Magnetic Nut Driver (1) 3/8" Insert Socket Adapter	48-32-4025
 55 PC SHOCKWAVE Impact Duty™ Driver Bit Set	(1) Compact Magnetic Bit Holder (1) 3" Magnetic Bit Holder (1) 6" Magnetic Bit Holder (1) Hex Bit 1" 3/32" (1) Hex Bit 1" 7/64" (1) Hex Bit 1" 1/8" (1) Hex Bit 1" 9/64" (1) Hex Bit 1" 5/32" (1) Hex Bit 1" 3/16" (1) Hex Bit 1" 1/4" (1) Hex Bit 1" 3 mm (1) Hex Bit 1" 4 mm (1) Hex Bit 1" 5 mm (1) Hex Bit 1" 6 mm (2) Phillips Bits 1" PH1 (8) Phillips Bits 1" PH2 (2) Phillips Bits 1" PH3 (1) Phillips Reduced Bit 1" PR2	(1) Square Bit 1" SQ1 (3) Square Bits 1" SQ2 (2) Square Bits 1" SQ3 (1) TORX® Bit 1" T10 (1) TORX® Bit 1" T15 (3) TORX® Bits 1" T20 (5) TORX® Bits 1" T25 (1) TORX® Bit 1" T27 (1) TORX® Bit 1" T30 (1) TORX® Bit 1" T40 (1) Slotted Bit 1" SL#8 (2) Slotted Bits 1" SL#10 (1) 1/4" Insert Magnetic Nut Driver (1) 5/16" Insert Magnetic Nut Driver (1) 3/8" Insert Magnetic Nut Driver (1) 1/4" Insert Socket Adapter (1) 3/8" Insert Socket Adapter (1) 1/2" Insert Socket Adapter	48-32-4028

SHOCKWAVE IMPACT DUTY™ BIT SETS

Description	Includes		Part No.
 60 PC SHOCKWAVE Impact Duty™ Drill and Drive Set	(1) Compact Magnetic Bit Holder (1) 6" Magnetic Bit Holder (1) Hex Bit 1" 3/16" (1) Hex Bit 1" 1/4" (1) Phillips Bit 1" PH1 (6) Phillips Bits 1" PH2 (2) Phillips Bits 1" PH3 (1) Phillips Reduced Bit 1" PR2 (1) Square Bit 1" SQ1 (3) Square Bits 1" SQ2 (1) Square Bit 1" SQ3 (1) TORX® Bit 1" T10 (1) TORX® Bit 1" T15 (2) TORX® Bits 1" T20 (3) TORX® Bits 1" T25 (1) TORX® Bit 1" T30 (1) Slotted Bit 1" SL#6 (1) Slotted Bit 1" SL#10 (1) Phillips Bit 2" PH1 (4) Phillips Bits 2" PH2 (2) Phillips Bits 2" PH3	(1) Square Bit 2" SQ1 (3) Square Bits 2" SQ2 (1) Square Bit 2" SQ3 (2) TORX® Bits 2" T20 (2) TORX® Bits 2" T25 (1) TORX® Bit 2" T30 (1) Slotted Bit 2" SL#10 (1) PH2/SQ2 2" Double-Ended Bit (1) PH2/T25 2" Double-Ended Bit (1) PH2/SL#10 2" Double-Ended Bit (1) T20/T25 2" Double-Ended Bit (1) 1/16" Titanium RED HELIX™ Drill Bit (1) 3/32" Titanium RED HELIX™ Drill Bit (1) 1/8" Titanium RED HELIX™ Drill Bit (1) 5/32" Titanium RED HELIX™ Drill Bit (1) 3/16" Titanium RED HELIX™ Drill Bit (1) 1/4" Titanium RED HELIX™ Drill Bit (1) 1/4" Magnetic Nut Driver (1) 5/16" Magnetic Nut Driver (1) 3/8" Socket Adapter	48-32-4029
 65 PC SHOCKWAVE Impact Duty™ MRO Driver Bit Set	(1) Compact Magnetic Bit Holder (1) Phillips Bit 1" PH1 (1) Phillips Bit 1" PH2 (1) Phillips Bit 1" PH3 (1) Phillips Reduced Bit 1" PR2 (1) Square Bit 1" SQ1 (1) Square Bit 1" SQ2 (1) Square Bit 1" SQ3 (1) TORX® Bit 1" T10 (1) TORX® Bit 1" T15 (1) TORX® Bit 1" T20 (1) TORX® Bit 1" T25 (1) TORX® Bit 1" T27 (1) TORX® Bit 1" T30 (1) TORX® Bit 1" T40 (1) Slotted Bit 1" SL#8 (1) Slotted Bit 1" SL#10 (1) Hex Bit 1" 3/16" (1) Hex Bit 1" 1/4" (1) TORX® Security Bit 1" T7 (1) TORX® Security Bit 1" T8 (1) TORX® Security Bit 1" T9 (1) TORX® Security Bit 1" T10 (1) TORX® Security Bit 1" T15 (1) TORX® Security Bit 1" T20 (1) TORX® Security Bit 1" T25 (1) TORX® Security Bit 1" T27 (1) TORX® Security Bit 1" T30 (1) TORX® Security Bit 1" T40 (1) Hex Security Bit 1" 5/64" (1) Hex Security Bit 1" 3/32" (1) Hex Security Bit 1" 7/64" (1) Hex Security Bit 1" 1/8"	(1) Hex Security Bit 1" 9/64" (1) Hex Security Bit 1" 5/32" (1) Hex Security Bit 1" 3/16" (1) Hex Security Bit 1" 7/32" (1) Hex Security Bit 1" 1/4" (1) Spanner Bit 1" #6 (1) Spanner Bit 1" #8 (1) Spanner Bit 1" #10 (1) Spanner Bit 1" #12 (1) Clutch G Bit 1" 1/8" (1) Clutch G Bit 1" 5/32" (1) Clutch G Bit 1" 3/16" (1) POZIDRIV® Bit 1" PZ1 (1) POZIDRIV® Bit 1" PZ2 (1) POZIDRIV® Bit 1" PZ3 (1) TRI-WING® Bit 1" #1 (1) TRI-WING® Bit 1" #2 (1) TRI-WING® Bit 1" #3 (1) TRI-WING® Bit 1" #4 (1) TRI-WING® Bit 1" #5 (1) TORQ-SET® Bit 1" #4 (1) TORQ-SET® Bit 1" #6 (1) TORQ-SET® Bit 1" #8 (1) TORQ-SET® Bit 1" #10 (1) Spline Bit 1" #4 (1) Spline Bit 1" #5 (1) Spline Bit 1" #6 (1) Spline Bit 1" #8 (1) Specialty Wood Screw Bit 1" (1) 1/4" Magnetic Nut Driver (1) 5/16" Magnetic Nut Driver (1) 1/4" Socket Adapter	48-32-4026
 74 PC SHOCKWAVE Impact Duty™ Driver Bit Set	(1) Compact Magnetic Bit Holder (1) 1/4" Magnetic Nut Driver (1) 5/16" Magnetic Nut Driver (1) PH2/SQ2 2-3/8" Double-Ended Bit (1) PH2/SL#10 2-3/8" Double-Ended Bit (1) PH2/T25 2-3/8" Double-Ended Bit (1) T20/T25 2-3/8" Double-Ended Bit (2) Phillips Bits 1" PH1 (11) Phillips Bits 1" PH2 (2) Phillips Bits 2" PH2 (1) Phillips Bit 3-1/2" PH2 (1) Phillips Bit 1" PR2 (3) Phillips Bits 1" PH3 (1) Phillips Bit 2" PH3 (2) Square Recess Bits 1" SQ1 (4) Square Recess Bits 1" SQ2 (2) Square Recess Bits 2" SQ2 (1) Square Recess Bit 3-1/2" SQ2 (2) Square Recess Bits 1" SQ3 (1) Square Recess Bit 2" SQ3	(1) TORX® Bit 1" T10 (2) TORX® Bits 1" T15 (4) TORX® Bits 1" T20 (1) TORX® Bit 2" T20 (7) TORX® Bits 1" T25 (1) TORX® Bit 2" T25 (1) TORX® Bit 3-1/2" T25 (2) TORX® Bits 1" T27 (2) TORX® Bits 1" T30 (1) Slotted Bit 1" SL#8 (2) Slotted Bits 1" SL#10 (1) Hex Bit 1" 1/8" (1) Hex Bit 1" 9/64" (1) Hex Bit 1" 5/32" (1) Hex Bit 1" 3/16" (1) Hex Bit 1" 1/4" (1) Hex Bit 1" 3 mm (1) Hex Bit 1" 4 mm (1) Hex Bit 1" 5 mm (1) Hex Bit 1" 6 mm (1) 3/8" Socket Adapter	48-32-4062

SHOCKWAVE IMPACT DUTY™ BIT SETS

Description	Includes		Part No.
 75 PC SHOCKWAVE Impact Duty™ Drill and Drive Set	(1) Compact Magnetic Bit Holder (1) 6" Magnetic Bit Holder (1) Hex Bit 1" 3/16" (1) Hex Bit 1" 1/4" (2) Phillips Bits 1" PH1 (8) Phillips Bits 1" PH2 (3) Phillips Bits 1" PH3 (2) Phillips Reduced Bits 1" PR2 (1) Square Bit 1" SQ1 (4) Square Bits 1" SQ2 (2) Square Bits 1" SQ3 (1) TORX® Bit 1" T10 (2) TORX® Bits 1" T15 (3) TORX® Bits 1" T20 (5) TORX® Bits 1" T25 (1) TORX® Bit 1" T27 (1) TORX® Bit 1" T30 (1) Slotted Bit 1" SL#8 (1) Slotted Bit 1" SL#10 (1) Phillips Bit 2" PH1 (3) Phillips Bits 2" PH2 (1) Phillips Bit 2" PH3 (1) Square Bit 2" SQ1 (2) Square Bits 2" SQ2	(1) Square Bit 2" SQ3 (1) TORX® Bit 2" T15 (2) TORX® Bits 2" T20 (2) TORX® Bits 2" T25 (1) TORX® Bit 2" T30 (1) Slotted Bit 2" SL#10 (1) Phillips Bit 3-1/2" PH2 (1) TORX® Bit 3-1/2" T25 (1) Phillips Bit 6" PH2 (1) Square Bit 6" SQ2 (1) PH2/SQ2 2" Double-Ended Bit (1) T20/T25 2" Double-Ended Bit (1) 1/16" Titanium RED HELIX™ Drill Bit (1) 3/32" Titanium RED HELIX™ Drill Bit (1) 1/8" Titanium RED HELIX™ Drill Bit (1) 3/16" Titanium RED HELIX™ Drill Bit (1) 1/4" Titanium RED HELIX™ Drill Bit (1) 3/8" Titanium RED HELIX™ Drill Bit (1) 1/4" Insert Magnetic Nut Driver (1) 5/16" Insert Magnetic Nut Driver (1) 3/8" Insert Magnetic Nut Driver (1) 3/8" Insert Socket Adapter (1) 3/8" Drive Deep Socket, 1/2" (1) 3/8" Drive Deep Socket, 9/16"	48-32-4030
 100 PC SHOCKWAVE Impact Duty™ Driver Bit Set w/ PACKOUT™ Low-Profile Compact Organizer	(1) Compact Magnetic Bit Holder (1) Hex Bit 1" 3/32" (1) Hex Bit 1" 7/64" (1) Hex Bit 1" 1/8" (1) Hex Bit 1" 9/64" (1) Hex Bit 1" 5/32" (1) Hex Bit 1" 3/16" (1) Hex Bit 1" 1/4" (2) Phillips Bits 1" PH1 (6) Phillips Bits 1" PH2 (2) Phillips Bits 1" PH3 (2) Phillips Reduced Bits 1" PR2 (2) Square Bits 1" SQ1 (6) Square Bits 1" SQ2 (2) Square Bits 1" SQ3 (2) TORX® Bits 1" T10 (2) TORX® Bits 1" T15 (6) TORX® Bits 1" T25 (2) TORX® Bits 1" T27 (2) TORX® Bits 1" T30 (1) Slotted Bit 1" 7/64" (1) Slotted Bit 1" 1/8" (1) Slotted Bit 1" 3/16"	(1) Slotted Bit 1" 1/4" (1) Slotted Bit 1" 9/32" (2) Phillips Bits 2" PH1 (5) Phillips Bits 2" PH2 (2) Phillips Bits 2" PH3 (2) Square Bits 2" SQ1 (5) Square Bits 2" SQ2 (2) Square Bits 2" SQ3 (2) TORX® Bits 2" T10 (2) TORX® Bits 2" T15 (5) TORX® Bits 2" T20 (5) TORX® Bits 2" T25 (2) TORX® Bits 2" T27 (1) Phillips Bit 3-1/2" PH2 (1) Square Bit 3-1/2" SQ2 (1) TORX® Bit 3-1/2" T25 (1) PH2/PH2 2" Double-Ended Bit (1) PH2/SL#10 2" Double-Ended Bit (2) PH2/T25 2" Double-Ended Bits (1) PH2/SQ2 2" Double-Ended Bit (1) T20/T25 2" Double-Ended Bit (1) 1/4" Magnetic Nut Driver (1) 5/16" Magnetic Nut Driver	48-32-4082

QUICK CHANGE EXTENSIONS

OVERVIEW

The 1/4" Universal QUIK-LOK™ Extension has an innovative design that fits all 1/4" shanks – with or without a power-groove. The unique design requires no tools to change out bits, making it fast and efficient.

FEATURES

- Universal QUIK-LOK™: Accepts ALL 1/4" shanks
- Tool-less Quick Change: No hex key needed
- Hardened Shank: For maximum durability



QUICK CHANGE EXTENSIONS

Bit	Length	Part No.
1/4"	3"	48-28-1000
1/4"	6"	48-28-1010
1/4"	12"	48-28-1020

Extensions are also located on page 21 of this catalog.

DRYWALL SCREW SETTERS

OVERVIEW

MILWAUKEE® Drywall Screw Setters provide ideal depth control when installing drywall. They feature a collar that automatically stops the tool from overdriving a screw. This allows for consistent screw depths and prevents damage to the drywall. The bits are insert style, featuring a 1/4" hex shank intended for use in Drill/Drivers.



FEATURES

- Ideal for Depth Control when installing drywall
- Designed to automatically stop from overdriving screw and damaging drywall

DRYWALL SCREW SETTERS

Description	Part No.
 #2 Phillips Drywall Screw Setters (4 pk)	48-32-2101

RIGHT ANGLE ATTACHMENT

OVERVIEW

MILWAUKEE's Right Angle Attachment allows contractors to drive screws and drill holes in tight, difficult work areas. This attachment is ideal for cordless drills and uses standard 1/4" hex accessories. It has a durable all-metal housing and steel gears with ball bearing construction which allows this adapter to handle up to 235 in-lbs of torque. The compact design measures only 2" wide, allowing it to fit in tight spaces where work is difficult to perform. The convenient quick change chuck accepts standard 1/4" hex drive accessories.



FEATURES

- Compact Design: Allows work in tight areas
- Durable All-metal Housing and Steel Gears
- Rated up to 235 in-lbs of torque

RIGHT ANGLE ATTACHMENT

Description	Part No.
 Right Angle Attachment	49-22-8510

STANDARD DRIVER BIT SETS

OVERVIEW

Made of premium grade S2 tool steel, these bits are heavy duty, designed for hard use.

FEATURES

- Premium Grade S2 Tool Steel: Longer bit life
- Driving Bits: Designed for quick change applications
- Magnetic Drive Guide: Helps reduce slipping and wobble by holding long fasteners in place while the sleeve retracts as the screw is driven into the material

STANDARD DRIVER BIT SETS

Description	Includes		Part No.
 20 PC Screwdriving Set	(1) Compact Screw Guide (1) Phillips Bit 1" PH1 (7) Phillips Bits 1" PH2 (1) Phillips Bit 1" PH3 (1) Square Bit 1" SQ1 (3) Square Bits 1" SQ2	(1) Square Bit 1" SQ3 (1) TORX® Bit 1" T15 (1) TORX® Bit 1" T20 (1) TORX® Bit 1" T25 (1) Slotted Bit 1" SL#6-8 (1) Slotted Bit 1" SL#8-10	48-32-1700

STANDARD DRIVER BIT SETS

Description	Includes		Part No.
 42 PC Driver Bit Set	(1) Magnetic Drive Guide (1) Phillips Bit 1" PH1 (6) Phillips Bits 1" PH2 (2) Phillips Bits 1" PR2 (2) Phillips Bits 1" PH3 (1) Phillips Bit 2" PH2 (1) Phillips Bit 2" PH3 (1) Phillips Bit 3-1/2" PH2 (2) Square Bits 1" SQ1 (6) Square Bits 1" SQ2 (1) Square Bit 1" SQ3 (1) Square Bit 2" SQ2 (1) Square Bit 2" SQ3 (1) Square Bit 3-1/2" SQ2	(1) TORX® Bit 1" T10 (1) TORX® Bit 1" T15 (1) TORX® Bit 1" T20 (1) TORX® Bit 1" T25 (1) TORX® Bit 1" T30 (1) TORX® Bit 2" T15 (1) TORX® Bit 2" T20 (1) TORX® Bit 2" T25 (1) Slotted Bit 1" SL#6 (1) Slotted Bit 1" SL#8 (1) Slotted Bit 1" SL#10 (1) Slotted Bit 2" SL#8 (1) Slotted Bit 2" SL#10 (1) Hex Bit 1" 3/16" (1) Hex Bit 1" 1/4"	48-32-1551
 64 PC Driver Bit Set	(1) Magnetic Drive Guide (1) 1/4" Magnetic Nut Driver (1) 5/16" Magnetic Nut Driver (1) PH2/SL#10 2" Double Ended Bit (1) PH2/PH2 2" Double Ended Bit (1) PH2/SQ2 2" Double Ended Bit (1) T25/T20 2" Double Ended Bit (1) 3/8" Socket Adapter (1) Phillips Bit 2" PH3 (4) Phillips Bits 2" PH2 (2) Phillips Bits 1" PH3 (1) Phillips Bit 1" PR2 (6) Phillips Bits 1" PH2 (1) Phillips Bit 1" PH1 (2) Square Bits 2" SQ2 (2) Square Bits 1" SQ3 (5) Square Bits 1" SQ2 (2) Square Bits 1" SQ1	(1) TORX® Bit 1" T10 (1) TORX® Bit 1" T15 (3) TORX® Bits 1" T20 (2) TORX® Bits 2" T20 (5) TORX® Bits 1" T25 (4) TORX® Bits 2" T25 (1) TORX® Bit 1" T27 (2) TORX® Bits 1" T30 (1) Slotted Bit 1" SL#6 (1) Slotted Bit 1" SL#8 (2) Slotted Bits 1" SL#10 (1) Slotted Bit 2" SL#10 (1) Hex Bit 1" 1/8" (1) Hex Bit 1" 9/64" (1) Hex Bit 1" 5/32" (1) Hex Bit 1" 3/16" (1) Hex Bit 1" 7/32" (1) Hex Bit 1" 1/4"	48-32-1552
 95 PC Drill and Drive Set	(1) 1/4" Magnetic Nut Driver (1) 5/16" Magnetic Nut Driver (1) TORX® Bit 2" T25 (1) TORX® Bit 2" T20 (2) TORX® Bits 1" T9 (2) TORX® Bits 1" T40 (2) TORX® Bits 1" T30 (2) TORX® Bits 1" T27 (3) TORX® Bits 1" T25 (3) TORX® Bits 1" T20 (2) TORX® Bits 1" T15 (2) TORX® Bits 1" T10 (1) Square Bit 2" SQ2 (3) Square Bits 1" SQ3 (8) Square Bits 1" SQ2 (3) Square Bits 1" SQ1 (1) Slotted Bit 2" SL#8 (1) Slotted Bit 1" SL#12 (2) Slotted Bits 1" SL#4 (2) Slotted Bits 1" SL#8 (2) Slotted Bits 1" SL#6 (2) Slotted Bits 1" SL#10 (1) POZIDRIV® Bit 1" PZ3 (1) POZIDRIV® Bit 1" PZ2	(1) Phillips Bit 2" PH2 (3) Phillips Bits 1" PR2 (4) Phillips Bits 1" PH3 (10) Phillips Bits 1" PH2 (3) Phillips Bits 1" PH1 (1) Magnetic Drive Guide (1) Hex Bit 1" 9/64" (2) Hex Bits 1" 7/64" (2) Hex Bits 1" 5/64" (1) Hex Bit 1" 5/32" (2) Hex Bits 1" 3/32" (2) Hex Bits 1" 3/16" (2) Hex Bits 1" 1/8" (2) Hex Bits 1" 1/4" (2) Hex Bits 1" 1/16" (1) 7/64" THUNDERBOLT® Black Oxide Drill Bit (1) 5/64" THUNDERBOLT® Black Oxide Drill Bit (1) 5/32" THUNDERBOLT® Black Oxide Drill Bit (1) 3/32" THUNDERBOLT® Black Oxide Drill Bit (1) 3/16" THUNDERBOLT® Black Oxide Drill Bit (1) 1/8" THUNDERBOLT® Black Oxide Drill Bit (1) 1/4" THUNDERBOLT® Black Oxide Drill Bit (1) 1/16" THUNDERBOLT® Black Oxide Drill Bit	48-89-1561

SHOCKWAVE IMPACT DUTY™ SOCKET ADAPTERS

OVERVIEW

The MILWAUKEE® SHOCKWAVE Impact Duty™ Socket Adapters are made from a proprietary steel, heat treated to control hardness and provide durability with up to 50X life. The Socket Adapter has a heavy-duty construction for fastening capabilities in all impacts and is built to withstand frequent use. MILWAUKEE® Hex to Square Socket Adapters are engineered for maximum durability and long-lasting use. This impact Socket Adapter is not for use with impact wrenches.



FEATURES

- Designed for use with Impact Drivers
- Optimized SHOCK ZONE™: Added durability in Impact Drivers
- Optimized with Extreme Durability: Up to 50X life

SHOCKWAVE IMPACT DUTY™ SOCKET ADAPTERS

Bit Length	Description	1 Pack	Bulk 10
2"	1/4" Hex to 1/4" Square Adapter	48-32-5030	48-32-5730
	1/4" Hex to 3/8" Square Adapter	48-32-5031	48-32-5731
	1/4" Hex to 1/2" Square Adapter	48-32-5034	48-32-5734

Bit Length	Description	1 Pack	Bulk 10
–	1/2" – 7/16" Quick Change Impact Adapter	48-66-0061	–
–	7/16" – 1/2" Impact Adapter	48-32-5100	48-32-5700
–	3/8" Square to 1/4" Hex Adapter	48-03-4405	–
–	1/2" Square to 1/4" Hex Adapter	48-03-4410	–

SHOCKWAVE IMPACT DUTY™ SOCKET ADAPTER SET

Description	Includes	Part No.
 3 PC SHOCKWAVE Impact Duty™ 2" Socket Adapter Set	(1) 1/4" Socket Adapter (1) 3/8" Socket Adapter (1) 1/2" Socket Adapter	48-32-5033



NEW

SHOCKWAVE IMPACT DUTY™ SOCKETS

OVERVIEW

Our SHOCKWAVE Impact Duty™ Sockets feature the boldest, longest lasting markings and high-strength forged steel for extreme impact durability. The stamped and ink-filled size marking enables you to select the right socket every time throughout the life of the socket. Our SHOCKWAVE Impact Duty™ Sockets are engineered with high-strength forged steel for optimized performance in heavy duty applications. The non-slip hex geometry prevents fastener rounding and our dual hole design and ring groove allows for easy socket attachment and removal. All SHOCKWAVE Impact Duty™ Sockets are backed by our Lifetime Guarantee and meet ASME industry standards

FEATURES

- Stamped and Ink-Filled Markings: Wear resistance
- 6-Point Design: Made with forged impact steel for durability in high torque applications backed by our Lifetime Guarantee
- Non-slip Hex Geometry: Prevents socket and fastener rounding

1/4" DRIVE

NEW

SHOCKWAVE IMPACT DUTY™ 1/4" DRIVE SOCKET SETS

SHOCKWAVE IMPACT DUTY™ 1/4" DRIVE SOCKET SETS

Description	Includes		Part No.
 6 PT STANDARD 10 PC SHOCKWAVE Impact Duty™ 1/4" Drive SAE 6 Point Standard Socket Set	(1) 3/16" Standard Socket (1) 7/32" Standard Socket (1) 1/4" Standard Socket (1) 9/32" Standard Socket (1) 5/16" Standard Socket (1) 11/32" Standard Socket	(1) 3/8" Standard Socket (1) 7/16" Standard Socket (1) 1/2" Standard Socket (1) 9/16" Standard Socket (1) Socket Rail	49-66-7000
 6 PT DEEP 10 PC SHOCKWAVE Impact Duty™ 1/4" Drive SAE 6 Point Deep Socket Set	(1) 3/16" Deep Socket (1) 7/32" Deep Socket (1) 1/4" Deep Socket (1) 9/32" Deep Socket (1) 5/16" Deep Socket (1) 11/32" Deep Socket	(1) 3/8" Deep Socket (1) 7/16" Deep Socket (1) 1/2" Deep Socket (1) 9/16" Deep Socket (1) Socket Rail	49-66-7001
 6 PT STANDARD 14 PC SHOCKWAVE Impact Duty™ 1/4" Drive Metric 6 Point Standard Socket Set	(1) 4 mm Standard Socket (1) 4.5 mm Standard Socket (1) 5 mm Standard Socket (1) 5.5 mm Standard Socket (1) 6 mm Standard Socket (1) 7 mm Standard Socket (1) 8 mm Standard Socket (1) 9 mm Standard Socket	(1) 10 mm Standard Socket (1) 11 mm Standard Socket (1) 12 mm Standard Socket (1) 13 mm Standard Socket (1) 14 mm Standard Socket (1) 15 mm Standard Socket (1) Socket Rail	49-66-7002



SHOCKWAVE IMPACT DUTY™ 1/4" DRIVE SOCKET SETS

Description	Includes		Part No.
 6 PT DEEP 14 PC SHOCKWAVE Impact Duty™ 1/4" Drive Metric 6 Point Deep Socket Set	(1) 4 mm Deep Socket (1) 4.5 mm Deep Socket (1) 5 mm Deep Socket (1) 5.5 mm Deep Socket (1) 6 mm Deep Socket (1) 7 mm Deep Socket (1) 8 mm Deep Socket (1) 9 mm Deep Socket	(1) 10 mm Deep Socket (1) 11 mm Deep Socket (1) 12 mm Deep Socket (1) 13 mm Deep Socket (1) 14 mm Deep Socket (1) 15 mm Deep Socket (1) Socket Rail	49-66-7003

NEW

SHOCKWAVE IMPACT DUTY™ 1/4" DRIVE SOCKET ACCESSORIES

SHOCKWAVE IMPACT DUTY™ 1/4" DRIVE SOCKET ACCESSORIES

Description	Part No.
3" 1/4" Drive Extension	49-66-6700
6" 1/4" Drive Extension	49-66-6701
10" 1/4" Drive Extension	49-66-6702
1/4" to 3/8" Drive Adapter	49-66-6720
1/4" Drive Universal Joint	49-66-6721
1/4" Drive Socket Rail	49-66-6734
1/4" Drive Socket Rail Clips (10 pk)	49-66-6739
1/4" Hex to 1/4" Square Drive 2" Socket Adapter	48-32-5030
1/4" Hex to 1/4" Square Drive Socket Adapters (Bulk 10)	48-32-5730



3/8" DRIVE

NEW

SHOCKWAVE IMPACT DUTY™ 3/8" DRIVE SOCKET SETS

SHOCKWAVE IMPACT DUTY™ 3/8" DRIVE SOCKET SETS

Description	Includes		Part No.
 6 PT DEEP 3 PC SHOCKWAVE Impact Duty™ 3/8" Drive SAE 6 Point Deep Socket Set	(1) 1/2" Deep Socket (1) 9/16" Deep Socket (1) 1/4" Hex to 3/8" Square 2" Adapter		49-66-4417
 6 PT DEEP 8 PC SHOCKWAVE Impact Duty™ 3/8" Drive SAE 6 Point Deep Socket Set	(1) 5/16" Deep Socket (1) 3/8" Deep Socket (1) 7/16" Deep Socket (1) 1/2" Deep Socket (1) 9/16" Deep Socket (1) 5/8" Deep Socket (1) 3/4" Deep Socket (1) 1/4" Hex to 3/8" Square 2" Adapter (1) Socket Rail		49-66-7024

SHOCKWAVE IMPACT DUTY™ 3/8" DRIVE SOCKET SETS

Description	Includes	Part No.
 6 PTDEEP 8 PC SHOCKWAVE Impact Duty™ 3/8" Drive Metric 6 Point Deep Socket Set	(1) 10 mm Deep Socket (1) 13 mm Deep Socket (1) 14 mm Deep Socket (1) 15 mm Deep Socket (1) 17 mm Deep Socket (1) 19 mm Deep Socket (1) 21 mm Deep Socket (1) 1/4" Hex to 3/8" Square 2" Adapter (1) Socket Rail	49-66-7021
 6 PTSTANDARD 12 PC SHOCKWAVE Impact Duty™ 3/8" Drive SAE 6 Point Standard Socket Set	(1) 5/16" Standard Socket (1) 3/8" Standard Socket (1) 7/16" Standard Socket (1) 1/2" Standard Socket (1) 9/16" Standard Socket (1) 5/8" Standard Socket (1) 11/16" Standard Socket (1) 3/4" Standard Socket (1) 13/16" Standard Socket (1) 7/8" Standard Socket (1) 15/16" Standard Socket (1) 1" Standard Socket (1) Hard Case	49-66-7005
 6 PTDEEP 12 PC SHOCKWAVE Impact Duty™ 3/8" Drive SAE 6 Point Deep Socket Set	(1) 5/16" Deep Socket (1) 3/8" Deep Socket (1) 7/16" Deep Socket (1) 1/2" Deep Socket (1) 9/16" Deep Socket (1) 5/8" Deep Socket (1) 11/16" Deep Socket (1) 3/4" Deep Socket (1) 13/16" Deep Socket (1) 7/8" Deep Socket (1) 15/16" Deep Socket (1) 1" Deep Socket (1) Hard Case	49-66-7006
 6 PTSTANDARD 14 PC SHOCKWAVE Impact Duty™ 3/8" Drive Metric 6 Point Standard Socket Set	(1) 7 mm Standard Socket (1) 8 mm Standard Socket (1) 9 mm Standard Socket (1) 10 mm Standard Socket (1) 11 mm Standard Socket (1) 12 mm Standard Socket (1) 13 mm Standard Socket (1) 14 mm Standard Socket (1) 15 mm Standard Socket (1) 16 mm Standard Socket (1) 17 mm Standard Socket (1) 18 mm Standard Socket (1) 19 mm Standard Socket (1) 21 mm Standard Socket (1) Socket Rail	49-66-7007
 6 PTDEEP 14 PC SHOCKWAVE Impact Duty™ 3/8" Drive Metric 6 Point Deep Socket Set	(1) 7 mm Deep Socket (1) 8 mm Deep Socket (1) 9 mm Deep Socket (1) 10 mm Deep Socket (1) 11 mm Deep Socket (1) 12 mm Deep Socket (1) 13 mm Deep Socket (1) 14 mm Deep Socket (1) 15 mm Deep Socket (1) 16 mm Deep Socket (1) 17 mm Deep Socket (1) 18 mm Deep Socket (1) 19 mm Deep Socket (1) 21 mm Deep Socket (1) Socket Rail	49-66-7008

SHOCKWAVE IMPACT DUTY™ 3/8" DRIVE SOCKET SETS

Description	Includes		Part No.
 6 PTSTANDARD & DEEP 43 PC SHOCKWAVE Impact Duty™ 3/8" Drive Metric & SAE 6 Point Standard & Deep Socket Set	(1) 5/16" Standard Socket (1) 3/8" Standard Socket (1) 7/16" Standard Socket (1) 1/2" Standard Socket (1) 9/16" Standard Socket (1) 5/8" Standard Socket (1) 11/16" Standard Socket (1) 3/4" Standard Socket (1) 8 mm Standard Socket (1) 9 mm Standard Socket (1) 10 mm Standard Socket (1) 11 mm Standard Socket (1) 12 mm Standard Socket (1) 13 mm Standard Socket (1) 14 mm Standard Socket (1) 15 mm Standard Socket (1) 16 mm Standard Socket (1) 17 mm Standard Socket (1) 18 mm Standard Socket (1) 19 mm Standard Socket	(1) 5/16" Deep Socket (1) 3/8" Deep Socket (1) 7/16" Deep Socket (1) 1/2" Deep Socket (1) 9/16" Deep Socket (1) 5/8" Deep Socket (1) 11/16" Deep Socket (1) 3/4" Deep Socket (1) 8 mm Deep Socket (1) 9 mm Deep Socket (1) 10 mm Deep Socket (1) 11 mm Deep Socket (1) 12 mm Deep Socket (1) 13 mm Deep Socket (1) 14 mm Deep Socket (1) 15 mm Deep Socket (1) 16 mm Deep Socket (1) 17 mm Deep Socket (1) 18 mm Deep Socket (1) 19 mm Deep Socket (1) 1/4" Hex to 3/8" Square 2" Adapter (1) 3" Extension (1) Universal Joint	49-66-7009

NEW

SHOCKWAVE IMPACT DUTY™ 3/8" DRIVE SAE SOCKETS

6 PTSTANDARD

Diameter	Depth	Part No.
1/4"	Standard	49-66-6100
9/32"	Standard	49-66-6101
5/16"	Standard	49-66-6102
11/32"	Standard	49-66-6103
3/8"	Standard	49-66-6104
7/16"	Standard	49-66-6105
1/2"	Standard	49-66-6106
9/16"	Standard	49-66-6107
5/8"	Standard	49-66-6108
11/16"	Standard	49-66-6109
3/4"	Standard	49-66-6110
13/16"	Standard	49-66-6111
7/8"	Standard	49-66-6112
15/16"	Standard	49-66-6113
1"	Standard	49-66-6114

6 PTDEEP

Diameter	Depth	Part No.
1/4"	Deep	49-66-6115
9/32"	Deep	49-66-6116
5/16"	Deep	49-66-6117
11/32"	Deep	49-66-6118
3/8"	Deep	49-66-6119
7/16"	Deep	49-66-6120
1/2"	Deep	49-66-6121
9/16"	Deep	49-66-6122
5/8"	Deep	49-66-6123
11/16"	Deep	49-66-6124
3/4"	Deep	49-66-6125
13/16"	Deep	49-66-6126
7/8"	Deep	49-66-6127
15/16"	Deep	49-66-6128
1"	Deep	49-66-6129

SAE



NEW

SHOCKWAVE IMPACT DUTY™ 3/8" DRIVE METRIC SOCKETS

6 PT STANDARD

Diameter	Depth	Part No.
6 mm	Standard	49-66-6130
7 mm	Standard	49-66-6131
8 mm	Standard	49-66-6132
9 mm	Standard	49-66-6133
10 mm	Standard	49-66-6134
11 mm	Standard	49-66-6135
12 mm	Standard	49-66-6136
13 mm	Standard	49-66-6137
14 mm	Standard	49-66-6138
15 mm	Standard	49-66-6139
16 mm	Standard	49-66-6140
17 mm	Standard	49-66-6141
18 mm	Standard	49-66-6142
19 mm	Standard	49-66-6143
20 mm	Standard	49-66-6737
21 mm	Standard	49-66-6144
22 mm	Standard	49-66-6145
23 mm	Standard	49-66-6146
24 mm	Standard	49-66-6147

6 PT DEEP

Diameter	Depth	Part No.
6 mm	Deep	49-66-6148
7 mm	Deep	49-66-6149
8 mm	Deep	49-66-6150
9 mm	Deep	49-66-6151
10 mm	Deep	49-66-6152
11 mm	Deep	49-66-6153
12 mm	Deep	49-66-6154
13 mm	Deep	49-66-6155
14 mm	Deep	49-66-6156
15 mm	Deep	49-66-6157
16 mm	Deep	49-66-6158
17 mm	Deep	49-66-6159
18 mm	Deep	49-66-6160
19 mm	Deep	49-66-6161
20 mm	Deep	49-66-6738
21 mm	Deep	49-66-6162
22 mm	Deep	49-66-6163
23 mm	Deep	49-66-6164
24 mm	Deep	49-66-6165

METRIC

NEW

SHOCKWAVE IMPACT DUTY™ 3/8" DRIVE SOCKET ACCESSORIES

SHOCKWAVE IMPACT DUTY™ 3/8" DRIVE SOCKET ACCESSORIES

Description	Part No.
3" 3/8" Drive Extension	49-66-6703
6" 3/8" Drive Extension	49-66-6704
10" 3/8" Drive Extension	49-66-6705
3 PC 3/8" Drive Extension Set (3", 6", 10")	49-66-6714
3/8" to 1/4" Drive Reducer	49-66-6722
3/8" to 1/2" Drive Adapter	49-66-6723
3/8" Drive Universal Joint	49-66-6724
3/8" Drive Socket Rail	49-66-6735
3/8" Drive Socket Rail Clips (10 pk)	49-66-6740
1/4" Hex to 3/8" Square Drive 2" Socket Adapter	48-32-5031
1/4" Hex to 3/8" Square Drive Socket Adapters (Bulk 10)	48-32-5731
3/8" Square to 1/4" Hex Quick Change Socket Adapter	48-03-4405



SHOCKWAVE IMPACT DUTY™ 3/8" DRIVE SOCKET ACCESSORIES

Description	Includes	Part No.
 4 PC SHOCKWAVE Impact Duty™ Socket Adapter Set	(1) 3/8" to 1/4" Socket Reducer (1) 1/2" to 3/8" Socket Reducer (1) 1/4" to 3/8" Socket Adapter (1) 3/8" to 1/2" Socket Adapter	49-66-6742

1/2" DRIVE

NEW

SHOCKWAVE IMPACT DUTY™ 1/2" DRIVE SOCKET SETS

SHOCKWAVE IMPACT DUTY™ 1/2" DRIVE SOCKET SETS

Description	Includes	Part No.
 6 PT DEEP 3 PC SHOCKWAVE Impact Duty™ 1/2" Drive SAE 6 Point Deep Socket Set	(1) 1/2" Deep Socket (1) 9/16" Deep Socket (1) 1/4" Hex to 1/2" Square 2" Adapter	49-66-4485
 6 PT DEEP 3 PC SHOCKWAVE Impact Duty™ 1/2" Drive Metric 6 Point Deep Socket Set	(1) 17 mm Deep Socket (1) 19 mm Deep Socket (1) 21 mm Deep Socket	49-66-7025
 6 PT DEEP 9 PC SHOCKWAVE Impact Duty™ 1/2" Drive SAE 6 Point Deep Socket Set	(1) 1/2" Deep Socket (1) 9/16" Deep Socket (1) 5/8" Deep Socket (1) 11/16" Deep Socket (1) 3/4" Deep Socket (1) 13/16" Deep Socket (1) 7/8" Deep Socket (1) 15/16" Deep Socket (1) 1" Deep Socket (1) Socket Rail	49-66-7022
 6 PT STANDARD 12 PC SHOCKWAVE Impact Duty™ 1/2" Drive SAE 6 Point Standard Socket Set	(1) 3/8" Standard Socket (1) 7/16" Standard Socket (1) 1/2" Standard Socket (1) 9/16" Standard Socket (1) 5/8" Standard Socket (1) 11/16" Standard Socket (1) 3/4" Standard Socket (1) 13/16" Standard Socket (1) 7/8" Standard Socket (1) 15/16" Standard Socket (1) 1" Standard Socket (1) 1-1/16" Standard Socket (1) Hard Case	49-66-7010

DRIVING & FASTENING

DRIVING & FASTENING

SHOCKWAVE IMPACT DUTY™ 1/2" DRIVE SOCKET SETS

Description	Includes		Part No.
 6 PT DEEP 12 PC SHOCKWAVE Impact Duty™ 1/2" Drive SAE 6 Point Deep Socket Set	(1) 3/8" Deep Socket (1) 7/16" Deep Socket (1) 1/2" Deep Socket (1) 9/16" Deep Socket (1) 5/8" Deep Socket (1) 11/16" Deep Socket (1) 3/4" Deep Socket (1) 13/16" Deep Socket (1) 7/8" Deep Socket (1) 15/16" Deep Socket (1) 1" Deep Socket (1) 1-1/16" Deep Socket (1) Hard Case		49-66-7011
 6 PT STANDARD 14 PC SHOCKWAVE Impact Duty™ 1/2" Drive Metric 6 Point Standard Socket Set	(1) 10 mm Standard Socket (1) 11 mm Standard Socket (1) 12 mm Standard Socket (1) 13 mm Standard Socket (1) 14 mm Standard Socket (1) 15 mm Standard Socket (1) 16 mm Standard Socket (1) 17 mm Standard Socket	(1) 18 mm Standard Socket (1) 19 mm Standard Socket (1) 21 mm Standard Socket (1) 22 mm Standard Socket (1) 26 mm Standard Socket (1) 27 mm Standard Socket (1) Hard Case	49-66-7013
 6 PT DEEP 14 PC SHOCKWAVE Impact Duty™ 1/2" Drive Metric 6 Point Deep Socket Set	(1) 10 mm Deep Socket (1) 11 mm Deep Socket (1) 12 mm Deep Socket (1) 13 mm Deep Socket (1) 14 mm Deep Socket (1) 15 mm Deep Socket (1) 16 mm Deep Socket (1) 17 mm Deep Socket	(1) 18 mm Deep Socket (1) 19 mm Deep Socket (1) 21 mm Deep Socket (1) 22 mm Deep Socket (1) 26 mm Deep Socket (1) 27 mm Deep Socket (1) Hard Case	49-66-7014
 6 PT DEEP 19 PC SHOCKWAVE Impact Duty™ 1/2" Drive SAE 6 Point Deep Socket Set	(1) 3/8" Deep Socket (1) 7/16" Deep Socket (1) 1/2" Deep Socket (1) 9/16" Deep Socket (1) 5/8" Deep Socket (1) 11/16" Deep Socket (1) 3/4" Deep Socket (1) 13/16" Deep Socket (1) 7/8" Deep Socket (1) 15/16" Deep Socket	(1) 1" Deep Socket (1) 1-1/16" Deep Socket (1) 1-1/8" Deep Socket (1) 1-3/16" Deep Socket (1) 1-1/4" Deep Socket (1) 1-5/16" Deep Socket (1) 1-3/8" Deep Socket (1) 1-7/16" Deep Socket (1) 1-1/2" Deep Socket (1) Hard Case	49-66-7012
 6 PT DEEP 29 PC SHOCKWAVE Impact Duty™ 1/2" Drive Metric 6 Point Deep Socket Set	(1) 8 mm Deep Socket (1) 9 mm Deep Socket (1) 10 mm Deep Socket (1) 11 mm Deep Socket (1) 12 mm Deep Socket (1) 13 mm Deep Socket (1) 14 mm Deep Socket (1) 15 mm Deep Socket (1) 16 mm Deep Socket (1) 17 mm Deep Socket (1) 18 mm Deep Socket (1) 19 mm Deep Socket (1) 20 mm Deep Socket (1) 21 mm Deep Socket (1) 22 mm Deep Socket	(1) 23 mm Deep Socket (1) 24 mm Deep Socket (1) 25 mm Deep Socket (1) 26 mm Deep Socket (1) 27 mm Deep Socket (1) 28 mm Deep Socket (1) 29 mm Deep Socket (1) 30 mm Deep Socket (1) 31 mm Deep Socket (1) 32 mm Deep Socket (1) 33 mm Deep Socket (1) 34 mm Deep Socket (1) 35 mm Deep Socket (1) 36 mm Deep Socket (1) Hard Case	49-66-7015

SHOCKWAVE IMPACT DUTY™ 1/2" DRIVE SOCKET SETS

Description	Includes		Part No.
 6 PT DEEP 29 PC SHOCKWAVE Impact Duty™ 1/2" Drive Metric & SAE 6 Point Deep Socket Set	(1) 7/16" Deep Socket (1) 1/2" Deep Socket (1) 9/16" Deep Socket (1) 5/8" Deep Socket (1) 11/16" Deep Socket (1) 3/4" Deep Socket (1) 13/16" Deep Socket (1) 7/8" Deep Socket (1) 15/16" Deep Socket (1) 1" Deep Socket (1) 1-1/16" Deep Socket (1) 1-1/8" Deep Socket (1) 1-3/16" Deep Socket (1) 1-1/4" Deep Socket	(1) 10 mm Deep Socket (1) 11 mm Deep Socket (1) 12 mm Deep Socket (1) 13 mm Deep Socket (1) 14 mm Deep Socket (1) 15 mm Deep Socket (1) 16 mm Deep Socket (1) 17 mm Deep Socket (1) 18 mm Deep Socket (1) 19 mm Deep Socket (1) 21 mm Deep Socket (1) 22 mm Deep Socket (1) 26 mm Deep Socket (1) 27 mm Deep Socket (1) 3" Extension (1) Hard Case	49-66-7016

NEW

SHOCKWAVE IMPACT DUTY™ 1/2" DRIVE SAE SOCKETS

6 PT STANDARD

Diameter	Depth	Part No.
3/8"	Standard	49-66-6200
7/16"	Standard	49-66-6201
1/2"	Standard	49-66-6202
9/16"	Standard	49-66-6203
5/8"	Standard	49-66-6204
11/16"	Standard	49-66-6205
3/4"	Standard	49-66-6206
13/16"	Standard	49-66-6207
7/8"	Standard	49-66-6208
15/16"	Standard	49-66-6209
1"	Standard	49-66-6210
1-1/16"	Standard	49-66-6211
1-1/8"	Standard	49-66-6212
1-3/16"	Standard	49-66-6213
1-1/4"	Standard	49-66-6214
1-5/16"	Standard	49-66-6215
1-3/8"	Standard	49-66-6216
1-7/16"	Standard	49-66-6217
1-1/2"	Standard	49-66-6218
1-9/16"	Standard	49-66-6219

6 PT DEEP

Diameter	Depth	Part No.
3/8"	Deep	49-66-6220
7/16"	Deep	49-66-6221
1/2"	Deep	49-66-6222
9/16"	Deep	49-66-6223
5/8"	Deep	49-66-6224
11/16"	Deep	49-66-6225
3/4"	Deep	49-66-6226
13/16"	Deep	49-66-6227
7/8"	Deep	49-66-6228
15/16"	Deep	49-66-6229
1"	Deep	49-66-6230
1-1/16"	Deep	49-66-6231
1-1/8"	Deep	49-66-6232
1-3/16"	Deep	49-66-6233
1-1/4"	Deep	49-66-6234
1-5/16"	Deep	49-66-6235
1-3/8"	Deep	49-66-6236
1-7/16"	Deep	49-66-6237
1-1/2"	Deep	49-66-6238
1-9/16"	Deep	49-66-6239

SAE

NEW

SHOCKWAVE IMPACT DUTY™ 1/2" DRIVE METRIC SOCKETS

6 PT STANDARD

Diameter	Depth	Part No.
8 mm	Standard	49-66-6240
9 mm	Standard	49-66-6241
10 mm	Standard	49-66-6242
11 mm	Standard	49-66-6243
12 mm	Standard	49-66-6244
13 mm	Standard	49-66-6245
14 mm	Standard	49-66-6246
15 mm	Standard	49-66-6247
16 mm	Standard	49-66-6248
17 mm	Standard	49-66-6249
18 mm	Standard	49-66-6250
19 mm	Standard	49-66-6251
20 mm	Standard	49-66-6252
21 mm	Standard	49-66-6253
22 mm	Standard	49-66-6254
23 mm	Standard	49-66-6255
24 mm	Standard	49-66-6256
25 mm	Standard	49-66-6257
26 mm	Standard	49-66-6258
27 mm	Standard	49-66-6259
28 mm	Standard	49-66-6260
29 mm	Standard	49-66-6261
30 mm	Standard	49-66-6262
31 mm	Standard	49-66-6263
32 mm	Standard	49-66-6264
33 mm	Standard	49-66-6265
34 mm	Standard	49-66-6266
35 mm	Standard	49-66-6267
36 mm	Standard	49-66-6268

6 PT DEEP

Diameter	Depth	Part No.
8 mm	Deep	49-66-6269
9 mm	Deep	49-66-6270
10 mm	Deep	49-66-6271
11 mm	Deep	49-66-6272
12 mm	Deep	49-66-6273
13 mm	Deep	49-66-6274
14 mm	Deep	49-66-6275
15 mm	Deep	49-66-6276
16 mm	Deep	49-66-6277
17 mm	Deep	49-66-6278
18 mm	Deep	49-66-6279
19 mm	Deep	49-66-6280
20 mm	Deep	49-66-6281
21 mm	Deep	49-66-6282
22 mm	Deep	49-66-6283
23 mm	Deep	49-66-6284
24 mm	Deep	49-66-6285
25 mm	Deep	49-66-6286
26 mm	Deep	49-66-6287
27 mm	Deep	49-66-6288
28 mm	Deep	49-66-6289
29 mm	Deep	49-66-6290
30 mm	Deep	49-66-6291
31 mm	Deep	49-66-6292
32 mm	Deep	49-66-6293
33 mm	Deep	49-66-6294
34 mm	Deep	49-66-6295
35 mm	Deep	49-66-6296
36 mm	Deep	49-66-6297

METRIC

NEW

SHOCKWAVE IMPACT DUTY™ 1/2" DRIVE SOCKET ACCESSORIES

SHOCKWAVE IMPACT DUTY™ 1/2" DRIVE SOCKET ACCESSORIES

Description	Part No.
3" 1/2" Drive Extension	49-66-6706
6" 1/2" Drive Extension	49-66-6707
10" 1/2" Drive Extension	49-66-6708
3 PC 1/2" Drive Extension Set	49-66-6715
1/2" to 3/8" Drive Reducer	49-66-6725
1/2" to 3/4" Drive Adapter	49-66-6726
1/2" Drive Universal Joint	49-66-6727
1/2" Drive Socket Rail	49-66-6736
1/2" Drive Socket Rail Clips (10 pk)	49-66-6741
1/4" Hex to 1/2" Square Drive 2" Socket Adapter	48-32-5034
1/4" Hex to 1/2" Square Drive 2" Socket Adapters (Bulk 10)	48-32-5734



3/4" DRIVE

NEW

SHOCKWAVE IMPACT DUTY™ 3/4" DRIVE SOCKET SETS

SHOCKWAVE IMPACT DUTY™ 3/4" DRIVE SOCKET SETS

Description	Includes	Part No.
 6 PT STANDARD 8 PC SHOCKWAVE Impact Duty™ 3/4" Drive SAE 6 Point Standard Socket Set	(1) 1" Standard Socket (1) 1-1/16" Standard Socket (1) 1-1/8" Standard Socket (1) 1-1/4" Standard Socket (1) 1-5/16" Standard Socket (1) 1-3/8" Standard Socket (1) 1-7/16" Standard Socket (1) 1-1/2" Standard Socket (1) Hard Case	49-66-7017
 6 PT DEEP 8 PC SHOCKWAVE Impact Duty™ 3/4" Drive SAE 6 Point Deep Socket Set	(1) 1" Deep Socket (1) 1-1/16" Deep Socket (1) 1-1/8" Deep Socket (1) 1-1/4" Deep Socket (1) 1-5/16" Deep Socket (1) 1-3/8" Deep Socket (1) 1-7/16" Deep Socket (1) 1-1/2" Deep Socket (1) Hard Case	49-66-7018
 6 PT STANDARD 8 PC SHOCKWAVE Impact Duty™ 3/4" Drive Metric 6 Point Standard Socket Set	(1) 26 mm Standard Socket (1) 27 mm Standard Socket (1) 29 mm Standard Socket (1) 30 mm Standard Socket (1) 32 mm Standard Socket (1) 35 mm Standard Socket (1) 36 mm Standard Socket (1) 38 mm Standard Socket (1) Hard Case	49-66-7019

SHOCKWAVE IMPACT DUTY™ 3/4" DRIVE SOCKET SETS

Description	Includes	Part No.
 6 PT DEEP 8 PC SHOCKWAVE Impact Duty™ 3/4" Drive Metric 6 Point Deep Socket Set	(1) 26 mm Deep Socket (1) 27 mm Deep Socket (1) 29 mm Deep Socket (1) 30 mm Deep Socket (1) 32 mm Deep Socket (1) 35 mm Deep Socket (1) 36 mm Deep Socket (1) 38 mm Deep Socket (1) Hard Case	49-66-7020

NEW

SHOCKWAVE IMPACT DUTY™ 3/4" DRIVE SAE SOCKETS

6 PT STANDARD				6 PT DEEP				SAE			
Diameter	Depth	Part No.	Optional Retaining Ring	Diameter	Depth	Part No.	Optional Retaining Ring	Diameter	Depth	Part No.	Optional Retaining Ring
9/16"	Standard	49-66-6300	49-66-6743	9/16"	Deep	49-66-6332	49-66-6743	1 1/8"	Standard	49-66-6309	49-66-6744
5/8"	Standard	49-66-6301		5/8"	Deep	49-66-6333		1-3/16"	Standard	49-66-6310	
11/16"	Standard	49-66-6302		11/16"	Deep	49-66-6334		1-1/4"	Standard	49-66-6311	
3/4"	Standard	49-66-6303		3/4"	Deep	49-66-6335		1-5/16"	Standard	49-66-6312	
13/16"	Standard	49-66-6304		13/16"	Deep	49-66-6336		1-3/8"	Standard	49-66-6313	
7/8"	Standard	49-66-6305		7/8"	Deep	49-66-6337		1-7/16"	Standard	49-66-6314	
15/16"	Standard	49-66-6306		15/16"	Deep	49-66-6338		1-1/2"	Standard	49-66-6315	
1"	Standard	49-66-6307	49-66-6744	1"	Deep	49-66-6339	49-66-6744	1-9/16"	Standard	49-66-6316	
1-1/16"	Standard	49-66-6308		1-1/16"	Deep	49-66-6340		1-5/8"	Standard	49-66-6317	
1-1/8"	Standard	49-66-6309		1-1/8"	Deep	49-66-6341		1-11/16"	Standard	49-66-6318	
1-3/16"	Standard	49-66-6310		1-3/16"	Deep	49-66-6342		1-3/4"	Standard	49-66-6319	
1-1/4"	Standard	49-66-6311		1-1/4"	Deep	49-66-6343		1-13/16"	Standard	49-66-6320	
1-5/16"	Standard	49-66-6312		1-5/16"	Deep	49-66-6344		1-7/8"	Standard	49-66-6321	
1-3/8"	Standard	49-66-6313		1-3/8"	Deep	49-66-6345		1-15/16"	Standard	49-66-6322	
1-7/16"	Standard	49-66-6314		1-7/16"	Deep	49-66-6346		2"	Standard	49-66-6323	
1-1/2"	Standard	49-66-6315		1-1/2"	Deep	49-66-6347					
1-9/16"	Standard	49-66-6316		1-9/16"	Deep	49-66-6348					
1-5/8"	Standard	49-66-6317		1-5/8"	Deep	49-66-6349					
1-11/16"	Standard	49-66-6318		1-11/16"	Deep	49-66-6350					
1-3/4"	Standard	49-66-6319		1-3/4"	Deep	49-66-6351					
1-13/16"	Standard	49-66-6320		1-13/16"	Deep	49-66-6352					
1-7/8"	Standard	49-66-6321		1-7/8"	Deep	49-66-6353					
1-15/16"	Standard	49-66-6322		1-15/16"	Deep	49-66-6354					
2"	Standard	49-66-6323		2"	Deep	49-66-6355					

NEW

SHOCKWAVE IMPACT DUTY™ 3/4" DRIVE METRIC SOCKETS

6 PT STANDARD				6 PT DEEP				METRIC			
Diameter	Depth	Part No.	Optional Retaining Ring	Diameter	Depth	Part No.	Optional Retaining Ring	Diameter	Depth	Part No.	Optional Retaining Ring
17 mm	Standard	49-66-6356	49-66-6744	17 mm	Deep	49-66-6393	49-66-6744	17 mm	Deep	49-66-6393	
19 mm	Standard	49-66-6357		19 mm	Deep	49-66-6394		19 mm	Deep	49-66-6394	
20 mm	Standard	49-66-6358		20 mm	Deep	49-66-6395		20 mm	Deep	49-66-6395	
21 mm	Standard	49-66-6359		21 mm	Deep	49-66-6396		21 mm	Deep	49-66-6396	
22 mm	Standard	49-66-6360		22 mm	Deep	49-66-6397		22 mm	Deep	49-66-6397	
23 mm	Standard	49-66-6361		23 mm	Deep	49-66-6398		23 mm	Deep	49-66-6398	
24 mm	Standard	49-66-6362		24 mm	Deep	49-66-6399		24 mm	Deep	49-66-6399	
25 mm	Standard	49-66-6363		25 mm	Deep	49-66-6400		25 mm	Deep	49-66-6400	
26 mm	Standard	49-66-6364		26 mm	Deep	49-66-6401		26 mm	Deep	49-66-6401	
27 mm	Standard	49-66-6365		27 mm	Deep	49-66-6402		27 mm	Deep	49-66-6402	
28 mm	Standard	49-66-6366		28 mm	Deep	49-66-6403		28 mm	Deep	49-66-6403	
29 mm	Standard	49-66-6367		29 mm	Deep	49-66-6404		29 mm	Deep	49-66-6404	
30 mm	Standard	49-66-6368		30 mm	Deep	49-66-6405		30 mm	Deep	49-66-6405	
31 mm	Standard	49-66-6369		31 mm	Deep	49-66-6406		31 mm	Deep	49-66-6406	
32 mm	Standard	49-66-6370		32 mm	Deep	49-66-6407		32 mm	Deep	49-66-6407	
33 mm	Standard	49-66-6371		33 mm	Deep	49-66-6408		33 mm	Deep	49-66-6408	
34 mm	Standard	49-66-6372		34 mm	Deep	49-66-6409		34 mm	Deep	49-66-6409	
35 mm	Standard	49-66-6373		35 mm	Deep	49-66-6410		35 mm	Deep	49-66-6410	
36 mm	Standard	49-66-6374		36 mm	Deep	49-66-6411		36 mm	Deep	49-66-6411	
37 mm	Standard	49-66-6375		37 mm	Deep	49-66-6412		37 mm	Deep	49-66-6412	
38 mm	Standard	49-66-6376		38 mm	Deep	49-66-6413		38 mm	Deep	49-66-6413	
39 mm	Standard	49-66-6377		39 mm	Deep	49-66-6414		39 mm	Deep	49-66-6414	
40 mm	Standard	49-66-6378		40 mm	Deep	49-66-6415		40 mm	Deep	49-66-6415	
41 mm	Standard	49-66-6379		41 mm	Deep	49-66-6416		41 mm	Deep	49-66-6416	
42 mm	Standard	49-66-6380		42 mm	Deep	49-66-6417		42 mm	Deep	49-66-6417	
43 mm	Standard	49-66-6381		43 mm	Deep	49-66-6418		43 mm	Deep	49-66-6418	
44 mm	Standard	49-66-6382		44 mm	Deep	49-66-6419		44 mm	Deep	49-66-6419	
45 mm	Standard	49-66-6383		45 mm	Deep	49-66-6420		45 mm	Deep	49-66-6420	
46 mm	Standard	49-66-6384		46 mm	Deep	49-66-6421		46 mm	Deep	49-66-6421	
47 mm	Standard	49-66-6385		47 mm	Deep	49-66-6422		47 mm	Deep	49-66-6422	
48 mm	Standard	49-66-6386		48 mm	Deep	49-66-6423		48 mm	Deep	49-66-6423	
49 mm	Standard	49-66-6387		49 mm	Deep	49-66-6424		49 mm	Deep	49-66-6424	
50 mm	Standard	49-66-6388		50 mm	Deep	49-66-6425		50 mm	Deep	49-66-6425	
60 mm	Standard	49-66-6392									

NEW

SHOCKWAVE IMPACT DUTY™ 3/4" DRIVE SOCKET ACCESSORIES

SHOCKWAVE IMPACT DUTY™ 3/4" DRIVE SOCKET ACCESSORIES	
Description	Part No.
4" 3/4" Drive Extension	49-66-6709
7" 3/4" Drive Extension	49-66-6710
10" 3/4" Drive Extension	49-66-6711
3/4" to 1/2" Drive Reducer	49-66-6728
3/4" to 1" Drive Adapter	49-66-6729
3/4" Drive Universal Joint	49-66-6730
9/16" to 1" 3/4" Drive Socket Retaining Ring	49-66-6743
1-1/16" to 2" 3/4" Drive Socket Retaining Ring	49-66-6744



NEW

SHOCKWAVE IMPACT DUTY™ 1" DRIVE METRIC SOCKETS

6 PT STANDARD		METRIC	
Diameter	Depth	Part No.	Optional Retaining Ring
27 mm	Standard	49-66-6592	49-66-6745
28 mm	Standard	49-66-6593	
29 mm	Standard	49-66-6594	
30 mm	Standard	49-66-6595	
31 mm	Standard	49-66-6596	
32 mm	Standard	49-66-6597	
33 mm	Standard	49-66-6598	
34 mm	Standard	49-66-6599	
35 mm	Standard	49-66-6600	
36 mm	Standard	49-66-6601	
38 mm	Standard	49-66-6602	49-66-6746
40 mm	Standard	49-66-6603	
41 mm	Standard	49-66-6604	
42 mm	Standard	49-66-6605	
46 mm	Standard	49-66-6606	49-66-6746
50 mm	Standard	49-66-6607	
52 mm	Standard	49-66-6608	
54 mm	Standard	49-66-6609	
55 mm	Standard	49-66-6610	
56 mm	Standard	49-66-6611	
58 mm	Standard	49-66-6612	
60 mm	Standard	49-66-6613	
65 mm	Standard	49-66-6614	49-66-6616
67 mm	Standard	49-66-6615	
70 mm	Standard	49-66-6616	

1" DRIVE

NEW

SHOCKWAVE IMPACT DUTY™ 1" DRIVE SAE SOCKETS

6 PT DEEP		SAE	
Diameter	Depth	Part No.	Optional Retaining Ring
7/8"	Deep	49-66-6502	49-66-6745
15/16"	Deep	49-66-6503	
1"	Deep	49-66-6504	
1-1/16"	Deep	49-66-6505	
1-1/8"	Deep	49-66-6506	
1-3/16"	Deep	49-66-6507	49-66-6746
1-1/4"	Deep	49-66-6508	
1-5/16"	Deep	49-66-6509	
1-3/8"	Deep	49-66-6510	
1-7/16"	Deep	49-66-6511	
1-1/2"	Deep	49-66-6512	49-66-6745
1-9/16"	Deep	49-66-6513	
1-5/8"	Deep	49-66-6514	
1-11/16"	Deep	49-66-6515	
1-3/4"	Deep	49-66-6516	49-66-6746
1-13/16"	Deep	49-66-6517	
1-7/8"	Deep	49-66-6518	
1-15/16"	Deep	49-66-6519	
2"	Deep	49-66-6520	
2-1/4"	Deep	49-66-6521	

NEW

SHOCKWAVE IMPACT DUTY™ 1" DRIVE SOCKET ACCESSORIES

SHOCKWAVE IMPACT DUTY™ 1" DRIVE SOCKET ACCESSORIES	
Description	Part No.
7" 1" Drive Extension	49-66-6712
10" 1" Drive Extension	49-66-6713
1" to 3/4" Drive Reducer	49-66-6731
1" to 1-1/2" Drive Adapter	49-66-6732
1" Drive Universal Joint	49-66-6733
7/8" to 1-11/16" 1" Drive Socket Retaining Ring	49-66-6745
1-3/4" to 2-1/4" 1" Drive Socket Retaining Ring	49-66-6746



SHOCKWAVE IMPACT DUTY™ LINEMAN’S 3-IN-1 UTILITY SOCKETS

OVERVIEW

The SHOCKWAVE Impact Duty™ Lineman's 3-in-1 Utility Sockets provide more secure, efficient fastening in all fastening environments and orientations. The sockets feature a 3-in-1 square design for single-sided fastening, eliminating the drop hazard of removing the sockets from the adapter to change sizes. The Push and Twist Barrel Lock allows for secure, one-handed size changes, even while wearing gloves. The sockets feature an interior debris shield that resists interior rust and corrosion from dirt, wood chips, and moisture from the jobsite.

FEATURES

- More secure, efficient fastening
- 3-in-1 Square Design: For single-sided fastening
- Push and Twist Barrel Lock: Secure, one-handed size changes

SHOCKWAVE IMPACT DUTY™ LINEMAN’S 3-IN-1 UTILITY SOCKETS

Description	Part No.
SHOCKWAVE Impact Duty™ Lineman's 3-in-1 Distribution Utility Socket	49-66-5101
SHOCKWAVE Impact Duty™ Lineman's 3-in-1 Transmission Utility Socket	49-66-5102

SHOCKWAVE IMPACT DUTY™ LINEMAN’S 2-IN-1 UTILITY SOCKETS

OVERVIEW

Our SHOCKWAVE Impact Duty™ Lineman's 2-in-1 Socket is designed to increase efficiency and safety for Lineman. This 2-in-1 socket is the most durable with an internal anti-rust, stainless steel spring-loaded design. The 12PT design will fit both hex and square hardware for increased versatility and provides hands-free changes. A 7/16" to 1/2" impact adapter is included. This MILWAUKEE® socket set features a pin detent hole for locking onto pin detent tools and adapters for maximum jobsite productivity.

FEATURES

- Internal Anti-rust Stainless Steel Spring: Increased durability
- 2-in-1 Design: Fits two different-sized hardware without changing the socket
- 7/16" to 1/2" SHOCKWAVE™ Lineman's Impact Adapter included



SHOCKWAVE
IMPACT DUTY™



SHOCKWAVE
IMPACT DUTY™

SHOCKWAVE IMPACT DUTY™ LINEMAN'S 2-IN-1 UTILITY SOCKETS

Description	Part No.
 9/16" & 3/4" SHOCKWAVE Impact Duty™ Lineman's 2-in-1 6 Point Socket	49-66-5111
 9/16" & 3/4" SHOCKWAVE Impact Duty™ Lineman's 2-in-1 12 Point Socket	49-66-5121
 3/8" & 1/2" SHOCKWAVE Impact Duty™ Lineman 2-in-1 12 Point Socket	49-66-5119

Description	Part No.
 7/16" & 5/8" SHOCKWAVE Impact Duty™ Lineman's 2-in-1 12 Point Socket	49-66-5120
 15/16" & 1-1/8" SHOCKWAVE Impact Duty™ Lineman's 2-in-1 12 Point Socket	49-66-5124
 3 PC SHOCKWAVE Impact Duty™ Lineman's 2-in-1 12 Point Socket Set	49-66-5125

SHOCKWAVE IMPACT DUTY™ LINEMAN’S HEX BIT SOCKETS

OVERVIEW

Our SHOCKWAVE Impact Duty™ Lineman's Hex Bit Sockets are designed to be the most durable, providing the best access into tight spaces. Their one-piece design helps these hex bit sockets better withstand the torque of power tools. A 1-3/4" hex fastening depth allows these bits to fit the most common connections and hardware that utilities and electricians encounter. The profile is more compact compared to some competitive hex bit sockets and will fit more connections.

FEATURES

- Internal Anti-rust Stainless Steel Spring: Increased durability
- 2-in-1 Design: Fits two different-sized hardware without changing the socket
- 7/16" to 1/2" SHOCKWAVE Impact Duty™ Lineman's Impact Adapter



SHOCKWAVE
IMPACT DUTY™

SHOCKWAVE IMPACT DUTY™ LINEMAN'S HEX BIT SOCKETS

Description		Drive	Part No.
	5/16" SHOCKWAVE Impact Duty™ Lineman's 3/8" Drive Hex Bit Socket	3/8"	49-66-5151
	3/8" SHOCKWAVE Impact Duty™ Lineman's 3/8" Drive Hex Bit Socket	3/8"	49-66-5152
	1/2" SHOCKWAVE Impact Duty™ Lineman's 3/8" Drive Hex Bit Socket	3/8"	49-66-5154
	5/16" SHOCKWAVE Impact Duty™ Lineman's 1/2" Drive Hex Bit Socket	1/2"	49-66-5141
	3/8" SHOCKWAVE Impact Duty™ Lineman's 1/2" Drive Hex Bit Socket	1/2"	49-66-5142
	1/2" SHOCKWAVE Impact Duty™ Lineman's 1/2" Drive Hex Bit Socket	1/2"	49-66-5144