


# Milwaukee®

**NEW**

## TOOL LANYARDS



STAY **SAFE.**  
STAY **PRODUCTIVE.**





Nothing but **HEAVY DUTY.**

# STAY SAFE. STAY PRODUCTIVE.



MILWAUKEE® Tool Lanyards and Accessories improve safety on the jobsite for tradesman without affecting productivity. Best-in-class shock absorption gently slows a dropped tool, while a 360° swivel carabiner prevents twists and tangles, allowing users to continue working efficiently without fighting the tether. The Quick-Connect System takes productivity further, providing fast and easy tool change out to the main lanyard for frequently used tools.



Best Shock Absorption



Double Locking Carabiner



Integrated Swivel

## WEIGHT RATING

2 lbs



5 lbs



10 lbs



15 lbs



35 lbs



50 lbs



## JOBSITE SAFETY

In the U.S.A. there were  
**5,890**  
**STRUCK BY A FALLING OBJECT OR EQUIPMENT\***  
Incidents that resulted in lost days of work

**STRUCK BY FALLING OBJECTS OR EQUIPMENT**  
events accounted for over  
**7%**  
**OF ALL LOST TIME INCIDENTS**



**MEDIAN DAYS AWAY FROM WORK**  
**6**

\*According to Bureau of Labor Statistics for the 2019 construction industry

# Tethering tools when working at height reduces risk of injuries\*




# BEST SHOCK ABSORPTION



## LOCKING TOOL LANYARDS

### BEST SHOCK ABSORPTION

ANSI/ISEA  
121-18



Part #	Weight Rating	Description
48-22-8810	10 lb	10 lbs 36" Locking Tool Lanyard
48-22-8811	10 lb	10 lbs 54" Extended Reach Locking Tool Lanyard
48-22-8812	10 lb	10 lbs 72" Extended Reach Locking Tool Lanyard
48-22-8815	15 lb	15 lbs 36" Locking Tool Lanyard
48-22-8816	15 lb	15 lbs 54" Extended Reach Locking Tool Lanyard
48-22-8817	15 lb	15 lbs 72" Extended Reach Locking Tool Lanyard
48-22-8850	35 lb	35 lbs 36" Locking Tool Lanyard

## QUICK-CONNECT LOCKING TOOL LANYARD SYSTEM

### BEST SHOCK ABSORPTION

#### QUICK-CONNECT LANYARD SYSTEM

ANSI/ISEA  
121-18



Easy Tool Change-Out




Part #	Weight Rating	Description
48-22-8820	10 lb	10 lbs 36" Quick-Connect Locking Tool Lanyard
48-22-8822	5 lb	3 Pc 5 lbs Quick-Connect Lanyard Accessory
48-22-8823	10 lb	3 Pc 10 lbs Quick-Connect Lanyard Accessory

## RETRACTABLE LANYARD

**LASTING DURABILITY  
SURVIVES MORE DROPS.**



ANSI/ISEA  
**121-18**



Part #	Weight Rating	Description
48-73-8825	5 lb	50" Quick-Connect Retractable Lanyard

## HARD HAT LANYARD

**BEST SHOCK  
ABSORPTION**



ANSI/ISEA  
**121-18**



Part #	Description
48-22-8800	Hard Hat Lanyard with Clip
48-22-8801	Hard Hat Lanyard with Loop

## ANCHOR STRAP

**TETHER MORE TOOLS,  
MORE PLACES**



ANSI/ISEA  
**121-18**



Part #	Weight Rating	Description
48-22-8855	50 lb	50 lbs Anchor Strap


## LANYARD ACCESSORIES

**EASILY CONNECT**

Tape & D-Ring Web Attachments create a secure attachment point for tethering on most tools without a lanyard hole. Split Rings create a secure attachment point for tethering on tools with small lanyard holes.



Part #	Weight Rating	Description
48-22-8860		12' Self-Adhering Tape
48-22-8870	2 lb	5 Pc 2 lbs D-Ring Web Attachment
48-22-8871	5 lb	5 Pc 5 lbs D-Ring Web Attachment



Part #	Weight Rating	Description
48-22-8880	2 lb	5 Pc 2 lbs 3/4" Split Ring
48-22-8881	2 lb	5 Pc 2 lbs 1" Split Ring
48-22-8882	2 lb	5 Pc 2 lbs 1-1/2" Split Ring
48-22-8883	2 lb	5 Pc 2 lbs 2" Split Ring