



# SUBMITTAL SHEET

---

## UTILITY 100psi

---

### Products

Product Number	Diameter	Weight <sup>1</sup>
U100-050-### <sup>2</sup>	1/2"	5.5
U100-075-### <sup>2</sup>	3/4"	6.7
U100-100-### <sup>2</sup>	1"	9.1
U100-125-### <sup>2</sup>	1-1/4"	15.2
U100-150-### <sup>2</sup>	1-1/2"	21.1
U100-200-### <sup>2</sup>	2"	34.1

<sup>1</sup> Weights are per 100' of pipe.

<sup>2</sup> Replace ### with the length of pipe. i.e. U100-050-300 for a 1/2" x 300' coil.

## Interstate Plastic, Inc.

3375 E Seltice Way  
PO Box 398  
Post Falls, ID 83877

P: (208) 773-4538 (800) 776-7537  
F: (208) 773-9400 (888) 206-3012



# SUBMITTAL SHEET

100psi HD PE4710 ASTM D-2239 NSF CERTIFIED

### Products

Product Number	Diameter	Weight <sup>1</sup>
4J100-075-### <sup>2</sup>	SIDR-19 3/4"	7.2
4J100-100-### <sup>2</sup>	SIDR-19 1"	9.1
4J100-125-### <sup>2</sup>	SIDR-19 1-1/4"	15.2
4J100-150-### <sup>2</sup>	SIDR-15 1-1/2"	24.9
4J100-200-### <sup>2</sup>	SIDR-15 2"	41.1

<sup>1</sup> Weights are per 100' of pipe.

<sup>2</sup> Replace ### with the length of pipe. i.e. 4J100-075-300 for a SIDR-19 3/4" x 300' coil.

### Specifications

Diameter	Calc O.D.	I.D.	Min. Wall
SIDR-19 3/4"	~0.944"	0.824" +0.010" -0.015"	0.060" ±0.020"
SIDR-19 1"	~1.169"	1.049" +0.010" -0.020"	0.060" ±0.020"
SIDR-19 1-1/4"	~1.526"	1.380" +0.010" -0.020"	0.073" ±0.020"
SIDR-15 1-1/2"	~1.824"	1.610" +0.015" -0.020"	0.107" ±0.020"
SIDR-15 2"	~2.343"	2.067" +0.015" -0.020"	0.138" ±0.020"

### Standards & Certifications

NSF/ANSI Standard #14, NSF/ANSI Standard #61
ANSI/AWWA C901 specifications for polyethylene (PE) pressure pipe, tubing, and fittings (1/2" to 3" for water)
ASTM D-1248 specification for polyethylene (PE) plastics molding and extrusion materials
ASTM D-3350 specification for polyethylene (PE) plastics pipe and fittings material
ASTM D-2239 specification for polyethylene (PE) plastic pipe (SIDR-PR) based on controlled inside diameter
Interstate Plastic, Inc. HDPE pressure pipe and tubing are in compliance with the Trade Agreement Act (19 USC 2501) and are proudly made in the USA in beautiful Post Falls, ID

### Interstate Plastic, Inc.

3375 E Seltice Way  
PO Box 398  
Post Falls, ID 83877

P: (208) 773-4538 (800) 776-7537  
F: (208) 773-9400 (888) 206-3012





# SUBMITTAL SHEET

## GREEN STRIPE SIDR-19 100psi HD PE4710 ASTM D-2239 NSF CERTIFIED

### Products

Product Number	Diameter	Weight <sup>1</sup>
4GSJ100-100-### <sup>2</sup>	1"	9.1

<sup>1</sup> Weights are per 100' of pipe.

<sup>2</sup> Replace ### with the length of pipe. i.e. 4GSJ100-100-300 for a 1" x 300' coil.

### Specifications

Diameter	Calc O.D.	I.D.	Min. Wall
1"	~1.169"	1.049" +0.010" -0.020"	0.060" ±0.020"

### Standards & Certifications

NSF/ANSI Standard #14, NSF/ANSI Standard #61
ANSI/AWWA C901 specifications for polyethylene (PE) pressure pipe, tubing, and fittings (1/2" to 3" for water)
ASTM D-1248 specification for polyethylene (PE) plastics molding and extrusion materials
ASTM D-3350 specification for polyethylene (PE) plastics pipe and fittings material
ASTM D-2239 specification for polyethylene (PE) plastic pipe (SIDR-PR) based on controlled inside diameter
Interstate Plastic, Inc. HDPE pressure pipe and tubing are in compliance with the Trade Agreement Act (19 USC 2501) and are proudly made in the USA in beautiful Post Falls, ID

### Interstate Plastic, Inc.

3375 E Seltice Way  
PO Box 398  
Post Falls, ID 83877

P: (208) 773-4538 (800) 776-7537  
F: (208) 773-9400 (888) 206-3012





# SUBMITTAL SHEET

## BLUE STRIPE SIDR-19 100psi HD PE4710 ASTM D-2239 NSF CERTIFIED

### Products

Product Number	Diameter	Weight <sup>1</sup>
4BSJ100-100-### <sup>2</sup>	1"	9.1

<sup>1</sup> Weights are per 100' of pipe.

<sup>2</sup> Replace ### with the length of pipe. i.e. 4BSJ100-100-300 for a 1" x 300' coil.

### Specifications

Diameter	Calc O.D.	I.D.	Min. Wall
1"	~1.169"	1.049" +0.010" -0.020"	0.060" ±0.020"

### Standards & Certifications

NSF/ANSI Standard #14, NSF/ANSI Standard #61
ANSI/AWWA C901 specifications for polyethylene (PE) pressure pipe, tubing, and fittings (1/2" to 3" for water)
ASTM D-1248 specification for polyethylene (PE) plastics molding and extrusion materials
ASTM D-3350 specification for polyethylene (PE) plastics pipe and fittings material
ASTM D-2239 specification for polyethylene (PE) plastic pipe (SIDR-PR) based on controlled inside diameter
Interstate Plastic, Inc. HDPE pressure pipe and tubing are in compliance with the Trade Agreement Act (19 USC 2501) and are proudly made in the USA in beautiful Post Falls, ID

### Interstate Plastic, Inc.

3375 E Seltice Way  
PO Box 398  
Post Falls, ID 83877

P: (208) 773-4538 (800) 776-7537  
F: (208) 773-9400 (888) 206-3012





# SUBMITTAL SHEET

## SIDR-15 125psi HD PE4710 ASTM D-2239 NSF CERTIFIED

### Products

Product Number	Diameter	Weight <sup>1</sup>
4J125-075-### <sup>2</sup>	3/4"	7.2
4J125-100-### <sup>2</sup>	1"	10.7
4J125-125-### <sup>2</sup>	1-1/4"	18.2
4J125-150-### <sup>2</sup>	1-1/2"	24.9
4J125-200-### <sup>2</sup>	2"	41.1

<sup>1</sup> Weights are per 100' of pipe.

<sup>2</sup> Replace ### with the length of pipe. i.e. 4J125-075-300 for a 3/4" x 300' coil.

### Specifications

Diameter	Calc O.D.	I.D.	Min. Wall
3/4"	~0.944"	0.824" +0.010" -0.015"	0.060" ±0.020"
1"	~1.189"	1.049" +0.010" -0.020"	0.070" ±0.020"
1-1/4"	~1.564"	1.380" +0.010" -0.020"	0.092" ±0.020"
1-1/2"	~1.824"	1.610" +0.015" -0.020"	0.107" ±0.020"
2"	~2.343"	2.067" +0.015" -0.020"	0.138" ±0.020"

### Standards & Certifications

NSF/ANSI Standard #14, NSF/ANSI Standard #61
ANSI/AWWA C901 specifications for polyethylene (PE) pressure pipe, tubing, and fittings (1/2" to 3" for water)
ASTM D-1248 specification for polyethylene (PE) plastics molding and extrusion materials
ASTM D-3350 specification for polyethylene (PE) plastics pipe and fittings material
ASTM D-2239 specification for polyethylene (PE) plastic pipe (SIDR-PR) based on controlled inside diameter
Interstate Plastic, Inc. HDPE pressure pipe and tubing are in compliance with the Trade Agreement Act (19 USC 2501) and are proudly made in the USA in beautiful Post Falls, ID

### Interstate Plastic, Inc.

3375 E Seltice Way  
PO Box 398  
Post Falls, ID 83877

P: (208) 773-4538 (800) 776-7537  
F: (208) 773-9400 (888) 206-3012





# SUBMITTAL SHEET

## SIDR-11.5 160psi HD PE4710 ASTM D-2239 NSF CERTIFIED

### Products

Product Number	Diameter	Weight <sup>1</sup>
4J160-050-### <sup>2</sup>	1/2"	5.5
4J160-075-### <sup>2</sup>	3/4"	8.6
4J160-100-### <sup>2</sup>	1"	14.0
4J160-125-### <sup>2</sup>	1-1/4"	24.3
4J160-150-### <sup>2</sup>	1-1/2"	33.1
4J160-200-### <sup>2</sup>	2"	54.5

<sup>1</sup> Weights are per 100' of pipe.

<sup>2</sup> Replace ### with the length of pipe. i.e. 4J160-050-300 for a 1/2" x 300' coil.

### Specifications

Diameter	Calc O.D.	I.D.	Min. Wall
1/2"	~0.742"	0.622" ±0.010"	0.060" ±0.020"
3/4"	~0.968"	0.824" +0.010" -0.015"	0.072" ±0.020"
1"	~1.231"	1.049" +0.010" -0.020"	0.091" ±0.020"
1-1/4"	~1.620"	1.380" +0.010" -0.020"	0.120" ±0.020"
1-1/2"	~1.890"	1.610" +0.015" -0.020"	0.140" ±0.020"
2"	~2.427"	2.067" +0.015" -0.020"	0.180" ±0.022"

### Standards & Certifications

NSF/ANSI Standard #14, NSF/ANSI Standard #61
ANSI/AWWA C901 specifications for polyethylene (PE) pressure pipe, tubing, and fittings (1/2" to 3" for water)
ASTM D-1248 specification for polyethylene (PE) plastics molding and extrusion materials
ASTM D-3350 specification for polyethylene (PE) plastics pipe and fittings material
ASTM D-2239 specification for polyethylene (PE) plastic pipe (SIDR-PR) based on controlled inside diameter
Interstate Plastic, Inc. HDPE pressure pipe and tubing are in compliance with the Trade Agreement Act (19 USC 2501) and are proudly made in the USA in beautiful Post Falls, ID

### Interstate Plastic, Inc.

3375 E Seltice Way  
PO Box 398  
Post Falls, ID 83877

P: (208) 773-4538 (800) 776-7537  
F: (208) 773-9400 (888) 206-3012





# SUBMITTAL SHEET

## SIDR-9 200psi HD PE4710 ASTM D-2239 NSF CERTIFIED

### Products

Product Number	Diameter	Weight <sup>1</sup>
4J200-075-### <sup>2</sup>	3/4"	11.4
4J200-100-### <sup>2</sup>	1"	18.4
4J200-125-### <sup>2</sup>	1-1/4"	31.6
4J200-150-### <sup>2</sup>	1-1/2"	43.2
4J200-200-### <sup>2</sup>	2"	71.0

<sup>1</sup> Weights are per 100' of pipe.

<sup>2</sup> Replace ### with the length of pipe. i.e. 4J200-075-300 for a 3/4" x 300' coil.

### Specifications

Diameter	Calc O.D.	I.D.	Min. Wall
3/4"	~1.008"	0.824" +0.010" -0.015"	0.092" ±0.020"
1"	~1.283"	1.049" +0.010" -0.020"	0.117" ±0.020"
1-1/4"	~1.686"	1.380" +0.010" -0.020"	0.153" ±0.020"
1-1/2"	~1.968"	1.610" +0.015" -0.020"	0.179" ±0.020"
2"	~2.527"	2.067" +0.015" -0.020"	0.230" ±0.028"

### Standards & Certifications

NSF/ANSI Standard #14, NSF/ANSI Standard #61
ANSI/AWWA C901 specifications for polyethylene (PE) pressure pipe, tubing, and fittings (1/2" to 3" for water)
ASTM D-1248 specification for polyethylene (PE) plastics molding and extrusion materials
ASTM D-3350 specification for polyethylene (PE) plastics pipe and fittings material
ASTM D-2239 specification for polyethylene (PE) plastic pipe (SIDR-PR) based on controlled inside diameter
Interstate Plastic, Inc. HDPE pressure pipe and tubing are in compliance with the Trade Agreement Act (19 USC 2501) and are proudly made in the USA in beautiful Post Falls, ID

### Interstate Plastic, Inc.

3375 E Seltice Way  
PO Box 398  
Post Falls, ID 83877

P: (208) 773-4538 (800) 776-7537  
F: (208) 773-9400 (888) 206-3012





# SUBMITTAL SHEET

## SIDR-7 250psi HD PE4710 ASTM D-2239 NSF CERTIFIED

### Products

Product Number	Diameter	Weight <sup>1</sup>
4J250-075-### <sup>2</sup>	3/4"	15.0
4J250-100-### <sup>2</sup>	1"	24.3
4J250-125-### <sup>2</sup>	1-1/4"	41.8
4J250-150-### <sup>2</sup>	1-1/2"	56.9
4J250-200-### <sup>2</sup>	2"	93.8

<sup>1</sup> Weights are per 100' of pipe.

<sup>2</sup> Replace ### with the length of pipe. i.e. 4J250-075-300 for a 3/4" x 300' coil.

### Specifications

Diameter	Calc O.D.	I.D.	Min. Wall
3/4"	~1.060"	0.824" +0.010" -0.015"	0.118" ±0.020"
1"	~1.349"	1.049" +0.010" -0.020"	0.150" ±0.020"
1-1/4"	~1.774"	1.380" +0.010" -0.020"	0.197" ±0.024"
1-1/2"	~2.070"	1.610" +0.015" -0.020"	0.230" ±0.028"
2"	~2.657"	2.067" +0.015" -0.020"	0.295" ±0.035"

### Standards & Certifications

NSF/ANSI Standard #14, NSF/ANSI Standard #61
ANSI/AWWA C901 specifications for polyethylene (PE) pressure pipe, tubing, and fittings (1/2" to 3" for water)
ASTM D-1248 specification for polyethylene (PE) plastics molding and extrusion materials
ASTM D-3350 specification for polyethylene (PE) plastics pipe and fittings material
ASTM D-2239 specification for polyethylene (PE) plastic pipe (SIDR-PR) based on controlled inside diameter
Interstate Plastic, Inc. HDPE pressure pipe and tubing are in compliance with the Trade Agreement Act (19 USC 2501) and are proudly made in the USA in beautiful Post Falls, ID

### Interstate Plastic, Inc.

3375 E Seltice Way  
PO Box 398  
Post Falls, ID 83877

P: (208) 773-4538 (800) 776-7537  
F: (208) 773-9400 (888) 206-3012





# SUBMITTAL SHEET

## DR-13.5 IPS 160psi HD PE4710 ASTM D-3035 NSF CERTIFIED

### Products

Product Number	Diameter	Weight <sup>1</sup>
4K160-075-### <sup>2</sup>	3/4"	11.0
4K160-100-### <sup>2</sup>	1"	16.9
4K160-125-### <sup>2</sup>	1-1/4"	26.4
4K160-150-### <sup>2</sup>	1-1/2"	34.3
4K160-200-### <sup>2</sup>	2"	53.1
4K160-300-### <sup>2</sup>	3"	115.3

<sup>1</sup> Weights are per 100' of pipe.

<sup>2</sup> Replace ### with the length of pipe. i.e. 4K160-075-300 for a 3/4" x 300' coil.

### Specifications

Diameter	O.D.	Calc I.D.	Min. Wall
3/4"	1.050" ±0.004"	~0.894"	0.078" ±0.020"
1"	1.315" ±0.005"	~1.121"	0.097" ±0.020"
1-1/4"	1.660" ±0.005"	~1.414"	0.123" ±0.020"
1-1/2"	1.900" ±0.006"	~1.618"	0.141" ±0.020"
2"	2.375" ±0.006"	~2.023"	0.176" ±0.021"
3"	3.500" ±0.008"	~2.982"	0.259" ±0.031"

### Standards & Certifications

NSF/ANSI Standard #14, NSF/ANSI Standard #61
ANSI/AWWA C901 specifications for polyethylene (PE) pressure pipe, tubing, and fittings (1/2" to 3" for water)
ASTM D-1248 specification for polyethylene (PE) plastics molding and extrusion materials
ASTM D-3350 specification for polyethylene (PE) plastics pipe and fittings material
ASTM D-3035 specification for polyethylene (PE) plastic pipe (DR-PR) based on controlled outside diameter
Interstate Plastic, Inc. HDPE pressure pipe and tubing are in compliance with the Trade Agreement Act (19 USC 2501) and are proudly made in the USA in beautiful Post Falls, ID

### Interstate Plastic, Inc.

3375 E Seltice Way  
PO Box 398  
Post Falls, ID 83877

P: (208) 773-4538 (800) 776-7537  
F: (208) 773-9400 (888) 206-3012





# SUBMITTAL SHEET

## DR-11 IPS 200psi HD PE4710 ASTM D-3035 NSF CERTIFIED PE445576C

### Products

Product Number	Diameter	Weight <sup>1</sup>
4K200-075-### <sup>2</sup>	3/4"	12.1
4K200-100-### <sup>2</sup>	1"	19.4
4K200-125-### <sup>2</sup>	1-1/4"	30.9
4K200-150-### <sup>2</sup>	1-1/2"	40.5
4K200-200-### <sup>2</sup>	2"	63.0
4K200-300-### <sup>2</sup>	3"	139.0

<sup>1</sup> Weights are per 100' of pipe.

<sup>2</sup> Replace ### with the length of pipe. i.e. 4K200-075-300 for a 3/4" x 300' coil.

### Specifications

Diameter	O.D.	Calc I.D.	Min. Wall
3/4"	1.050" ±0.004"	~0.860"	0.095" ±0.020"
1"	1.315" ±0.005"	~1.075"	0.120" ±0.020"
1-1/4"	1.660" ±0.005"	~1.358"	0.151" ±0.020"
1-1/2"	1.900" ±0.006"	~1.554"	0.173" ±0.021"
2"	2.375" ±0.006"	~1.943"	0.216" ±0.026"
3"	3.500" ±0.008"	~2.864"	0.318" ±0.038"

### Standards & Certifications

NSF/ANSI Standard #14, NSF/ANSI Standard #61
ANSI/AWWA C901 specifications for polyethylene (PE) pressure pipe, tubing, and fittings (1/2" to 3" for water)
ASTM D-1248 specification for polyethylene (PE) plastics molding and extrusion materials
ASTM D-3350 specification for polyethylene (PE) plastics pipe and fittings material
ASTM D-3035 specification for polyethylene (PE) plastic pipe (DR-PR) based on controlled outside diameter
Interstate Plastic, Inc. HDPE pressure pipe and tubing are in compliance with the Trade Agreement Act (19 USC 2501) and are proudly made in the USA in beautiful Post Falls, ID

### Interstate Plastic, Inc.

3375 E Seltice Way  
PO Box 398  
Post Falls, ID 83877

P: (208) 773-4538 (800) 776-7537  
F: (208) 773-9400 (888) 206-3012





# SUBMITTAL SHEET

## DR-9 IPS 250psi HD PE4710 ASTM D-3035 NSF CERTIFIED

### Products

Product Number	Diameter	Weight <sup>1</sup>
4K250-075-### <sup>2</sup>	3/4"	15.0
4K250-100-### <sup>2</sup>	1"	23.0
4K250-125-### <sup>2</sup>	1-1/4"	37.0
4K250-150-### <sup>2</sup>	1-1/2"	48.0
4K250-200-### <sup>2</sup>	2"	76.0
4K250-300-### <sup>2</sup>	3"	166.0

<sup>1</sup> Weights are per 100' of pipe.  
<sup>2</sup> Replace ### with the length of pipe. i.e. 4K250-075-300 for a 3/4" x 300' coil.

### Specifications

Diameter	O.D.	Calc I.D.	Min. Wall
3/4"	1.050" ±0.004"	~0.816"	0.117" ±0.020"
1"	1.315" ±0.005"	~1.023"	0.146" ±0.020"
1-1/4"	1.660" ±0.005"	~1.292"	0.184" ±0.022"
1-1/2"	1.900" ±0.006"	~1.478"	0.211" ±0.025"
2"	2.375" ±0.006"	~1.847"	0.264" ±0.032"
3"	3.500" ±0.008"	~2.722"	0.389" ±0.047"

### Standards & Certifications

NSF/ANSI Standard #14, NSF/ANSI Standard #61
ANSI/AWWA C901 specifications for polyethylene (PE) pressure pipe, tubing, and fittings (1/2" to 3" for water)
ASTM D-1248 specification for polyethylene (PE) plastics molding and extrusion materials
ASTM D-3350 specification for polyethylene (PE) plastics pipe and fittings material
ASTM D-3035 specification for polyethylene (PE) plastic pipe (DR-PR) based on controlled outside diameter
Interstate Plastic, Inc. HDPE pressure pipe and tubing are in compliance with the Trade Agreement Act (19 USC 2501) and are proudly made in the USA in beautiful Post Falls, ID

### Interstate Plastic, Inc.

3375 E Seltice Way  
 PO Box 398  
 Post Falls, ID 83877

P: (208) 773-4538 (800) 776-7537  
 F: (208) 773-9400 (888) 206-3012





# SUBMITTAL SHEET

## DR-7 IPS 333psi HD PE4710 ASTM D-3035 NSF CERTIFIED

### Products

Product Number	Diameter	Weight <sup>1</sup>
4K333-075-### <sup>2</sup>	3/4"	18.0
4K333-100-### <sup>2</sup>	1"	29.0
4K333-125-### <sup>2</sup>	1-1/4"	46.0
4K333-150-### <sup>2</sup>	1-1/2"	60.0
4K333-200-### <sup>2</sup>	2"	94.0

<sup>1</sup> Weights are per 100' of pipe.

<sup>2</sup> Replace ### with the length of pipe. i.e. 4K333-075-300 for a 3/4" x 300' coil.

### Specifications

Diameter	O.D.	Calc I.D.	Min. Wall
3/4"	1.050" ±0.004"	~0.750"	0.150" ±0.020"
1"	1.315" ±0.005"	~0.939"	0.188" ±0.023"
1-1/4"	1.660" ±0.005"	~1.186"	0.237" ±0.028"
1-1/2"	1.900" ±0.006"	~1.358"	0.271" ±0.033"
2"	2.375" ±0.006"	~1.697"	0.339" ±0.041"

### Standards & Certifications

NSF/ANSI Standard #14, NSF/ANSI Standard #61
ANSI/AWWA C901 specifications for polyethylene (PE) pressure pipe, tubing, and fittings (1/2" to 3" for water)
ASTM D-1248 specification for polyethylene (PE) plastics molding and extrusion materials
ASTM D-3350 specification for polyethylene (PE) plastics pipe and fittings material
ASTM D-3035 specification for polyethylene (PE) plastic pipe (DR-PR) based on controlled outside diameter
Interstate Plastic, Inc. HDPE pressure pipe and tubing are in compliance with the Trade Agreement Act (19 USC 2501) and are proudly made in the USA in beautiful Post Falls, ID

### Interstate Plastic, Inc.

3375 E Seltice Way  
PO Box 398  
Post Falls, ID 83877

P: (208) 773-4538 (800) 776-7537  
F: (208) 773-9400 (888) 206-3012





# SUBMITTAL SHEET

## SDR-9 CTS 250psi HD PE4710 ASTM D-2737 NSF CERTIFIED

### Products

Product Number	Diameter	Weight <sup>1</sup>
4CTS-075-### <sup>2</sup>	3/4"	10.3
4CTS-100-### <sup>2</sup>	1"	16.9
4CTS-125-### <sup>2</sup>	1-1/4"	25.0
4CTS-150-### <sup>2</sup>	1-1/2"	34.8
4CTS-200-### <sup>2</sup>	2"	59.4

<sup>1</sup> Weights are per 100' of pipe.

<sup>2</sup> Replace ### with the length of pipe. i.e. 4CTS-075-300 for a 3/4" x 300' coil.

### Specifications

Diameter	O.D.	Calc I.D.	Min. Wall
3/4"	0.875" ±0.004"	~0.681"	0.097" ±0.010"
1"	1.125" ±0.005"	~0.875"	0.125" ±0.012"
1-1/4"	1.375" ±0.005"	~1.069"	0.153" ±0.015"
1-1/2"	1.625" ±0.006"	~1.263"	0.181" ±0.018"
2"	2.125" ±0.006"	~1.653"	0.236" ±0.024"

### Standards & Certifications

NSF/ANSI Standard #14, NSF/ANSI Standard #61
ANSI/AWWA C901 specifications for polyethylene (PE) pressure pipe, tubing, and fittings (1/2" to 3" for water)
ASTM D-1248 specification for polyethylene (PE) plastics molding and extrusion materials
ASTM D-3350 specification for polyethylene (PE) plastics pipe and fittings material
ASTM D-2737 specification for polyethylene (PE) plastic tubing
Interstate Plastic, Inc. HDPE pressure pipe and tubing are in compliance with the Trade Agreement Act (19 USC 2501) and are proudly made in the USA in beautiful Post Falls, ID

### Interstate Plastic, Inc.

3375 E Seltice Way  
PO Box 398  
Post Falls, ID 83877

P: (208) 773-4538 (800) 776-7537  
F: (208) 773-9400 (888) 206-3012





# SUBMITTAL SHEET

THERMO 2000 200psi HD PE4710 ASTM D-3035 DR-11  
PE445576C

## Products

Product Number	Diameter	Weight <sup>1</sup>
4TH200-075-### <sup>2</sup>	3/4"	12.1
4TH200-100-### <sup>2</sup>	1"	19.4
4TH200-125-### <sup>2</sup>	1-1/4"	30.9
4TH200-150-### <sup>2</sup>	1-1/2"	40.5
4TH200-200-### <sup>2</sup>	2"	63.0

<sup>1</sup> Weights are per 100' of pipe.

<sup>2</sup> Replace ### with the length of pipe. i.e. 4TH200-075-300 for a 3/4" x 300' coil.

## Specifications

Diameter	O.D.	Calc I.D.	Min. Wall
3/4"	1.050" ±0.004"	~0.860"	0.095" ±0.020"
1"	1.315" ±0.005"	~1.075"	0.120" ±0.020"
1-1/4"	1.660" ±0.005"	~1.358"	0.151" ±0.020"
1-1/2"	1.900" ±0.006"	~1.554"	0.173" ±0.021"
2"	2.375" ±0.006"	~1.943"	0.216" ±0.026"

## Interstate Plastic, Inc.

3375 E Seltice Way  
PO Box 398  
Post Falls, ID 83877

P: (208) 773-4538 (800) 776-7537  
F: (208) 773-9400 (888) 206-3012



# SUBMITTAL SHEET

## SUPER SERVICE BLUE SDR-9 CTS 250psi HD PE4710 ASTM D-2737 NSF CERTIFIED

### Products

Product Number	Diameter	Weight <sup>1</sup>
4SSCTS-075-### <sup>2</sup>	3/4"	10.3
4SSCTS-100-### <sup>2</sup>	1"	16.9
4SSCTS-125-### <sup>2</sup>	1-1/4"	25.0
4SSCTS-150-### <sup>2</sup>	1-1/2"	34.8
4SSCTS-200-### <sup>2</sup>	2"	59.4

<sup>1</sup> Weights are per 100' of pipe.

<sup>2</sup> Replace ### with the length of pipe. i.e. 4SSCTS-075-300 for a 3/4" x 300' coil.

### Specifications

Diameter	O.D.	Calc I.D.	Min. Wall
3/4"	0.875" ±0.004"	~0.681"	0.097" ±0.010"
1"	1.125" ±0.005"	~0.875"	0.125" ±0.012"
1-1/4"	1.375" ±0.005"	~1.069"	0.153" ±0.015"
1-1/2"	1.625" ±0.006"	~1.263"	0.181" ±0.018"
2"	2.125" ±0.006"	~1.653"	0.236" ±0.024"

### Standards & Certifications

NSF/ANSI Standard #14, NSF/ANSI Standard #61
ANSI/AWWA C901 specifications for polyethylene (PE) pressure pipe, tubing, and fittings (1/2" to 3" for water)
ASTM D-1248 specification for polyethylene (PE) plastics molding and extrusion materials
ASTM D-3350 specification for polyethylene (PE) plastics pipe and fittings material
ASTM D-2737 specification for polyethylene (PE) plastic tubing
Interstate Plastic, Inc. HDPE pressure pipe and tubing are in compliance with the Trade Agreement Act (19 USC 2501) and are proudly made in the USA in beautiful Post Falls, ID

### Interstate Plastic, Inc.

3375 E Seltice Way  
PO Box 398  
Post Falls, ID 83877

P: (208) 773-4538 (800) 776-7537  
F: (208) 773-9400 (888) 206-3012





# SUBMITTAL SHEET

## SUPER SERVICE BLUE SIDR-7 250psi HD PE4710 ASTM D-2239 NSF CERTIFIED

### Products

Product Number	Diameter	Weight <sup>1</sup>
4SSJ250-075-### <sup>2</sup>	3/4"	15.0
4SSJ250-100-### <sup>2</sup>	1"	24.3
4SSJ250-125-### <sup>2</sup>	1-1/4"	41.8
4SSJ250-150-### <sup>2</sup>	1-1/2"	56.9
4SSJ250-200-### <sup>2</sup>	2"	93.8

<sup>1</sup> Weights are per 100' of pipe.

<sup>2</sup> Replace ### with the length of pipe. i.e. 4SSJ250-075-300 for a 3/4" x 300' coil.

### Specifications

Diameter	Calc O.D.	I.D.	Min. Wall
3/4"	~1.060"	0.824" +0.010" -0.015"	0.118" ±0.020"
1"	~1.349"	1.049" +0.010" -0.020"	0.150" ±0.020"
1-1/4"	~1.774"	1.380" +0.010" -0.020"	0.197" ±0.024"
1-1/2"	~2.070"	1.610" +0.015" -0.020"	0.230" ±0.028"
2"	~2.657"	2.067" +0.015" -0.020"	0.295" ±0.035"

### Standards & Certifications

NSF/ANSI Standard #14, NSF/ANSI Standard #61
ANSI/AWWA C901 specifications for polyethylene (PE) pressure pipe, tubing, and fittings (1/2" to 3" for water)
ASTM D-1248 specification for polyethylene (PE) plastics molding and extrusion materials
ASTM D-3350 specification for polyethylene (PE) plastics pipe and fittings material
ASTM D-2239 specification for polyethylene (PE) plastic pipe (SIDR-PR) based on controlled inside diameter
Interstate Plastic, Inc. HDPE pressure pipe and tubing are in compliance with the Trade Agreement Act (19 USC 2501) and are proudly made in the USA in beautiful Post Falls, ID

### Interstate Plastic, Inc.

3375 E Seltice Way  
PO Box 398  
Post Falls, ID 83877

P: (208) 773-4538 (800) 776-7537  
F: (208) 773-9400 (888) 206-3012





# SUBMITTAL SHEET

---

## RECLAIMED WATER PURPLE SDR-9 CTS 250psi HD PE4710 ASTM D-2737

---

### Products

Product Number	Diameter	Weight <sup>1</sup>
4PCTS-075-### <sup>2</sup>	3/4"	10.3
4PCTS-100-### <sup>2</sup>	1"	16.9
4PCTS-125-### <sup>2</sup>	1-1/4"	25.0
4PCTS-150-### <sup>2</sup>	1-1/2"	34.8
4PCTS-200-### <sup>2</sup>	2"	59.4

<sup>1</sup> Weights are per 100' of pipe.

<sup>2</sup> Replace ### with the length of pipe. i.e. 4PCTS-075-300 for a 3/4" x 300' coil.

### Specifications

Diameter	O.D.	Calc I.D.	Min. Wall
3/4"	0.875" ±0.004"	~0.681"	0.097" ±0.010"
1"	1.125" ±0.005"	~0.875"	0.125" ±0.012"
1-1/4"	1.375" ±0.005"	~1.069"	0.153" ±0.015"
1-1/2"	1.625" ±0.006"	~1.263"	0.181" ±0.018"
2"	2.125" ±0.006"	~1.653"	0.236" ±0.024"

## Interstate Plastic, Inc.

3375 E Seltice Way  
PO Box 398  
Post Falls, ID 83877

P: (208) 773-4538 (800) 776-7537  
F: (208) 773-9400 (888) 206-3012



# SUBMITTAL SHEET

---

## RECLAIMED WATER PURPLE SIDR-7 250psi HD PE4710 ASTM D-2239

---

### Products

Product Number	Diameter	Weight <sup>1</sup>
4PJ250-075-### <sup>2</sup>	3/4"	15.0
4PJ250-100-### <sup>2</sup>	1"	24.3
4PJ250-125-### <sup>2</sup>	1-1/4"	41.8
4PJ250-150-### <sup>2</sup>	1-1/2"	56.9
4PJ250-200-### <sup>2</sup>	2"	93.8

<sup>1</sup> Weights are per 100' of pipe.

<sup>2</sup> Replace ### with the length of pipe. i.e. 4PJ250-075-300 for a 3/4" x 300' coil.

### Specifications

Diameter	Calc O.D.	I.D.	Min. Wall
3/4"	~1.060"	0.824" +0.010" -0.015"	0.118" ±0.020"
1"	~1.349"	1.049" +0.010" -0.020"	0.150" ±0.020"
1-1/4"	~1.774"	1.380" +0.010" -0.020"	0.197" ±0.024"
1-1/2"	~2.070"	1.610" +0.015" -0.020"	0.230" ±0.028"
2"	~2.657"	2.067" +0.015" -0.020"	0.295" ±0.035"

## Interstate Plastic, Inc.

3375 E Seltice Way  
PO Box 398  
Post Falls, ID 83877

P: (208) 773-4538 (800) 776-7537  
F: (208) 773-9400 (888) 206-3012



# SUBMITTAL SHEET

---

## Drip

---

### Products

Product Number	Diameter	Weight <sup>1</sup>
D-R520-### <sup>2</sup>	1/2" Pak (.520"-.620")	3.7
D-R600-### <sup>2</sup>	1/2" Pak (.600"-.700")	4.3
D-0600-### <sup>2</sup>	1/2" (.600"-.700")	4.3
D-075-### <sup>2</sup>	3/4"	6.7
D-100-### <sup>2</sup>	1"	10.0
D-125-### <sup>2</sup>	1-1/4"	16.1
D-150-### <sup>2</sup>	1-1/2"	23.3
D-200-### <sup>2</sup>	2"	38.6

<sup>1</sup> Weights are per 100' of pipe.

<sup>2</sup> Replace ### with the length of pipe. i.e. D-R520-300 for a 1/2" Pak (.520"-.620") x 300' coil.

## Interstate Plastic, Inc.

3375 E Seltice Way  
PO Box 398  
Post Falls, ID 83877

P: (208) 773-4538 (800) 776-7537  
F: (208) 773-9400 (888) 206-3012



# SUBMITTAL SHEET

---

## Easy Bend

---

### Products

Product Number	Diameter	Weight <sup>1</sup>
E-050-### <sup>2</sup>	Easy Bend	7.3

<sup>1</sup> Weights are per 100' of pipe.

<sup>2</sup> Replace ### with the length of pipe. i.e. E-050-300 for a Easy Bend x 300' coil.

## Interstate Plastic, Inc.

3375 E Seltice Way  
PO Box 398  
Post Falls, ID 83877

P: (208) 773-4538 (800) 776-7537  
F: (208) 773-9400 (888) 206-3012