

PureFlow



PureFlow



Viega PureFlow

Viega PureFlow provides the industry's most comprehensive selection of PEX tubing, fittings and accessories. Along with a wide variety of PEX fittings, which include both PEX Press and PEX Crimp, Viega also offers the patented MANABLOC water distribution system which helps homeowners realize a reduction in water waste and increased energy savings.

FEATURES AND BENEFITS

- Proven quality
- Non-corroding
- Reduced flow noise
- Excellent chlorine resistance
- Most comprehensive warranty in the industry

CODES AND STANDARDS

- IPC: International Plumbing Code
- UPC: Uniform Plumbing Code
- NSPC: National Standard Plumbing Code
- NSF/ANSI 61: Drinking Water System Components – Health Effects
- NSF/ANSI 61G: Lead Content Evaluation Procedure to meet $\leq 0.25\%$ average lead content
- NSF/ANSI 14: Plastics Piping System Components and Related Materials
- CSA International: Canadian Standard Association
- B137.5: Standard Specification for PEX tubing systems in pressure applications
- ASTM F876: Standard Specification for PEX Tubing
- ASTM F877: Standard Specification for PEX Water Distribution System
- ASTM F1807/F2159: Standard Specification for PEX Fittings
- ASTM F2023: 08 Standard Test Method for Evaluating the Oxidative Resistance of Cross-linked Polyethylene PEX Tubing and Systems to Hot Chlorinated Water
- UL 1821: Thermoplastic Sprinkler Pipe and Fittings for Fire Protection Service

ZERO LEAD

ZERO LEAD identifies Viega products meeting the lead free requirements of California and Vermont law, effective January 1, 2010 and Maryland law, effective January 01, 2012, as tested and listed against NSF 61, Annex G. For more detailed information on zero lead issues and legislation, visit www.zeroleadfacts.com. For more information on Viega's Zero Lead products, contact Inside Sales.

ABBREVIATIONS

- BA – ProBloc Outlet Connection
- BSP – British Standard Pipe
- CTS – Copper Tube Size
- FNPT – Female National Pipe Thread
- FTG – Male Copper
- MNPT – Male National Pipe Thread
- P – ProPress Connection


Green Dot = **SMART CONNECT** feature

* Available while supplies last due to 2014 lead free requirements






Table of Contents





ViegaPEX Tubing	98
ViegaPEX Ultra Tubing	99
FostaPEX Tubing	102
PEX Manifold Plumbing Systems	104
PEX Press Fittings	116
PEX Press Tools	132
Viega PEX Crimp Fittings	136
PEX Crimp Tools	145
Viega PEX Accessories	148

PureFlow
Flexible PEX tubing technology



PureFlow

	Stock Code	Dimension	Qty	Approx. wt./lb. Each
ViegaPEX Tubing				
 <p>ViegaPEX - Coil Red ASTM F876/F877 PEX 5006 (CL5)</p> <p>Zero Lead</p> <p>DISCOUNT 1 <u>model V5001</u></p>		in x ft		
	32101	3/8 x 100	1	5.00
	32105	3/8 x 500	1	21.00
	32100	3/8 x 1000	1	42.00
	32121	1/2 x 100	1	5.80
	32123	1/2 x 300	1	17.10
	32125	1/2 x 500	1	28.00
	32120	1/2 x 1000	1	58.00
	32141	3/4 x 100	1	11.00
	32143	3/4 x 300	1	32.10
	32145	3/4 x 500	1	53.00
32140	3/4 x 1000	1	106.00	
 <p>ViegaPEX - Straight Length Red ASTM F876/F877 PEX 5006 (CL5)</p> <p>Zero Lead</p> <p>DISCOUNT 1 <u>model V5001.5</u></p>		in x ft		
	33120	1/2 x 20	50	1.06
	33145	3/4 x 20	25	2.04
 <p>ViegaPEX - Coil Blue ASTM F876/F877 PEX 5006 (CL5)</p> <p>Zero Lead</p> <p>DISCOUNT 1 <u>model V5002</u></p>		in x ft		
	32201	3/8 x 100	1	5.00
	32205	3/8 x 500	1	21.00
	32200	3/8 x 1000	1	42.00
	32221	1/2 x 100	1	5.30
	32223	1/2 x 300	1	17.10
	32225	1/2 x 500	1	26.50
	32220	1/2 x 1000	1	55.00
	32241	3/4 x 100	1	11.00
	32243	3/4 x 300	1	32.10
	32245	3/4 x 500	1	53.00
32240	3/4 x 1000	1	106.00	
 <p>ViegaPEX - Straight Length Blue ASTM F876/F877 PEX 5006 (CL5)</p> <p>Zero Lead</p> <p>DISCOUNT 1 <u>model V5002.5</u></p>		in x ft		
	33240	1/2 x 20	50	1.06
	33265	3/4 x 20	25	2.04
 <p>ViegaPEX - MANAPACS Fits between studs for easy installation Recycled Plastic Reels ASTM F876/F877 PEX 5006 (CL5)</p> <p>Zero Lead</p> <p>DISCOUNT 1 <u>model V5004</u></p>		in x ft - # of reels		
	32300	Red/Blue 3/8 x 500 - 2	1	58.00
	32905	Blue 3/8 x 500 - 1	1	28.00
	32805	Red 3/8 x 500 - 1	1	28.00
	32326	Red/Blue 1/2 x 300 - 2	1	48.00
	32923	Blue 1/2 x 300 - 1	1	23.10
	32823	Red 1/2 x 300 - 1	1	23.10

	Stock Code	Dimension	Qty	Approx. wt./lb. Each	
 <p>ViegaPEX - Coil White ASTM F876/F877 PEX 5006 (CL5)</p> <p>Zero Lead</p> <p>DISCOUNT 1 model V5003</p>		in x ft			
	32011	1/4 x 100	1	3.20	
	32015	1/4 x 500	1	14.00	
	32001	3/8 x 100	1	5.00	
	32005	3/8 x 500	1	21.00	
	32000	3/8 x 1000	1	42.00	
	32021	1/2 x 100	1	6.00	
	32023	1/2 x 300	1	17.10	
	32025	1/2 x 500	1	28.00	
	32020	1/2 x 1000	1	55.00	
	32041	3/4 x 100	1	11.00	
	32043	3/4 x 300	1	32.10	
	32045	3/4 x 500	1	53.00	
	32040	3/4 x 1000	1	106.00	
	32061	1 x 100	1	17.00	
	32065	1 x 500	1	88.00	
 <p>ViegaPEX - Straight Length White ASTM F876/F877 PEX 5006 (CL5)</p> <p>Zero Lead</p> <p>DISCOUNT 1 model V5003.5</p>		in x ft			
	33020	1/2 x 20	50	1.08	
	33045	3/4 x 20	25	2.06	
	33061	1 x 20	5	3.42	
 <p>ViegaPEX Ultra Tubing</p> <p>ViegaPEX Ultra - Coil Red ASTM F876/F877 PEX 5006 (CL5) Up to 6 months UV resistance</p> <p>Zero Lead</p> <p>DISCOUNT 1 model V5005</p>		in x ft			
	32505	3/8 x 500	1	21.00	
	32521	1/2 x 100	1	6.00	
	32523	1/2 x 300	1	17.10	
	32525	1/2 x 500	1	28.00	
	32520	1/2 x 1000	1	55.00	
	32541	3/4 x 100	1	11.00	
	32543	3/4 x 300	1	32.10	
	32545	3/4 x 500	1	53.00	
	32551	1 x 100	1	17.00	
	32553	1 x 300	1	51.90	
	 <p>ViegaPEX Ultra - Straight Length Red ASTM F876/F877 PEX 5006 (CL5) Up to 6 months UV resistance</p> <p>Zero Lead</p> <p>DISCOUNT 1 model V5005.5</p>		in x ft		
		33529	1/2 x 10	50	0.55
33520		1/2 x 20	50	1.18	
33549		3/4 x 10	25	0.55	
33540		3/4 x 20	25	2.02	
33551		1 x 20	5	3.48	


	Stock Code	Dimension	Qty	Approx. wt./lb. Each
 <p>ViegaPEX Ultra - Coil Blue ASTM F876/F877 PEX 5006 (CL5) Up to 6 months UV resistance</p> <p>Zero Lead</p> <p>DISCOUNT 1 <u>model V5006</u></p>		in x ft		
	32605	3/8 x 500	1	21.00
	32621	1/2 x 100	1	6.00
	32623	1/2 x 300	1	15.90
	32625	1/2 x 500	1	28.00
	32620	1/2 x 1000	1	55.00
	32641	3/4 x 100	1	11.00
	32643	3/4 x 300	1	30.90
	32645	3/4 x 500	1	53.00
	32651	1 x 100	1	17.00
32653	1 x 300	1	51.90	
 <p>ViegaPEX Ultra - Straight Length Blue ASTM F876/F877 PEX 5006 (CL5) Up to 6 months UV resistance</p> <p>Zero Lead</p> <p>DISCOUNT 1 <u>model V5006.5</u></p>		in x ft		
	33629	1/2 x 10	50	0.55
	33620	1/2 x 20	50	1.18
	33649	3/4 x 10	25	0.55
	33645	3/4 x 20	25	2.02
	33651	1 x 20	5	3.48
 <p>ViegaPEX Ultra - MANAPACS Fits between studs for easy installation Recycled Plastic Reels Up to 6 months UV resistance ASTM F876/F877 PEX 5006 (CL5)</p> <p>Zero Lead</p> <p>DISCOUNT 1 <u>model V5008</u></p>		in x ft - # of reels		
	33300	3/8 x 500 - 2 Red/Blue	1	116.00
	33905	3/8 x 500 - 1 Blue	1	28.00
	33805	3/8 x 500 - 1 Red	1	28.00
	33326	1/2 x 300 - 2 Red/Blue	1	48.00
	33923	1/2 x 300 - 1 Blue	1	23.10
	33823	1/2 x 300 - 1 Red	1	23.10
 <p>ViegaPEX Ultra - Coil White ASTM F876/F877 PEX 5006 (CL5) Up to 6 months UV resistance</p> <p>Zero Lead</p> <p>DISCOUNT 1 <u>model V5007</u></p>		in x ft		
	32405	3/8 x 500	1	21.00
	32421	1/2 x 100	1	6.00
	32423	1/2 x 300	1	17.10
	32425	1/2 x 500	1	28.00
	32420	1/2 x 1000	1	55.00
	32441	3/4 x 100	1	11.00
	32443	3/4 x 300	1	32.10
	32445	3/4 x 500	1	53.00
	32461	1 x 100	1	17.00
32465	1 x 500	1	88.00	
 <p>ViegaPEX Ultra - Straight Length White ASTM F876/F877 PEX 5006 (CL5) Up to 6 months UV resistance</p> <p>Zero Lead</p> <p>DISCOUNT 1 <u>model V5007.5</u></p>		in x ft		
	33429	1/2 x 10	50	0.55
	33420	1/2 x 20	50	1.10
	33459	3/4 x 10	25	0.55
	33405	3/4 x 20	25	2.10
	33461	1 x 20	5	3.48

	Stock Code	Dimension	Qty	Approx. wt./lb. Each
 <p>ViegaPEX Ultra - Coil Black ASTM F876/F877 PEX 5006 (CL5) Up to 6 months UV resistance</p> <p>Zero Lead</p> <p>DISCOUNT 1 model V5009</p>		in x ft		
	32701	3/8 x 100	1	4.20
	32705	3/8 x 500	1	21.00
	32721	1/2 x 100	1	5.50
	32723	1/2 x 300	1	16.50
	32725	1/2 x 500	1	29.00
	32720	1/2 x 1000	1	55.00
 <p>ViegaPEX Ultra - Coil Black UL Listed for NFPA 13D systems ASTM F876/F877 PEX 5006 (CL5) Up to 6 months UV resistance</p> <p>Zero Lead</p> <p>DISCOUNT 1 model V5009.1</p>		in x ft		
	34741	3/4 x 100	1	10.50
	34743	3/4 x 300	1	31.50
	34745	3/4 x 500	1	52.50
	34740	3/4 x 1000	1	105.00
	34761	1 x 100	1	17.40
	34765	1 x 500	1	87.00
	34771	1 1/4 x 100	1	25.50
	34773	1 1/4 x 300	1	76.50
	34781	1 1/2 x 100	1	35.40
	32791	2 x 100	1	63.00
 <p>ViegaPEX Ultra - Straight Length Black ASTM F876/F877 PEX 5006 (CL5) Up to 6 months UV resistance</p> <p>Zero Lead</p> <p>DISCOUNT 1 model V5009.5</p>		in x ft		
	33729	1/2 x 10	50	0.55
	33720	1/2 x 20	50	1.10
 <p>ViegaPEX Ultra - Straight Length Black UL Listed for NFPA 13D systems ASTM F876/F877 PEX 5006 (CL5) Up to 6 months UV resistance</p> <p>Zero Lead</p> <p>DISCOUNT 1 model V5009.51</p>		in x ft		
	35745	3/4 x 20	25	2.10
	35761	1 x 20	5	3.48
	35771	1 1/4 x 20	5	5.10
	35781	1 1/2 x 20	5	7.06
	33791	2 x 20	5	73.14




	Stock Code	Dimension	Qty	Approx. wt./lb. Each
FostaPEX Tubing				
 <p>FostaPEX - Coil Silver Form Stable For use with Viega PEX Press fittings only ASTM F876/F877 PEX 5006 (CL5) Extended UV resistance</p> <p>Zero Lead</p> <p>DISCOUNT 6 <u>model 2805US</u></p>		in x ft		
	35020	1/2 x 150	1	15.00
	35019	1/2 x 300	1	30.00
	35021	1/2 x 400	1	38.00
	35040	3/4 x 150	1	24.00
	35060	1 x 150	1	39.00
 <p>FostaPEX - Straight Length Silver Form Stable For use with Viega PEX Press fittings only ASTM F876/F877 PEX 5006 (CL5) Extended UV resistance</p> <p>Zero Lead</p> <p>DISCOUNT 6 <u>model 2806US</u></p>		in x ft		
	35520	1/2 x 20	25	2.00
	35540	3/4 x 20	25	3.20
	35560	1 x 20	10	5.20
 <p>FostaPEX - Coil Red Form Stable For use with Viega PEX Press fittings only ASTM F876/F877 PEX 5006 (CL5) Extended UV resistance</p> <p>Zero Lead</p> <p>DISCOUNT 6 <u>model 2808US</u></p>		in x ft		
	35120	1/2 x 150	1	15.00
	35140	3/4 x 150	1	24.00
	35160	1 x 150	1	39.00






PureFlow





Zero Lead PEX manifold plumbing systems
Number one rated PEX plumbing manifolds








PureFlow

	Stock Code	Dimension	Qty	Approx. wt./lb. Each
<h3>PEX Manifold Plumbing Systems</h3>				
 <p>MANABLOC - PEX Press Zero Lead Bronze Port Adapters Homerun Distribution Manifold Factory assembled with valves Color coded ports for hot and cold water</p> <p>*Supply connections sold separately</p> <p>Zero Lead</p> <p>DISCOUNT 2 model V5030ZL</p>	38142	14 ports: 3/8 (6, 8)	1	6.038
	38143	14 ports: 1/2 (6, 8)	1	6.118
	38243	24 ports: 1/2 (9, 15)	1	9.457
	38303	30 ports: 1/2 (12, 18)	1	11.947
	38363	36 ports: 1/2 (14, 22)	1	13.481
 <p>Combination MANABLOC - PEX Press Zero Lead Bronze Port Adapters Homerun Distribution Manifold Factory assembled with valves Color coded ports for hot and cold water Includes 3/8" and 1/2" Port Adapters</p> <p>*Supply connections sold separately</p> <p>Zero Lead</p> <p>DISCOUNT 2 model V5040ZL</p>	38183	18 ports: 3/8 (6,7) & 1/2 (2,3)	1	7.808
	38024	24 ports: 3/8 (7,11) & 1/2 (2,4)	1	9.372
	38030	30 ports: 3/8 (10,12) & 1/2 (2,6)	1	11.967
	38036	36 ports: 3/8 (11,15) & 1/2 (3,7)	1	13.951
	 <p>MINIBLOC - PEX Press Zero Lead Bronze Port Adapters Zoning manifold for combination systems Factory assembled with valves Color coded ports for cold water Optional red valve caps included for hot water</p> <p>*Supply connections sold separately</p> <p>Zero Lead</p> <p>DISCOUNT 2 model V5050ZL</p>	38033	3 ports: 1/2	1
38043		4 ports: 1/2	1	2.479
38063		6 ports: 1/2	1	3.239
38083		8 ports: 1/2	1	4.209





	Stock Code	Dimension	Qty	Approx. wt./lb. Each
 <p>Dual Temperature MINIBLOC - PEX Press Zero Lead Bronze Port Adapters Zoning manifold for combination systems Factory assembled with valves Color coded ports for hot and cold water</p> <p>*Supply connections sold separately</p> <p>Zero Lead</p> <p><u>model V5065ZL</u></p>	38263	1/2 (2, 3) - 5	1	2.905
	38273	1/2 (3, 4) - 7	1	4.007
	38203	1/2 (4, 6) - 10	1	4.765
		Dimension (hot, cold) - # of Outlets		
 <p>Viega PEX Press Port Adapter Zero Lead Bronze Connects distribution lines to MANABLOC and MINIBLOC</p> <p>Zero Lead</p> <p>DISCOUNT 2 <u>model 2877.3ZL</u></p>	96101	3/8 x 1/2	6	0.095
	96120	1/2 x 1/2	6	0.101
 <p>Viega PEX Press Supply Adapter Zero Lead Bronze Connects PEX supply lines to MANABLOC and MINIBLOC</p> <p>Zero Lead</p> <p>DISCOUNT 2 <u>model 2877.8ZL</u></p>	96141	3/4 x 1	5	0.214
	96161	1 x 1	5	0.236
	96171	1 1/4 x 1	5	0.293
 <p>Viega PEX Press Supply Adapter Bronze Connects PEX supply lines to MANABLOC and MINIBLOC</p> <p>* Available while supplies last</p> <p>DISCOUNT 2 <u>model 2878.8NG</u></p>	86141	3/4 x 1	5	0.216
	86161	1 x 1	5	0.256
	86171	1 1/4 x 1	5	0.317
 <p>ProPress MANABLOC Supply Adapter Zero Lead Bronze Connects Copper supply lines to MANABLOC and MINIBLOC Smart Connect feature</p> <p>Zero Lead</p> <p>DISCOUNT 2 <u>model 2913.6ZL</u></p>	90356	3/4 x 1	5	0.195
	90366	1 x 1	5	0.272




	Stock Code	Dimension	Qty	Approx. wt./lb. Each
 <p>ProPress MANABLOC Supply Adapter Bronze Connects Copper supply lines to MANABLOC and MINIBLOC Smart Connect feature</p> <p>* Available while supplies last</p> <p>DISCOUNT 2 <u>model 2913.6</u></p>	50356	3/4 x 1	5	0.205
	50366	1 x 1	5	0.206
 <p>MANABLOC - PEX Press Radel R Port Adapters Homerun Distribution Manifold Factory assembled with valves Color coded ports for hot and cold water</p> <p>*Supply connections sold separately</p> <p>Zero Lead DISCOUNT 2 <u>model V5630</u></p>		# of Outlets: Dimension (hot,cold)		
	49142	14 ports: 3/8 (6, 8)	1	
	49143	14 ports: 1/2 (6, 8)	1	
	49183	18 ports: 1/2 (8, 10)	1	
	49243	24 ports: 1/2 (9, 15)	1	
	49303	30 ports: 1/2 (12, 18)	1	
49363	36 ports: 1/2 (14, 22)	1		
 <p>Combination MANABLOC - PEX Press Radel R Port Adapters Homerun Distribution Manifold Factory assembled with valves Color coded ports for hot and cold water Includes 3/8" and 1/2" Port Adapters</p> <p>*Supply connections sold separately</p> <p>Zero Lead DISCOUNT 2 <u>model V5640</u></p>		# of Outlets: Dimension (hot,cold)		
	49186	18 ports: 3/8 (6,7) & 1/2 (2,3)	1	
	49246	24 ports: 3/8 (7,11) & 1/2 (2,4)	1	
	49306	30 ports: 3/8 (10,12) & 1/2 (2,6)	1	
	49366	36 ports: 3/8 (11,15) & 1/2 (3,7)	1	
 <p>MINIBLOC - PEX Press Radel R Port Adapters Zoning manifold for combination systems Factory assembled with valves Color coded valves for cold water Optional red valves caps included for hot water</p> <p>*Supply connections sold separately</p> <p>Zero Lead DISCOUNT 2 <u>model V5650</u></p>		# of Outlets: Dimension		
	49033	3 ports: 1/2	1	
	49043	4 ports: 1/2	1	
	49063	6 ports: 1/2	1	
	49083	8 ports: 1/2	1	






	Stock Code	Dimension	Qty	Approx. wt./lb. Each
 <p>Dual Temperature MINIBLOC - PEX Press Radel R Port Adapters Zoning manifold for combination systems Factory assembled with valves Color coded ports for hot and cold water</p> <p>*Supply connections sold separately</p> <p>Zero Lead</p> <p>DISCOUNT 2 model V5660</p>	49453	1/2 (2, 3) - 5	1	
	49473	1/2 (3, 4) - 7	1	
	49410	1/2 (4, 6) - 10	1	
		Dimension (hot,cold) - # of Outlets		
 <p>Viega PEX Press Port Adapter Plastic Connects distribution lines to the MANABLOC and MINIBLOC</p> <p>Zero Lead</p> <p>DISCOUNT 6 model V5613.1</p>	49224	3/8 x 1/2	6	
	49234	1/2 x 1/2	6	
 <p>Viega PEX Press Supply Adapter Plastic Connects PEX supply lines to MANABLOC and MINIBLOC</p> <p>Zero Lead</p> <p>DISCOUNT 6 model V5613.2</p>	49414	3/4 x 1	5	0.118
	49416	1 x 1	5	
 <p>MANABLOC - PEX Crimp Zero Lead Brass Port Adapters Homerun Distribution Manifold Factory assembled with valves Color coded ports for hot and cold water</p> <p>*Supply connections sold separately</p> <p>Zero Lead</p> <p>DISCOUNT 2 model V5043ZL</p>	41142	14 ports: 3/8 (6,8)	1	6.038
	41143	14 ports: 1/2 (6,8)	1	6.233
	41243	24 ports: 1/2 (9,15)	1	9.122
	41303	30 ports: 1/2 (12,18)	1	10.942
	41363	36 ports: 1/2 (14,22)	1	12.791
		# of Outlets: Dimension (hot,cold)		

	Stock Code	Dimension	Qty	Approx. wt./lb. Each
 <p>Combination MANABLOC - PEX Crimp Zero Lead Brass Port Adapters Homerun Distribution Manifold Factory assembled with valves Color coded ports for hot and cold water Includes 3/8" and 1/2" Port Adapters</p> <p>*Supply connections sold separately</p> <p>Zero Lead</p> <p>DISCOUNT 2 <u>model V5035ZL</u></p>		# of Outlets: Dimension (hot,cold)		
	41183	18 ports: 3/8 (6,7) & 1/2 (2,3)	1	7.998
	41246	24 ports: 3/8 (7,11) & 1/2 (2,4)	1	8.897
	41306	30 ports: 3/8 (10,12) & 1/2 (2,6)	1	11.327
	41366	36 ports: 3/8 (11,15) & 1/2 (3,7)	1	13.231
 <p>MINIBLOC - PEX Crimp Zero Lead Brass Port Adapters Zoning manifold for combination systems Factory assembled with valves Color coded valves for cold water Optional red valve caps included for hot water</p> <p>* Supply connections sold separately</p> <p>Zero Lead</p> <p>DISCOUNT 2 <u>model V5031ZL</u></p>		# of Outlets: Dimension		
	41033	3 ports: 1/2	1	2.329
	41043	4 ports: 1/2	1	2.479
	41063	6 ports: 1/2	1	2.999
	41083	8 ports: 1/2	1	4.014
 <p>Dual Temperature MINIBLOC - PEX Crimp Zero Lead Brass Port Adapters Zoning manifold for combination systems Factory assembled with valves Color coded ports for hot and cold water</p> <p>* Supply connections sold separately</p> <p>Zero Lead</p> <p>DISCOUNT 2 <u>model V5066ZL</u></p>		Dimension (hot, cold) - # of Outlets		
	42063	1/2 (2, 3) - 5	1	2.819
	42073	1/2 (3, 4) - 7	1	3.837
	42003	1/2 (4, 6) - 10	1	4.587
 <p>PEX Crimp Port Adapter Zero Lead Brass Connects distribution lines to MANABLOC and MINIBLOC</p> <p>Zero Lead</p> <p>DISCOUNT 2 <u>model V5039ZL</u></p>	46624	3/8 x 1/2	6	0.085
	46634	1/2 x 1/2	6	0.09






	Stock Code	Dimension	Qty	Approx. wt./lb. Each
 <p>PEX Crimp Supply Adapter Zero Lead Brass Connects PEX supply lines to MANABLOC and MINIBLOC</p> <p>Zero Lead</p> <p>DISCOUNT 2 model V5034ZL</p>	46414	3/4 x 1	5	0.198
	46416	1 x 1	5	0.155
 <p>MANABLOC - PEX Crimp PolyAlloy Port Adapters Homerun Distribution Manifold Factory assembled with valves Color coded ports for hot and cold water</p> <p>*Supply connections sold separately</p> <p>Zero Lead</p> <p>DISCOUNT 2 model V5030.5</p>		# of Outlets: Dimension (hot,cold)		
	50142	14 ports: 3/8 (6,8)	1	7.598
	50143	14 ports: 1/2 (6,8)	1	5.415
	50243	24 ports: 1/2 (9,15)	1	7.718
	50303	30 ports: 1/2 (12,18)	1	9.668
	50363	36 ports: 1/2 (14,22)	1	11.275
 <p>Combination MANABLOC - PEX Crimp PolyAlloy Port Adapters Homerun Distribution Manifold Factory assembled with valves Color coded ports for hot and cold water Includes 3/8" and 1/2" Port Adapters</p> <p>*Supply connections sold separately</p> <p>Zero Lead</p> <p>DISCOUNT 2 model V5030.51</p>		# of Outlets: Dimension (hot,cold)		
	51618	18 ports: 3/8 (6,7) & 1/2 (2,3)	1	6.328
	50624	24 ports: 3/8 (7,11) & 1/2 (2,4)	1	8.007
	50630	30 ports: 3/8 (10,12) & 1/2 (2,6)	1	9.833
	50636	36 ports: 3/8 (11,15) & 1/2 (3,7)	1	11.481

	Stock Code	Dimension	Qty	Approx. wt./lb. Each
 <p>MINIBLOC - PEX Crimp PolyAlloy Port Adapters Zoning manifold for combination systems Factory assembled with valves Color coded ports for cold water Optional red valve caps included for hot water</p> <p>* Supply connections sold separately</p> <p>Zero Lead</p> <p>DISCOUNT 2 model V5031.5</p>		# of Outlets: Dimension		
	50033	3 ports: 1/2	1	2.119
	50043	4 ports: 1/2	1	2.434
	50063	6 ports: 1/2	1	3.579
	50083	8 ports: 1/2	1	3.919
 <p>Dual Temperature MINIBLOC - PEX Crimp PolyAlloy Port Adapters Zoning manifold for combination systems Factory assembled with valves Color coded ports for hot and cold water</p> <p>* Supply connections sold separately</p> <p>Zero Lead</p> <p>DISCOUNT 2 model V5067</p>		Dimension (hot, cold) - # of Outlets		
	51063	1/2 (2, 3) - 5	1	2.523
	51073	1/2 (3, 4) - 7	1	3.244
	51003	1/2 (4, 6) - 10	1	4.005
 <p>PEX Crimp Port Adapter PolyAlloy Connects distribution lines to MANABLOC and MINIBLOC</p> <p>Zero Lead</p> <p>DISCOUNT 2 model V5039.1</p>		Crimp x MANABLOC Port		
	51133	3/8 x 3/8	6	0.90
	50023	3/8 x 1/2	6	0.04
	51123	1/2 x 3/8	6	0.026
	50133	1/2 x 1/2	6	0.04
 <p>PEX Crimp Supply Adapter PolyAlloy Connects PEX supply lines to MANABLOC and MINIBLOC</p> <p>Zero Lead</p> <p>DISCOUNT 2 model V5213</p>		Crimp x MANABLOC Supply		
	50141	3/4 x 1	5	0.095
	50151	1 x 1	5	0.10

	Stock Code	Dimension	Qty	Approx. wt./lb. Each
 <p>MANABLOC - Compression Compression Port Adapters Homerun Distribution Manifold Factory assembled with valves Color coded ports for hot and cold water</p> <p>*Supply connections sold separately</p> <p>Zero Lead</p> <p>DISCOUNT 2 model V5030</p>		# of Outlets: Dimension (hot,cold)		
	36142	14 ports: 3/8 (6,8)	1	5.28
	36182	18 ports: 3/8 (8,10)	1	6.201
	36242	24 ports: 3/8 (9,15)	1	7.774
	36302	30 ports: 3/8 (12,18)	1	9.117
	36362	36 ports: 3/8 (14,22)	1	10.958
	36144	14 ports: 1/2 (6,8)	1	5.578
	36183	18 ports: 1/2 (8,10)	1	6.463
	36243	24 ports: 1/2 (9,15)	1	8.158
	36303	30 ports: 1/2 (12,18)	1	9.887
36363	36 ports: 1/2 (14,22)	1	11.537	
 <p>Combination MANABLOC - Compression Compression Port Adapters Homerun Distribution Manifold Factory assembled with valves Color coded ports for hot and cold water Includes 3/8" and 1/2" Port Adapters</p> <p>*Supply connections sold separately</p> <p>Zero Lead</p> <p>DISCOUNT 2 model V5030.2</p>		# of Outlets: Dimension (hot,cold)		
	36624	24 ports: 3/8 (7,11) & 1/2 (2,4)	1	7.918
	36630	30 ports: 3/8 (10,12) & 1/2 (2,6)	1	9.823
	36636	36 ports: 3/8 (11,15) & 1/2 (3,7)	1	11.397
 <p>MINIBLOC - Compression Compression Port Adapters Zoning manifold for combination systems Factory assembled with valves Color coded ports for cold water Optional red valve caps included for hot water</p> <p>* Supply connections sold separately</p> <p>Zero Lead</p> <p>DISCOUNT 2 model V5031</p>		# of Outlets: Dimension		
	36032	3 ports: 3/8	1	2.024
	36042	4 ports: 3/8	1	2.334
	36062	6 ports: 3/8	1	2.918
	36082	8 ports: 3/8	1	3.549
	36033	3 ports: 1/2	1	2.119
	36043	4 ports: 1/2	1	2.149
	36063	6 ports: 1/2	1	2.90
	36083	8 ports: 1/2	1	3.829

	Stock Code	Dimension	Qty	Approx. wt./lb. Each
 <p>MANABLOC/MINIBLOC - Compression Accessories For use with MANABLOC compression fittings</p> <p>Zero Lead</p> <p>Lock-In Nut <u>model V5036.24</u></p> <p>Lock-In Insert</p> <p>DISCOUNT 2</p>		CTS (OD)		
	36002	3/8 (1/2)	100	0.02
	36003	1/2 (5/8)	100	0.04
	36402 36403	3/8 (1/2) 1/2 (5/8)	100 100	0.002 0.002
 <p>Ferrules For use with PEX compression fittings and risers</p> <p>Zero Lead</p> <p>DISCOUNT 2 <u>model V5085</u></p>	53015 53020	3/8 (1/2) 1/2 (5/8)	50 100	0.001 0.001
		CTS (OD)		
 <p>Stainless Steel Compression Insert Stiffeners For use with MANABLOC compression fittings and risers</p> <p>Zero Lead</p> <p>DISCOUNT 2 <u>model V5086</u></p>	56110 56120	3/8 (1/2) 1/2 (5/8)	50 50	0.029 0.005
		CTS (OD)		
 <p>MANABLOC Wrench Use with Compression MANABLOC or MINIBLOC only</p> <p>DISCOUNT 5 <u>model V5036.23</u></p>	50631	3/8 & 1/2	1	0.575
 <p>NO PHOTO AVAILABLE</p> <p>MANABLOC Supply Adapter - Compression Zero Lead Brass Connects CTS-sized supply lines to MANABLOC and MINIBLOC Stiffener included for use with PEX tubing</p> <p>Zero Lead</p> <p>DISCOUNT 2 <u>model V5032ZL</u></p>	46346	CTS (OD) x MANABLOC Supply 3/4 (7/8) x 1	5	0.395

	Stock Code	Dimension	Qty	Approx. wt./lb. Each
 <p>MANABLOC Supply Adapter - Male NPT Zero Lead Brass Connects F NPT supply lines to MANABLOC and MINIBLOC</p> <p>Zero Lead</p> <p>DISCOUNT 2 model V5033ZL</p>	46646	3/4 x 1	5	0.329
	46656	1 x 1	5	0.399
 <p>MINIBLOC Supply Coupling PolyAlloy Connects two MINIBLOCs together</p> <p>DISCOUNT 2 model V5039.52</p>	50355	1 x 1	10	0.201
 <p>Port Replacement Nut</p> <p>Zero Lead</p> <p>DISCOUNT 2 model V5039.8</p>	53006		6	0.26
 <p>MANABLOC Cap - Port</p> <p>Zero Lead</p> <p>DISCOUNT 2 model V5087</p>	36204	3/8	6	0.02
	36205	1/2	6	0.046
 <p>MANABLOC Cap - Supply</p> <p>DISCOUNT 2 model V5036.10</p>	53601	1	5	0.082


	Stock Code	Dimension	Qty	Approx. wt./lb. Each
 <p>MANABLOC Mounting Straps Pair of mounting straps with screws Pre-drilled to mount on 16" center studs</p> <p>DISCOUNT 2 <u>model V5038</u></p>	45716		1	0.681
 <p>MANABLOC Valve Stem Replacement Kit Includes red and blue valve, T-handle, and valve removal tool</p> <p>DISCOUNT 2 <u>model V5039.6</u></p>	50602		1	0.15
 <p>MANABLOC Valve Stem Replacement Kit 1/4 Turn Includes red and blue valve, T-handle, and valve removal tool</p> <p>DISCOUNT 2 <u>model 2870.91</u></p>	51602		1	0.15
 <p>MANABLOC T-Handle Replacement T-handle for MANABLOC or MINIBLOC valve</p> <p>DISCOUNT 2 <u>model V5039.7</u></p>	50601		1	0.04
 <p>MANABLOC Access Panel Can be mounted to open vertically or horizontally</p> <p>Plastic <u>model V5099</u></p> <p>Metal</p> <p>DISCOUNT 2</p>	<p>Width x Length (max. # of Ports)</p> <p>50718 14 x 18 x (14) 50726 14 x 26 x (16) 50730 14 x 30 x (24) 50739 14 x 39 x (36) 50839 14 x 39 x (36) Clear</p> <p>50740 14 x 40 x (30) UL Listed 50748 14 x 48 x (36) UL Listed</p>		<p>1 1 1 1 1 1 1</p>	<p>1.38 1.839 3.489 4.589 4.999 26.258 31.641</p>





PureFlow PEX Press Fittings


First to bring PEX Press technology to North America




PureFlow

	Stock Code	Dimension	Qty	Approx. wt./lb. Each
PEX Press Fittings				
 <p>Viega PEX Press Elbow Zero Lead Bronze</p> <p>Zero Lead</p> <p>DISCOUNT 6 <u>model 2816ZL</u></p>		Press x Press		
	93520	1/2	10	0.088
	93540	3/4	10	0.152
	93560	1	10	0.22
	93570	1 1/4	5	0.359
	93580	1 1/2	5	0.441
	93590	2	1	1.549
 <p>Viega PEX Press Elbow Bronze</p> <p>* Available while supplies last</p> <p>DISCOUNT 6 <u>model 2816NG</u></p>		Press x Press		
	83520	1/2	5	0.093
	83540	3/4	5	0.161
	83560	1	5	0.238
	83570	1 1/4	5	0.591
	83580	1 1/2	5	0.851
 <p>Viega PEX Press Elbow Radel R Smart Connect feature</p> <p>Zero Lead</p> <p>DISCOUNT 6 <u>model V5616</u></p>		Press		
	49210	3/8	25	
	49220	1/2	25	0.029
	49240	3/4	25	0.045
	49260	1	10	0.08
 <p>Viega PEX Press Elbow - Male Zero Lead Bronze</p> <p>Zero Lead</p> <p>DISCOUNT 6 <u>model 2814ZL</u></p>		Press x M NPT		
	92520	1/2 x 1/2	10	
	92525	1/2 x 3/4	10	0.311
	92540	3/4 x 3/4	10	0.295
	92545	3/4 x 1	10	0.738
	92565	3/4 x 1 1/4	2	1.212
	92560	1 x 1	10	0.754
	92570	1 x 1 1/4	2	1.201
	92757	1 1/4 x 1 1/4	2	1.27
 <p>Viega PEX Press Elbow - Male Bronze</p> <p>* Available while supplies last</p> <p>DISCOUNT 6 <u>model 2814NG</u></p>		Press x M NPT		
	82520	1/2 x 1/2	5	0.22
	82525	1/2 x 3/4	5	0.339
	82540	3/4 x 3/4	5	0.331
	82545	3/4 x 1	5	0.818
	82565	3/4 x 1 1/4	2	1.254
	82560	1 x 1	5	0.811
	82570	1 x 1 1/4	2	1.252
	82575	1 1/4 x 1 1/4	2	1.299






	Stock Code	Dimension	Qty	Approx. wt./lb. Each
 <p>Viega PEX Press Elbow - Drop Ear Zero Lead Bronze</p> <p>Zero Lead</p> <p>DISCOUNT 6 model 2825.5ZL</p>		Press x F NPT		
	94505	3/8 x 1/2	10	0.22
	94520	1/2 x 1/2	10	0.225
	94535	3/4 x 1/2	10	0.251
	94540	3/4 x 3/4	10	0.331
 <p>Viega PEX Press Elbow - Drop Ear Bronze</p> <p>* Available while supplies last</p> <p>DISCOUNT 6 model 2825.5NG</p>		Press x F NPT		
	84505	3/8 x 1/2	5	0.229
	84520	1/2 x 1/2	5	0.231
	84535	3/4 x 1/2	5	0.256
	84540	3/4 x 3/4	5	0.335
 <p>Viega PEX Press Elbow Zero Lead Bronze</p> <p>Zero Lead</p> <p>Copper Tubing (female) model 2814.5ZL</p> <p>Copper Fitting (male)</p> <p>Copper Fitting (male) or Tubing (female)</p> <p>DISCOUNT 6</p>		Press x Copper		
	99308	1/2 x 3/4	10	0.322
	99309	3/4 x 3/4	10	0.32
	99310	1/2 x 1/2	10	0.179
	99307	1/2 x 3/4 or 1/2	10	0.317
	99311	3/4 x 3/4 or 1/2	10	0.315
 <p>Viega PEX Press Elbow Bronze</p> <p>* Available while supplies last</p> <p>Copper Tubing (female) model 2814.5NG</p> <p>Copper Fitting (male)</p> <p>Copper Fitting (male) or Tubing (female)</p> <p>DISCOUNT 6</p>		Press x Copper		
	89308	1/2 x 3/4	5	0.346
	89309	3/4 x 3/4	5	0.337
	89310	1/2 x 1/2	5	0.187
	89307	1/2 x 3/4 or 1/2	5	0.335
	89311	3/4 x 3/4 or 1/2	5	0.326

	Stock Code	Dimension	Qty	Approx. wt./lb. Each
 <p>Viega PEX Press Tee Zero Lead Bronze Dimensions listed as labeled, A x B x C</p> <p>Zero Lead</p> <p>DISCOUNT 6 <u>model 2818ZL</u></p>		Press x Press x Press		
	94020	1/2	10	0.104
	94021	1/2 x 3/8 x 3/8	10	0.101
	94022	1/2 x 1/2 x 3/4	10	0.194
	94040	3/4	10	0.178
	94032	3/4 x 1/2 x 1/2	10	0.174
	94034	3/4 x 1/2 x 3/4	10	0.179
	94036	3/4 x 3/4 x 1/2	10	0.185
	94060	1	10	0.296
	94037	1 x 1/2 x 1/2	10	0.282
	94039	1 x 1/2 x 1	10	0.233
	94038	1 x 3/4 x 1/2	10	0.287
	94052	1 x 3/4 x 3/4	10	0.216
	94053	1 x 3/4 x 1	10	0.242
	94050	1 x 1 x 1/2	10	0.216
	94056	1 x 1 x 3/4	10	0.262
	94070	1 1/4	5	0.716
	94071	1 1/4 x 1 x 3/4	5	0.527
	94073	1 1/4 x 1 x 1	5	0.569
	94072	1 1/4 x 1 1/4 x 3/4	5	0.547
	94074	1 1/4 x 1 1/4 x 1	5	0.588
	94080	1 1/2	5	0.932
	94081	1 1/2 x 1 x 3/4	5	0.627
	94082	1 1/2 x 1 x 1	5	0.74
	94083	1 1/2 x 1 1/2 x 3/4	5	0.681
94084	1 1/2 x 1 1/2 x 1	5	0.767	
94085	1 1/2 x 1 1/2 x 1 1/4	5	0.862	
94090	2	1	1.741	
94091	2 x 1 1/2 x 1	5	1.697	
94092	2 x 1 1/2 x 1 1/4	5	1.737	
94093	2 x 1 1/2 x 1 1/2	5	1.741	






 <p>Viega PEX Press Tee Bronze Dimensions listed as labeled, A x B x C</p> <p>* Available while supplies last</p> <p>DISCOUNT 6 <u>model 2818NG</u></p>		Press x Press x Press		
	84020	1/2	5	0.113
	84021	1/2 x 3/8 x 3/8	5	0.106
	84022	1/2 x 1/2 x 3/4	5	0.198
	84040	3/4	5	0.19
	84032	3/4 x 1/2 x 1/2	5	0.179
	84034	3/4 x 1/2 x 3/4	5	0.179
	84036	3/4 x 3/4 x 1/2	5	0.187
	84060	1	5	0.339
	84037	1 x 1/2 x 1/2	5	0.289
	84039	1 x 1/2 x 1	5	0.352
	84038	1 x 3/4 x 1/2	5	0.293
	84052	1 x 3/4 x 3/4	5	0.245
	84053	1 x 3/4 x 1	5	0.35
	84050	1 x 1 x 1/2	5	0.254
	84056	1 x 1 x 3/4	5	0.291
	84070	1 1/4	5	0.703
	84071	1 1/4 x 1 x 3/4	5	0.529
	84073	1 1/4 x 1 x 1	5	0.593
	84072	1 1/4 x 1 1/4 x 3/4	5	0.549
	84074	1 1/4 x 1 1/4 x 1	5	0.602
	84080	1 1/2	5	0.86
	84081	1 1/2 x 1 x 3/4	5	0.617
	84082	1 1/2 x 1 x 1	5	0.738
	84083	1 1/2 x 1 1/2 x 3/4	5	0.674
84084	1 1/2 x 1 1/2 x 1	5	0.767	
84085	1 1/2 x 1 1/2 x 1 1/4	5	0.884	





	Stock Code	Dimension	Qty	Approx. wt./lb. Each
 <p>Viega PEX Press Tee Radel R Smart Connect feature</p> <p>Zero Lead</p> <p>DISCOUNT 6 <u>model V5618</u></p>	Press x Press x Press			
	49322	1/2 x 3/8 x 3/8	25	
	49332	1/2 x 1/2 x 3/8	25	
	49520	1/2 x 1/2 x 1/2	25	0.042
	49334	1/2 x 1/2 x 3/4	25	0.052
	49540	3/4 x 3/4 x 3/4	25	0.068
	49433	3/4 x 1/2 x 1/2	25	0.052
	49434	3/4 x 1/2 x 3/4	25	0.061
	49443	3/4 x 3/4 x 1/2	25	0.059
	49560	1 x 1 x 1	10	0.115
	49533	1 x 1/2 x 1/2	10	0.068
	49543	1 x 3/4 x 1/2	10	0.074
	49535	1 x 1/2 x 1	10	0.113
	49553	1 x 1 x 1/2	10	0.088
	49544	1 x 3/4 x 3/4	10	0.084
	49545	1 x 3/4 x 1	10	1.00
	49554	1 x 1 x 3/4	10	0.102
 <p>Viega PEX Press Adapter - Male Zero Lead Bronze</p> <p>Zero Lead</p> <p>DISCOUNT 6 <u>model 2811ZL</u></p>	Press x M NPT			
	90506	3/8 x 1/2	10	0.101
	90521	1/2 x 1/2	10	0.099
	90526	1/2 x 3/4	10	0.152
	90542	3/4 x 1/2	10	0.11
	90541	3/4 x 3/4	10	0.159
	90546	3/4 x 1	10	0.181
	90562	3/4 x 1 1/4	2	0.485
	90556	1 x 3/4	10	0.183
	90561	1 x 1	10	0.289
	90566	1 x 1 1/4	2	0.514
	90571	1 1/4 x 1 1/4	2	0.551
90581	1 1/2 x 1 1/2	2	0.672	
90591	2 x 2	5	1.095	
 <p>Viega PEX Press Adapter - Male Bronze</p> <p>* Available while supplies last</p> <p>DISCOUNT 6 <u>model 2811NG</u></p>	Press x M NPT			
	80506	3/8 x 1/2	5	0.13
	80521	1/2 x 1/2	5	0.117
	80526	1/2 x 3/4	5	0.176
	80542	3/4 x 1/2	5	0.11
	80541	3/4 x 3/4	5	0.168
	80546	3/4 x 1	5	0.324
	80562	3/4 x 1 1/4	2	0.536
	80556	1 x 3/4	5	0.209
	80561	1 x 1	5	0.344
	80566	1 x 1 1/4	2	0.555
	80571	1 1/4 x 1 1/4	2	0.595
80581	1 1/2 x 1 1/2	2	0.716	
 <p>Viega PEX Press Adapter - Female Zero Lead Bronze</p> <p>Zero Lead</p> <p>DISCOUNT 6 <u>model 2812ZL</u></p>	Press x F NPT			
	91520	1/2 x 1/2	10	0.101
	91525	1/2 x 3/4	10	0.139
	91541	3/4 x 1/2	10	0.106
	91540	3/4 x 3/4	10	0.139
	91545	1 x 3/4	10	0.168
	91560	1 x 1	10	0.238
	91570	1 1/4 x 1 1/4	5	0.436
	91580	1 1/2 x 1 1/2	5	0.516
	91590	2 x 2	5	0.813






	Stock Code	Dimension	Qty	Approx. wt./lb. Each
 <p>Viega PEX Press Adapter - Female Bronze</p> <p>* Available while supplies last</p> <p>DISCOUNT 6 <u>model 2812NG</u></p>	Press x F NPT			
	81520	1/2 x 1/2	5	0.106
	81525	1/2 x 3/4	5	0.142
	81541	3/4 x 1/2	1	0.128
	81540	3/4 x 3/4	5	0.148
	81545	1 x 3/4	5	0.172
	81560	1 x 1	5	0.253
 <p>Viega PEX Press Adapter - ProPress Zero Lead Bronze Smart Connect feature</p> <p>Zero Lead</p> <p>DISCOUNT 6 <u>model 2813PZL</u></p>	Press x P			
	99620	1/2 x 1/2	10	0.075
	99626	1/2 x 3/4	10	0.115
	99630	3/4 x 1/2	10	0.077
	99640	3/4 x 3/4	10	0.112
	99645	1 x 3/4	10	0.136
	99660	1 x 1	10	0.187
	99665	1 1/4 x 1	5	0.231
	99670	1 1/4 x 1 1/4	5	0.284
	99675	1 1/2 x 1	5	0.276
	99680	1 1/2 x 1 1/2	5	0.444
	99685	2 x 1	5	0.465
	99690	2 x 2	5	0.719
 <p>Viega PEX Press Adapter - ProPress Bronze Smart Connect feature</p> <p>* Available while supplies last</p> <p>DISCOUNT 6 <u>model 2813PNG</u></p>	Press x P			
	69620	1/2 x 1/2	5	0.079
	69626	1/2 x 3/4	5	0.13
	69630	3/4 x 1/2	5	0.081
	69640	3/4 x 3/4	5	0.126
	69660	1 x 1	5	0.202
	69670	1 1/4 x 1 1/4	5	0.303
	69680	1 1/2 x 1 1/2	5	0.515
 <p>Viega PEX Press Adapter - Copper Tubing Zero Lead Bronze</p> <p>Zero Lead</p> <p>DISCOUNT 6 <u>model 2813.5ZL</u></p>	Press x Copper (female)			
	92006	3/8 x 1/2	10	0.062
	92021	1/2 x 1/2	10	0.064
	92026	1/2 x 3/4	10	0.098
	92036	3/4 x 1/2	10	0.066
	92041	3/4 x 3/4	10	0.115
	92045	3/4 x 1	10	0.172
	92060	1 x 1	10	0.187
	92070	1 1/4 x 1 1/4	5	0.331
	92080	1 1/2 x 1 1/2	5	0.45
	92090	2 x 2	5	0.609
 <p>Viega PEX Press Adapter - Copper Tubing Bronze</p> <p>* Available while supplies last</p> <p>DISCOUNT 6 <u>model 2813.5NG</u></p>	Press x Copper (female)			
	82006	3/8 x 1/2	5	0.064
	82021	1/2 x 1/2	5	0.068
	82026	1/2 x 3/4	5	0.104
	82036	3/4 x 1/2	5	0.071
	82041	3/4 x 3/4	5	0.12
	82045	3/4 x 1	5	0.179
	82060	1 x 1	5	0.196
82070	1 1/4 x 1 1/4	5	0.353	
82080	1 1/2 x 1 1/2	5	0.488	

	Stock Code	Dimension	Qty	Approx. wt./lb. Each
 <p>Viega PEX Press Adapter - Copper Fitting Zero Lead Bronze 2" fitting for use with solder fittings only</p> <p>Zero Lead</p> <p>DISCOUNT 6 <u>model 28131.ZL</u></p>		Press x Copper (male)		
	97520	1/2 x 1/2	10	0.066
	97525	1/2 x 3/4	10	0.097
	97535	3/4 x 1/2	10	0.079
	97540	3/4 x 3/4	10	0.117
	97545	3/4 x 1	10	0.154
	97560	1 x 1	10	0.174
	97570	1 1/4 x 1 1/4	5	0.344
	97580	1 1/2 x 1 1/2	5	0.498
	97590	2 x 2	5	0.696
 <p>Viega PEX Press Adapter - ProPress Fitting Zero Lead Bronze For use with ProPress fittings only</p> <p>Zero Lead</p> <p>DISCOUNT 6 <u>model 2813.3ZL</u></p>	97690	Press 2 x 2	5	0.736
 <p>Viega PEX Press Adapter - Copper Fitting Bronze</p> <p>* Available while supplies last</p> <p>DISCOUNT 6 <u>model 2813.1NG</u></p>		Press x Copper (male)		
	87520	1/2 x 1/2	5	0.075
	87525	1/2 x 3/4	5	0.119
	87535	3/4 x 1/2	5	0.082
	87540	3/4 x 3/4	5	0.121
	87545	3/4 x 1	5	0.165
	87560	1 x 1	5	0.179
	87570	1 1/4 x 1 1/4	5	0.364
	87580	1 1/2 x 1 1/2	5	0.515
 <p>Viega PEX Press Adapter - PB Zero Lead Bronze Connects ViegaPEX to Polybutylene (PB) tubing</p> <p>* Ring not included for PB connection</p> <p>Zero Lead</p> <p>DISCOUNT 6 <u>model 2813.2ZL</u></p>	97820	Press x PB 1/2 x 1/2	10	0.051
	97840	3/4 x 3/4	10	0.073
 <p>Viega PEX Press Adapter - PB Bronze Connects ViegaPEX to Polybutylene (PB) tubing</p> <p>* Ring not included for PB connection</p> <p>* Available while supplies last</p> <p>DISCOUNT 6 <u>model 2813.2NG</u></p>	87820	Press x PB 1/2 x 1/2	5	0.053
	87840	3/4 x 3/4	5	0.076

	Stock Code	Dimension	Qty	Approx. wt./lb. Each
 <p>Viega PEX Press Coupling Zero Lead Bronze</p> <p>Zero Lead</p> <p>DISCOUNT 6 <u>model 2815ZL</u></p>		Press x Press		
	93000	3/8	10	0.04
	93005	1/2 x 3/8	10	0.048
	93020	1/2	10	0.053
	93050	1/2 x 3/4	10	0.068
	93040	3/4	10	0.075
	93055	3/4 x 1	10	0.115
	93071	3/4 x 1 1/4	5	0.187
	93072	3/4 x 1 1/2	5	0.234
	93060	1	10	0.13
	93073	1 x 1 1/2	5	0.24
	93065	1 x 1 1/4	5	0.207
	93070	1 1/4	5	0.26
	93075	1 1/4 x 1 1/2	5	0.289
	93080	1 1/2	5	0.313
	93090	2	5	0.58
93091	2 x 1 1/2	5	0.491	
 <p>Viega PEX Press Coupling Bronze</p> <p>* Available while supplies last</p> <p>DISCOUNT 6 <u>model 2815NG</u></p>		Press x Press		
	83000	3/8	5	0.042
	83020	1/2	5	0.055
	83050	1/2 x 3/4	5	0.072
	83040	3/4	5	0.077
	83055	3/4 x 1	5	0.119
	83071	3/4 x 1 1/4	5	0.197
	83072	3/4 x 1 1/2	5	0.246
	83060	1	5	0.137
	83065	1 x 1 1/4	5	0.216
	83073	1 x 1 1/2	5	0.264
	83070	1 1/4	5	0.281
	83075	1 1/4 x 1 1/2	5	0.331
83080	1 1/2	5	0.345	
 <p>Viega PEX Press Coupling Radel R Smart Connect feature</p> <p>Zero Lead</p> <p>DISCOUNT 6 <u>model V5615</u></p>		Press x Press		
	49402	3/8 x 3/8	25	
	49342	1/2 x 3/8	25	
	49403	1/2 x 1/2	25	0.027
	49343	1/2 x 3/4	25	0.034
	49404	3/4 x 3/4	25	0.04
	49354	3/4 x 1	10	0.055
	49405	1 x 1	10	0.068
	 <p>Viega PEX Press Test Plug Zero Lead Bronze</p> <p>Zero Lead</p> <p>DISCOUNT 6 <u>model 2856ZL</u></p>		Press	
95000		3/8	10	0.022
95121		1/2	10	0.035
95141		3/4	10	0.057
95161		1	10	0.108





	Stock Code	Dimension	Qty	Approx. wt./lb. Each
 <p>Viega PEX Press Test Plug Bronze</p> <p>* Available while supplies last</p> <p>DISCOUNT 6 <u>model 2856NG</u></p>		Press		
	85000	3/8	5	0.027
	85121	1/2	5	0.036
	85141	3/4	5	0.059
	85161	1	5	0.11
 <p>Viega PEX Press Test Plug Radel R Smart Connect feature</p> <p>Zero Lead</p> <p>DISCOUNT 6 <u>model V5656</u></p>		Press		
	49722	3/8	25	
	49723	1/2	25	0.015
	49744	3/4	25	0.021
	49765	1	10	0.036
 <p>Viega PEX Press Fire Sprinkler Adapter - Female Zero Lead Bronze UL Listed for NFPA 13D systems For use with Black ViegaPEX Ultra only</p> <p>Zero Lead</p> <p>DISCOUNT 6 <u>model 2812.2ZL</u></p>	94632	Press x F NPT 3/4 x 1/2	1	0.22
 <p>Viega PEX Press Fire Sprinkler Adapter - Female Bronze UL Listed for NFPA 13D systems For use with Black ViegaPEX Ultra only</p> <p>* Available while supplies last</p> <p>DISCOUNT 6 <u>model 2812.2NG</u></p>	84632	Press x F NPT 3/4 x 1/2	1	0.252
 <p>Viega PEX Press Fire Sprinkler Drop Ear Elbow and Angled Adapter Zero Lead Bronze UL Listed for NFPA 13D systems For use with Black ViegaPEX Ultra only</p> <p>Zero Lead</p> <p>DISCOUNT 6 <u>model 2814.2ZL</u></p>		Press x F NPT		
	94635	3/4 x 1/2	1	0.289
	94646	3/4 x 3/4 x 1/2	1	0.309
	94640	1 x 1/2	1	0.335






	Stock Code	Dimension	Qty	Approx. wt./lb. Each
 <p>Viega PEX Press Fire Sprinkler Drop Ear Elbows and Angled Adapter Bronze UL Listed for NFPA 13D systems For use with Black ViegaPEX Ultra only</p> <p>* Available while supplies last</p> <p>DISCOUNT 6 <u>model 2814.2NG</u></p>		Press x F NPT		
	84635	3/4 x 1/2	1	0.27
	84646	3/4 x 3/4 x 1/2	1	0.377
	84640	1 x 1/2	1	0.317
 <p>Viega PEX Press Fire Sprinkler Tee - H Zero Lead Bronze UL Listed for NFPA 13D systems For use with Black ViegaPEX Ultra only Mounts to horizontal surfaces</p> <p>Zero Lead</p> <p>DISCOUNT 6 <u>model 2818.2ZL</u></p>		Press x Press x F NPT		
	94636	3/4 x 3/4 x 1/2	1	0.288
	94638	1 x 3/4 x 1/2	1	0.348
	94639	1 x 1 x 1/2	1	0.408
 <p>Viega PEX Press Fire Sprinkler Tee - H Bronze UL Listed for NFPA 13D systems For use with Black ViegaPEX Ultra only Mounts to horizontal surfaces</p> <p>* Available while supplies last</p> <p>DISCOUNT 6 <u>model 2818.2NG</u></p>		Press x Press x F NPT		
	84636	3/4 x 3/4 x 1/2	1	0.291
	84638	1 x 3/4 x 1/2	1	0.359
	84639	1 x 1 x 1/2	1	0.401
 <p>Viega PEX Press Fire Sprinkler Tee - V Zero Lead Bronze UL Listed for NFPA 13D systems For use with Black ViegaPEX Ultra only Mounts to vertical surfaces</p> <p>Zero Lead</p> <p>DISCOUNT 6 <u>model 2818.3ZL</u></p>		Press x Press x F NPT		
	94736	3/4 x 3/4 x 1/2	1	0.529
	94738	1 x 3/4 x 1/2	1	0.602
	94739	1 x 1 x 1/2	1	0.65
 <p>Viega PEX Press Fire Sprinkler Tee - V Bronze UL Listed for NFPA 13D systems For use with Black ViegaPEX Ultra only Mounts to vertical surfaces</p> <p>* Available while supplies last</p> <p>DISCOUNT 6 <u>model 2818.3NG</u></p>		Press x Press x F NPT		
	84736	3/4 x 3/4 x 1/2	1	0.403
	84738	1 x 3/4 x 1/2	1	0.514
	84739	1 x 1 x 1/2	1	0.536





	Stock Code	Dimension	Qty	Approx. wt./lb. Each
 <p>Viega PEX Press Lav Adapter Zero Lead Bronze Metal Nut</p> <p>Zero Lead</p> <p>DISCOUNT 6 <u>model 2891ZL</u></p>	97002	Press x Lav 3/8 x 1/2	1	0.165
	97003	1/2 x 1/2	1	0.17
 <p>Viega PEX Press Lav Adapter Bronze Metal Nut * Sleeve NOT included</p> <p>* Available while supplies last</p> <p>DISCOUNT 6 <u>model 2891</u></p>	57002	Press x Lav 3/8 x 1/2	1	0.145
	57003	1/2 x 1/2	1	0.145
 <p>Viega PEX Press Lav Adapter Radel R Smart Connect feature</p> <p>Zero Lead</p> <p>DISCOUNT 6 <u>model V5613.3</u></p>	49324	Press x Lav 3/8 x 1/2	1	0.055
	49333	1/2 x 1/2	1	
	49344	3/4 x 3/4	1	
 <p>Viega PEX Press Closet Adapter Zero Lead Bronze Plastic Nut</p> <p>Zero Lead</p> <p>DISCOUNT 6 <u>model 2890ZL</u></p>	97004	Press x Closet 3/8	1	0.088
	97005	1/2	1	0.095
 <p>Viega PEX Press Closet Adapter Bronze Plastic Nut * Sleeve NOT included</p> <p>* Available while supplies last</p> <p>DISCOUNT 6 <u>model 2890</u></p>	57004	Press x Closet 3/8	1	0.069
	57005	1/2	1	0.073






	Stock Code	Dimension	Qty	Approx. wt./lb. Each
 <p>Viega PEX Press Closet Adapter Radel R Smart Connect feature</p> <p>Zero Lead</p> <p>DISCOUNT 6 <u>model V5613.4</u></p>	49223	3/8	1	0.072
	49233	1/2	1	
 <p>Viega PEX Press Sleeve Stainless Steel For use with Viega PEX Press fittings and tools only</p> <p>DISCOUNT 6 <u>model 2811.5</u></p>	61000	3/8	100	0.006
	61020	1/2	100	0.007
	61040	3/4	100	0.01
 <p>Viega PEX Press Sleeve - Replacements Stainless Steel For use with Radel R PEX Press fittings only</p> <p>DISCOUNT 6 <u>model V5615.3</u></p>	49901	3/8	10	
	49902	1/2	10	
	49903	3/4	10	
	49904	1	10	
 <p>ProPress Manifold Copper Smart Connect feature</p> <p>Zero Lead</p> <p>DISCOUNT 8 <u>model 2845</u></p>	65801	1 x 1/2 - 1	5	0.385
	65803	1 x 1/2 - 3	1	0.714
 <p>Viega PEX Press Manifold - ProPress Copper Smart Connect feature * Sleeves NOT included</p> <p>* Available while supplies last</p> <p>DISCOUNT 6 <u>model 2835</u></p>	65901	3/4 x 1/2 - 1	1	0.261
	65903	3/4 x 1/2 - 3	1	0.54
	65902	3/4 x 3/4 - 1	1	0.265
	65911	1 x 1/2 - 1	1	0.319
	65913	1 x 1/2 - 3	1	0.663
	65912	1 x 3/4 - 1	1	0.324

	Stock Code	Dimension	Qty	Approx. wt./lb. Each
 <p>Viega PEX Press Brazed Manifold - Header Copper * Sleeves NOT included</p> <p>Zero Lead</p> <p>DISCOUNT 6 <u>model 2836ZL</u></p>	95470	Header x Press - # of Outlets 1 1/4 x 1/2 - 24	1	6.498
 <p>Viega PEX Press Brazed Manifold - Header Copper * Sleeves NOT included</p> <p>* Available while supplies last</p> <p>DISCOUNT 6 <u>model 2836US</u></p>	65470	Header x Press - # of Outlets 1 1/4 x 1/2 - 24	1	6.248
	65471	1 1/4 x 3/4 - 24	1	6.498
	65481	1 1/2 x 3/4 - 24	1	8.098
 <p>Viega PEX Press Brazed Manifold - Male Copper * Sleeves NOT included</p> <p>Zero Lead</p> <p>DISCOUNT 6 <u>model 2833ZL</u></p>	95703	Inlet x Press - # of Outlets 1 x 1/2 - 3	1	0.57
	95704	1 x 1/2 - 4	1	0.705
	95705	1 x 1/2 - 5	1	1.10
	95706	1 x 1/2 - 6	1	1.30
	95708	1 x 1/2 - 8	1	1.27
	95710	1 x 1/2 - 10	1	1.55
	95712	1 x 1/2 - 12	1	1.809
 <p>Viega PEX Press Brazed Manifold - Male Copper * Sleeves NOT included</p> <p>* Available while supplies last</p> <p>DISCOUNT 6 <u>model 2833US</u></p>	65703	Inlet x Press - # of Outlets 1 x 1/2 - 3	1	0.635
	65704	1 x 1/2 - 4	1	0.80
	65705	1 x 1/2 - 5	1	1.00
	65706	1 x 1/2 - 6	1	1.10
	65708	1 x 1/2 - 8	1	1.40
	65710	1 x 1/2 - 10	1	1.463
	65712	1 x 1/2 - 12	1	1.728




	Stock Code	Dimension	Qty	Approx. wt./lb. Each
 <p>Viega PEX Press Brazed Manifold - Female Copper * Sleeves NOT included</p> <p>Zero Lead</p> <p>DISCOUNT 6 <u>model 2832ZL</u></p>	95603	1 x 1/2 - 3	1	0.585
	95604	1 x 1/2 - 4	1	0.725
	95605	1 x 1/2 - 5	1	0.865
	95606	1 x 1/2 - 6	1	0.995
	95608	1 x 1/2 - 8	1	1.27
	95610	1 x 1/2 - 10	1	1.899
	95612	1 x 1/2 - 12	1	1.829
 <p>Viega PEX Press Brazed Manifold - Female Copper * Sleeves NOT included</p> <p>* Available while supplies last</p> <p>DISCOUNT 6 <u>model 2832US</u></p>	65603	1 x 1/2 - 3	1	0.70
	65604	1 x 1/2 - 4	1	0.80
	65605	1 x 1/2 - 5	1	0.90
	65606	1 x 1/2 - 6	1	0.912
	65608	1 x 1/2 - 8	1	1.32
	65610	1 x 1/2 - 10	1	1.70
	65612	1 x 1/2 - 12	1	1.999
 <p>Viega PEX Press Manifold Radel R Smart Connect feature</p> <p>Zero Lead</p> <p>Flow Through <u>model V5636</u></p> <p>Closed</p> <p>DISCOUNT 6</p>		Inlet x Press - # of outlets		
	49152	3/4 x 1/2 - 2	10	0.198
	49153	3/4 x 1/2 - 3	10	0.255
	49054	3/4 x 1/2 - 4	10	0.318
	49254	1 x 3/4 x 1/2 - 4	10	0.33
	49256	1 x 1/2 - 6	10	0.455
	49258	1 x 1/2 - 8	5	0.576
	49004	3/4 x 1/2 - 4	10	0.30
	49206	1 x 1/2 - 6	10	0.428
 <p>Viega PEX Press Tub Elb Copper * Sleeve NOT included</p> <p>Zero Lead</p> <p>DISCOUNT 6 <u>model 2820.0ZL</u></p>	92220	1/2 x 1/2 (3 x 6)	25	0.235

	Stock Code	Dimension	Qty	Approx. wt./lb. Each
 <p>Viega PEX Press Tub Elbs Copper * Sleeve NOT included * Available while supplies last</p> <p>DISCOUNT 6 <u>model 2820.0US</u></p>	62220	Press x Copper (Length) 1/2 x 1/2 (3 x 6)	25	0.242
 <p>Viega PEX Press Stub-Out - Elbow Copper * Sleeve NOT included</p> <p>Zero Lead</p> <p>DISCOUNT 6 <u>model 2820.1ZL</u></p>	92405 92420 92440	Press x Copper (Length) 3/8 x 1/2 (3.5 x 8) 1/2 x 1/2 (3.5 x 8) 3/4 x 3/4 (3.5 x 8)	25 25 25	0.307 0.295 0.51
 <p>Viega PEX Press Stub-Out - Elbow Copper * Sleeve NOT included * Available while supplies last</p> <p>DISCOUNT 6 <u>model 2820.1US</u></p>	62405 62420 62440	Press x Copper (Length) 3/8 x 1/2 (3.5 x 8) 1/2 x 1/2 (3.5 x 8) 3/4 x 3/4 (3.5 x 8)	25 25 25	0.296 0.30 0.51
 <p>Viega PEX Press Copper Stub-Out - Straight Copper * Sleeve NOT included</p> <p>Zero Lead</p> <p>DISCOUNT 6 <u>model 2820.2ZL</u></p>	92608 92615	Press x Copper (Length) 1/2 x 1/2 (8) 1/2 x 1/2 (15)	25 25	0.243 0.399
 <p>Viega PEX Press Copper Stub-Out - Straight Copper * Sleeve NOT included * Available while supplies last</p> <p>DISCOUNT 6 <u>model 2820.2US</u></p>	62608 62615	Press x Copper (Length) 1/2 x 1/2 (8) 1/2 x 1/2 (15)	25 25	0.232 0.388

	Stock Code	Dimension	Qty	Approx. wt./lb. Each
 <p>PEX Press Copper Tee Stub-Out Copper * Sleeves NOT included * Available while supplies last</p> <p>DISCOUNT 6 <u>model 2820.3US</u></p>	62300	Press x Press x Copper (Length) 1/2 x 1/2 x 1/2 (8)	25	0.55
 <p>Viega PEX Press Stop Valve Chrome plated Zero Lead Brass 1/4 Turn * Sleeve NOT included</p> <p>Zero Lead</p> <p>Straight Stop Valve - 1/4 Turn <u>model 2842.3ZL</u></p> <p>Angle Stop Valve - 1/4 Turn</p> <p>DISCOUNT 6</p>	<p>93021</p> <p>93031</p> <p>92515</p> <p>92511</p>	<p>Press x CTS (OD)</p> <p>3/8 x 1/4 (3/8)</p> <p>1/2 x 1/4 (3/8)</p> <p>3/8 x 1/4 (3/8)</p> <p>1/2 x 1/4 (3/8)</p>	<p>10</p> <p>10</p> <p>10</p> <p>10</p>	<p>0.30</p> <p>0.275</p> <p>0.30</p> <p>0.29</p>
 <p>Viega PEX Press Ball Valve Zero Lead Brass * Sleeve NOT included</p> <p>Zero Lead</p> <p>DISCOUNT 6 <u>model 2842.2ZL</u></p>	<p>93500</p> <p>93510</p> <p>93550</p>	<p>Press x Press</p> <p>3/8 x 3/8</p> <p>1/2 x 1/2</p> <p>3/4 x 3/4</p>	<p>10</p> <p>10</p> <p>10</p>	<p>0.16</p> <p>0.27</p> <p>0.39</p>
 <p>ProPress Copper Manifold Valve Zero Lead Brass 1/2" ProPress tool required * Sleeve NOT included</p> <p>Zero Lead</p> <p>DISCOUNT 6 <u>model 2842.1ZL</u></p>	94001	Press x Copper 1/2 x 1/2	10	0.29


	Stock Code	Dimension	Qty	Approx. wt./lb. Each
 <p>Viega PEX Press Washing Machine Outlet Box Zero Lead Brass Valves 1/4 Turn Valves with color coded handles * Sleeves NOT included</p> <p>Zero Lead</p> <p>DISCOUNT 6 <u>model 2872.1ZL</u></p>	57011	Press Valve 1/2	1	1.633
 <p>Viega PEX Press Ice Maker Outlet Box Zero Lead Brass Valve * Sleeve NOT Included</p> <p>Zero Lead</p> <p>DISCOUNT 6 <u>model 2872.0ZL</u></p>	97010 97000	Press Valve 3/8 1/2	1 1	0.90 0.89
 <p>Viega OX Box PEX Press Ice Maker Outlet Box Zero Lead Brass Valve * Sleeve NOT Included</p> <p>Zero Lead</p> <p>DISCOUNT 6 <u>model 2872.5ZL</u></p>	97110 97100	Press Valves 3/8 1/2	1 1	1.105 1.10
 <p>OX Box Frame Replacement for OX Box Ice Maker and Washing Machine</p> <p>DISCOUNT 2 <u>model V5035.2</u></p>	57102		1	0.105
 <p>OX Box Accessories Replacement mounting accessories</p> <p>Outlet Box Clip <u>model V5035.3</u></p> <p>Outlet Box 18" Support Bar</p> <p>DISCOUNT 2</p>	57103 57104		1 1	0.275 0.20






	Stock Code	Dimension	Qty	Approx. wt./lb. Each
PEX Press Tools				
<p>PEX Press Tools Ratcheting Design Color Coded Handles</p> <p>DISCOUNT 6 <u>model 2882US</u></p>		Dimension (Handle Color)		
	50000	3/8 Green	1	3.446
	50020	1/2 Yellow	1	3.184
	50040	3/4 Blue	1	3.138
	50060	1 Orange	1	4.549
<p>PEX Press Tool Set Starter Set includes: 1/2" & 3/4" PEX Press tools and basic tubing cutter with three additional slots. Complete Set includes: 3/8", 1/2", 3/4" & 1" PEX Press tools. Heating Set includes: 3/8", 1/2", 5/8", 3/4" & 1" PEX Press tools, both FostaPEX prep tools and basic tubing cutter.</p> <p>PEX Press Hand Tool Case <u>model 2880.3</u></p> <p>Starter PEX Tool Set</p> <p>Complete PEX Press Plumbing Tool Set</p> <p>Starter PEX Press Tool Set w/ 1/2" & 3/4" Prep Tool</p> <p>DISCOUNT 6</p>	50003		1	6.733
	56000	1/2 & 3/4	1	13.001
	56010	3/8, 1/2, 3/4 & 1	1	22.709
	56020	1/2 & 3/4	1	14.246
	56015	1/2, 3/4 & 1	1	17.995
	<p>FostaPEX Tubing Bender Will not kink tubing Formers included for 1/2" - 1" FostaPEX</p> <p>DISCOUNT 6 <u>model 2889.0US</u></p>			
54030		1/2 & 3/4	1	1.15
54050		5/8 & 1	1	1.401
54075		Replacement Blade	2	0.013
<p>FostaPEX Prep Tool Peels PE and aluminum layer from FostaPEX tubing</p> <p>Prep Tool <u>model 2858</u></p> <p>Replacement Blade</p> <p>DISCOUNT 6</p>				
	54030	1/2 & 3/4	1	1.15
	54050	5/8 & 1	1	1.401
	54075	Replacement Blade	2	0.013

	Stock Code	Dimension	Qty	Approx. wt./lb. Each
 <p>Compact Battery Press Tools Ridgid 210-B Tool Viega PEX Press connections 3/8" - 1-1/2" ProPress connections up to 1"</p> <p>* Not for use with 2" PEX Press</p> <p>Compact Press Tool Kit model 2999.6</p> <p>Compact Press Tool Kit w/o Press Jaws</p> <p>Compact Press Tool Battery</p> <p>Compact Press Tool Charger</p> <p>DISCOUNT 6</p>		Press Jaws		
	57051	1/2, 3/4, 1	1	23.993
	57057		1	15.995
	57058		1	0.855
	57059		1	1.999
 <p>Compact PEX Press Jaws For use in Compact Battery Press Tool (210B)</p> <p>DISCOUNT 6 model 2884.7US</p>		Press Jaws		
	56052	3/8	1	2.299
	56053	1/2	1	2.299
	56055	3/4	1	2.299
	56056	1	1	2.579
	56060	1 1/4	1	2.999
56061	1 1/2	1	2.769	
 <p>Standard PEX Press Jaws For use in Standard Battery Press Tool (330B)</p> <p>DISCOUNT 6 model 2899.7US</p>		Press Jaws		
	56073	1/2	1	3.799
	56075	3/4	1	3.799
	56076	1	1	3.899
	56080	1 1/4	1	4.099
	56081	1 1/2	1	4.299
	56082	2	1	9.997





PureFlow PEX Crimp Fittings

Most widely recognized fitting system in North America










	Stock Code	Dimension	Qty	Approx. wt./lb. Each
Viega PEX Crimp Fittings				
 <p>Viega PEX Crimp Rings Copper For use with Viega PEX Crimp fittings and tools only</p> <p>DISCOUNT 2 model V5019.9</p>	43600	3/8	100	0.011
	43620	1/2	100	0.013
	43640	3/4	100	0.017
	43660	1	50	0.022
 <p>Viega PEX Crimp Elbow Zero Lead Brass</p> <p>Zero Lead</p> <p>DISCOUNT 2 model V5016ZL</p>		Crimp x Crimp		
	46922	3/8	50	0.053
	46933	1/2	50	0.045
	46243	1/2 x 3/4	25	0.113
	46944	3/4	25	0.085
46955	1	10	0.165	
 <p>Viega PEX Crimp Elbow PolyAlloy</p> <p>Zero Lead</p> <p>DISCOUNT 3 model V5216</p>		Crimp x Crimp		
	43210	3/8	50	0.007
	43220	1/2	50	0.01
	43240	3/4	25	0.021
	43242	3/4 x 1/2	25	0.016
43260	1	10	0.046	
 <p>Viega PEX Crimp Elbow - Male Zero Lead Brass</p> <p>Zero Lead</p> <p>DISCOUNT 2 model V5014ZL</p>		Crimp x M NPT		
	46822	3/8 x 3/8	10	0.25
	46232	1/2 x 3/8	10	0.132
	46821	1/2 x 1/2	10	0.26
46245	3/4 x 3/4	10	0.249	
 <p>Viega PEX Crimp Elbow - Drop Ear Zero Lead Brass</p> <p>Zero Lead</p> <p>DISCOUNT 2 model V5027ZL</p>		Crimp x F NPT		
	46233	1/2 x 1/2	10	0.193
	46244	3/4 x 3/4	10	0.328





		Stock Code	Dimension	Qty	Approx. wt./lb. Each
 <p>NO PHOTO AVAILABLE</p>	<p>Viega Elbow - Dishwasher Zero Lead Brass Connects 3/8" PEX to 3/4" Hose supply connection</p> <p>Zero Lead</p> <p>DISCOUNT 2 <u>model V5053</u></p>	46743	Hose x CTS (OD) 3/4 x 3/8 (1/2)	1	
	 <p>Viega PEX Crimp Elbow - Tubing Copper</p> <p>Zero Lead</p> <p>DISCOUNT 2 <u>model V5021</u></p>	44305 44325 44345	Crimp x Copper (female) 3/8 x 1/2 1/2 x 1/2 3/4 x 3/4	50 50 25	0.048 0.048 0.102
 <p>Viega PEX Crimp Elbow - Fitting Copper</p> <p>Zero Lead</p> <p>DISCOUNT 2 <u>model V5020</u></p>	44302 44320 44340	Crimp x Copper (male) 3/8 x 1/2 1/2 x 1/2 3/4 x 3/4	50 50 25	0.045 0.045 0.095	
 <p>Viega PEX Crimp Tee Zero Lead Brass Dimensions listed as labeled, A x B x C</p> <p>Zero Lead</p> <p>DISCOUNT 2 <u>model V5018ZL</u></p>	46500 46520 46524 46540 46433 46435 46443 46445 46560 46544 46545 46553 46554	Crimp x Crimp x Crimp 3/8 1/2 1/2 x 1/2 x 3/4 3/4 3/4 x 1/2 x 1/2 3/4 x 1/2 x 3/4 3/4 x 3/4 x 1/2 3/4 x 3/4 x 1 1 1 x 3/4 x 3/4 1 x 3/4 x 1 1 x 1 x 1/2 1 x 1 x 3/4	50 50 25 25 25 25 25 10 10 10 10 10 10	0.037 0.058 0.078 0.109 0.08 0.10 0.085 0.228 0.191 0.129 0.182 0.133 0.161	
 <p>Viega PEX Crimp Tee PolyAlloy Dimensions listed as labeled, A x B x C</p> <p>Zero Lead</p> <p>DISCOUNT 3 <u>model V5218</u></p>	43520 43334 43540 43433 43434 43443 43445 43560 43544 43545 43553 43554	Crimp x Crimp x Crimp 1/2 1/2 x 1/2 x 3/4 3/4 3/4 x 1/2 x 1/2 3/4 x 1/2 x 3/4 3/4 x 3/4 x 1/2 3/4 x 3/4 x 1 1 1 x 3/4 x 3/4 1 x 3/4 x 1 1 x 1 x 1/2 1 x 1 x 3/4	50 25 25 25 25 25 10 10 10 10 10 10	0.014 0.019 0.029 0.021 0.025 0.023 0.038 0.059 0.047 0.054 0.043 0.046	






	Stock Code	Dimension	Qty	Approx. wt./lb. Each
 <p>Viega PEX Crimp Adapter - Male Zero Lead Brass</p> <p>Zero Lead</p> <p>DISCOUNT 2 model V5011ZL</p>		Crimp x M NPT		
	46302	3/8 x 1/2	50	0.101
	46321	1/2 x 1/2	50	0.104
	46324	1/2 x 3/4	25	0.133
	46342	3/4 x 1/2	25	0.104
	46340	3/4 x 3/4	25	0.173
	46446	3/4 x 1	10	0.273
46361	1 x 3/4	10	0.138	
46366	1 x 1	10	0.234	
 <p>Viega PEX Crimp Adapter - Female Zero Lead Brass</p> <p>Zero Lead</p> <p>DISCOUNT 2 model V5012ZL</p>		Crimp x F NPT		
	46323	3/8 x 1/2	25	0.103
	46333	1/2 x 1/2	25	0.089
	46334	1/2 x 3/4	25	0.139
	46344	3/4 x 3/4	25	0.143
	46345	3/4 x 1	10	0.35
46355	1 x 1	10	0.359	
 <p>Viega PEX Crimp Adapter - PB Zero Lead Brass Connects ViegaPEX to Polybutylene (PB) tubing Use PEX Crimp ring for PB connection</p> <p>Zero Lead</p> <p>DISCOUNT 2 model V5017ZL</p>		Crimp x PB		
	46620	3/8 x 3/8	100	0.023
	46630	1/2 x 1/2	100	0.031
	46641	3/4 x 3/4	50	0.057
46650	1 x 1	10	0.081	
 <p>Viega PEX Crimp Adapter - PE Zero Lead Brass Transitions from ViegaPEX to IPS sized Polyethylene pipe Use standard stainless steel hose clamp for PE connection Hose clamp not included</p> <p>Zero Lead</p> <p>DISCOUNT 2 model V5047ZL</p>		Crimp x PE		
	46145	3/4 x 3/4	25	0.105
46156	1 x 1	10	0.161	
 <p>Viega PEX Crimp Copper Adapter - Tubing Zero Lead Brass</p> <p>Zero Lead</p> <p>DISCOUNT 2 model V5045ZL</p>		Crimp x Copper (female)		
	46635	1/2 x 1/2	50	0.038
	46645	3/4 x 3/4	25	0.075
40655	1 x 1	10	0.108	






	Stock Code	Dimension	Qty	Approx. wt./lb. Each
 <p>Viega PEX Crimp Copper Adapter - Fitting Zero Lead Brass</p> <p>Zero Lead</p> <p>DISCOUNT 2 <u>model V5046ZL</u></p>		Crimp x Copper (male)		
	46633	1/2 x 1/2	50	0.033
	46644	3/4 x 3/4	25	0.065
	60651	1 x 1	10	0.102
 <p>Viega PEX Crimp Copper Adapter - Tubing & Fitting Zero Lead Brass</p> <p>Zero Lead</p> <p>DISCOUNT 2 <u>model V5024ZL</u></p>		Crimp x Copper (female) or (male)		
	46621	3/8 x 1/4 or 3/8	50	0.026
	46622	3/8 x 3/8 or 1/2	50	0.031
	46631	1/2 x 1/4 or 3/8	50	0.034
	46654	1 x 3/4 or 1	10	0.109
 <p>Viega PEX Crimp Coupling Zero Lead Brass</p> <p>Zero Lead</p> <p>DISCOUNT 2 <u>model V5015ZL</u></p>		Crimp x Crimp		
	46422	3/8	100	0.018
	46432	1/2 x 3/8	100	0.024
	46434	1/2	100	0.026
	46441	3/4 x 1/2	50	0.04
	46444	3/4	50	0.049
	46454	1 x 3/4	10	0.068
	46455	1	10	0.081
 <p>Viega PEX Crimp Coupling PolyAlloy</p> <p>Zero Lead</p> <p>DISCOUNT 3 <u>model V5215</u></p>		Crimp x Crimp		
	43402	3/8	50	0.004
	43403	1/2	100	0.006
	43332	3/8 x 1/2	50	
	43342	3/8 x 3/4	50	0.01
	43343	1/2 x 3/4	50	0.001
	43353	1/2 x 1	10	0.019
	43404	3/4	50	0.012
	43354	3/4 x 1	10	0.021
	43355	1	10	0.024
 <p>Viega PEX Crimp Test Plug Polysulfone</p> <p>Zero Lead</p> <p>DISCOUNT 2 <u>model V5058</u></p>		Crimp		
	43702	3/8	100	0.004
	43723	1/2	100	0.004
	43744	3/4	50	0.012
	43765	1	50	0.015




	Stock Code	Dimension	Qty	Approx. wt./lb. Each	
 <p>Viega PEX Crimp Brazed Manifold Copper</p> <p>Zero Lead</p> <p>Closed <u>model V5035</u></p> <p>Flow Through</p> <p>DISCOUNT 2</p>		Inlet x Crimp - # of Outlets			
	44844	3/4 x 1/2 - 4	1	0.605	
	44846	3/4 x 1/2 - 6	1	0.835	
	44848	3/4 x 1/2 - 8	1	1.085	
	44840	3/4 x 1/2 - 10	1	1.305	
	44864	1 x 1/2 - 4	1	0.625	
	45844	3/4 x 1/2 - 4	1	0.62	
	45846	3/4 x 1/2 - 6	1	0.85	
	45848	3/4 x 1/2 - 8	1	1.065	
	45864	1 x 1/2 - 4	1	0.635	
	 <p>Viega PEX Crimp Manifold PolyAlloy Use Lock Clips (58075) for mounting *Mounting Hardware NOT Included</p> <p>Zero Lead</p> <p>Flow Through <u>model V5031.2</u></p> <p>Closed</p> <p>DISCOUNT 2</p>		Inlet x Crimp - # of outlets		
		65152	3/4 x 1/2 - 2	10	0.135
65153		3/4 x 1/2 - 3	10	0.197	
65154		3/4 x 1/2 - 4	10	0.221	
65254		1 x 3/4 x 1/2 - 4	10	0.14	
65256		1 x 1/2 - 6	10	0.309	
65258		1 x 1/2 - 8	5	0.396	
65104		3/4 x 1/2 - 4	10	0.217	
65206		1 x 1/2 - 6	10	0.302	
 <p>Viega PEX Crimp Stub-Out - Elbow Copper</p> <p>Zero Lead</p> <p>w/o Attachment Plate</p> <p><u>model V5070</u></p> <p>w/ Attachment Plate</p> <p>DISCOUNT 2</p>			Crimp x Copper (Length)		
	44208	3/8 x 1/2 (3.5 x 8)	50	0.235	
	44226	1/2 x 1/2 (3.5 x 6)	50	0.195	
	44228	1/2 x 1/2 (3.5 x 8)	50	0.235	
	44240	3/4 x 3/4 (3.5 x 8)	50	0.41	
	44209	3/8 x 1/2 (3.5 x 8)	25	0.286	
	44227	1/2 x 1/2 (3.5 x 6)	25	0.235	
	44229	1/2 x 1/2 (3.5 x 8)	25	0.277	



	Stock Code	Dimension	Qty	Approx. wt./lb. Each
 <p>Viega PEX Crimp Ball Valve Zero Lead Brass 1/4 Turn</p> <p>Zero Lead</p> <p>1/4 Turn - Brass model V5037ZL</p> <p>1/4 Turn - Chrome</p> <p>DISCOUNT 2</p>		Crimp x Crimp		
	46010	3/8 x 3/8	10	0.306
	46031	1/2 x 1/2	10	0.278
	46044	3/4 x 3/4	10	0.395
	46060	1 x 1	10	1.23
	46021	1/2 x 1/2	10	0.21
 <p>Viega PEX Crimp Valve PolyAlloy</p> <p>Zero Lead</p> <p>DISCOUNT 3 model V5236</p>	43030	Crimp x Crimp 1/2 x 1/2	10	0.066
	43040	3/4 x 3/4	10	
 <p>Viega PEX Crimp Straight Stop Valve Chrome plated Zero Lead Brass 1/4 Turn</p> <p>Zero Lead</p> <p>DISCOUNT 2 model V5026ZL</p>	46001	Crimp x CTS (OD) 3/8 x 1/4 (3/8)	1	0.321
	46022	1/2 x 1/4 (3/8)	1	0.295
 <p>Viega PEX Crimp Angle Stop Valve Chrome plated Zero Lead Brass 1/4 Turn</p> <p>Zero Lead</p> <p>DISCOUNT 2 model V5064ZL</p>	46002	Crimp x CTS (OD) 3/8 x 1/4 (3/8)	1	0.34
	46025	1/2 x 1/4 (3/8)	1	0.33

	Stock Code	Dimension	Qty	Approx. wt./lb. Each
 <p>Viega PEX Crimp Straight Stop Lav/Closet Valve PolyAlloy Plastic Nut</p> <p>Zero Lead</p> <p>Lav model V5036.30</p> <p>Closet</p> <p>DISCOUNT 2</p>		Crimp x Lav or Closet		
	43023	3/8 x 1/2	10	0.09
	43031	1/2 x 1/2	10	0.09
	43002	3/8 x 1/2	10	0.10
	43003	1/2 x 1/2	10	0.103
 <p>Viega PEX Crimp Ice Maker Valve Kit Zero Lead Brass</p> <p>Zero Lead</p> <p>Straight Adapter model V5051ZL</p> <p>Tee</p> <p>DISCOUNT 2</p>		Crimp x CTS (OD)		
	46301	3/8 x 1/8(1/4)	1	0.11
	46322	1/2 x 1/8(1/4)	1	0.115
	46503	3/8 x 1/8(1/4)	1	0.14
	46521	1/2 x 1/8(1/4)	1	0.15
 <p>Ice Maker Tubing HDPE Cold water applications only</p> <p>Zero Lead</p> <p>DISCOUNT 1 model V5052</p>	43100	in x ft 1/8 x 100	1	1.20
 <p>Viega PEX Crimp Ice Maker Box Zero Lead Brass Valve 1/4 Turn Valves</p> <p>Zero Lead</p> <p>DISCOUNT 2 model V5073</p>	43700	Crimp Valve 3/8	1	1.095
	43722	1/2	1	

	Stock Code	Dimension	Qty	Approx. wt./lb. Each
 <p>Viega PEX Crimp Washing Machine Box Zero Lead Brass Valves 1/4 Turn Valves</p> <p>Zero Lead</p> <p>DISCOUNT 2 model V5073.5</p>	43720	Crimp Valve 1/2	1	
 <p>Viega PEX Crimp Lav Adapter Zero Lead Brass Plastic Nut</p> <p>Zero Lead</p> <p>DISCOUNT 2 model V5075ZL</p>	46023 46033	Crimp x Lav 3/8 x 1/2 1/2 x 1/2	1 1	0.065 0.055
 <p>Viega PEX Crimp Lav Adapter Zero Lead Brass Brass Nut</p> <p>Zero Lead</p> <p>DISCOUNT 2 model V5079ZL</p>	46024 46034 46040	Crimp x Lav 3/8 x 1/2 1/2 x 1/2 3/4 x 3/4	1 1 1	0.09 0.09 0.16
 <p>Viega PEX Crimp Lav Adapter Zero Lead Brass Compression</p> <p>Zero Lead</p> <p>DISCOUNT 2 model V5077ZL</p>	46032 46331	Crimp x CTS (OD) 3/8 x 1/4 (3/8) 1/2 x 1/4 (3/8)	1 1	0.12 0.115
 <p>Viega PEX Crimp Lav Adapter PolyAlloy Plastic Nut</p> <p>Zero Lead</p> <p>DISCOUNT 3 model V5263</p>	43323 43333 43344	Crimp x Lav 3/8 x 1/2 1/2 x 1/2 3/4 x 3/4	1 1 1	0.025 0.025 0.045






	Stock Code	Dimension	Qty	Approx. wt./lb. Each
 <p>Viega PEX Crimp Lav Elbow Copper Plastic Nut</p> <p>Zero Lead</p> <p>DISCOUNT 2 <u>model V5076</u></p>	44201	Crimp x Lav 3/8 x 1/2	1	0.085
 <p>Viega PEX Crimp Lav Elbow PolyAlloy Plastic Nut</p> <p>Zero Lead</p> <p>DISCOUNT 3 <u>model V5255</u></p>	43232 43233 43244	Crimp x Lav 3/8 x 1/2 1/2 x 1/2 3/4 x 3/4	50 50 25	0.027 0.029 0.053
 <p>Viega PEX Crimp Closet Adapter Brass Plastic Nut</p> <p>Zero Lead</p> <p>DISCOUNT 2 <u>model V5072ZL</u></p>	46223 46234	Crimp x Closet 3/8 x 1/2 1/2 x 1/2	1 1	0.07 0.065
 <p>Viega PEX Crimp Closet Adapter PolyAlloy Plastic Nut</p> <p>Zero Lead</p> <p>DISCOUNT 3 <u>model V5257</u></p>	43300 43320	Crimp x Closet 3/8 x 1/2 1/2 x 1/2	1 1	0.036 0.035
 <p>Viega PEX Crimp Closet Elbow Copper Plastic Nut</p> <p>Zero Lead</p> <p>DISCOUNT 2 <u>model V5078</u></p>	44203	Crimp x Closet 3/8 x 1/2	1	0.10



	Stock Code	Dimension	Qty	Approx. wt./lb. Each
 <p>Replacement Cone Seal Replacement for Lav or Closet Adapters</p> <p>Zero Lead</p> <p>Closet Cone model V5084</p> <p>Lav Cone</p> <p>DISCOUNT 2</p>	43820	1/2	100	0.005
	43721	1/2	100	0.002
	43740	3/4	100	0.004
 <p>Viega PEX Crimp Water Heater Swivel Connector Copper Zero Lead Brass Connection</p> <p>Zero Lead</p> <p>DISCOUNT 2 model V5048ZL</p>	46764	Crimp x F NPT - (Length) 3/4 x 3/4 - (18)	25	0.57
	<p>PEX Crimp Tools</p> <p>PEX Crimp Hand Tools Soft-Touch</p> <p>Full Circle Crimp Tool model V5082.5</p> <p>41700 3/8 1 3.404 41720 1/2 1 3.309 41724 1/2 & 3/4 1 4.253 41740 3/4 1 3.474 41760 1 1 5.067</p> <p>Repair Kit for 41760 41741 1 1 0.12</p> <p>Repair Kit for 41700, 41720, 41724 & 41740 41701 3/8 - 3/4 1 0.115</p> <p>DISCOUNT 5</p>			
 <p>PEX Crimp Hand Tools Soft-Touch Ratchet</p> <p>DISCOUNT 5 model V5082.6</p>	41702	3/8	1	1.67
	41721	1/2	1	1.645






	Stock Code	Dimension	Qty	Approx. wt./lb. Each
 <p>PEX Crimp Hand Tools Compact Angled Color coded handles</p> <p>DISCOUNT 5 <u>model V5082.4</u></p>		Dimension (Handle Color)		
	41703	3/8 Green	1	2.389
	41723	1/2 Yellow	1	2.442
	41744	3/4 Blue	1	2.595
 <p>PEX Crimp Caliper</p> <p>DISCOUNT 5 <u>model V5054</u></p>	53507	3/8 & 1/2 & 3/4	1	0.12
	53511	1	1	0.06






PureFlow
PEX accessories













	Stock Code	Dimension	Qty	Approx. wt./lb. Each
Viega PEX Accessories				
 <p>Lav Risers Compression ferrules included Lav nuts sold separately</p> <p>Zero Lead</p> <p>DISCOUNT 2 model V5080</p>		CTS (OD) x Length		
	58112	1/4 (3/8) x 12	100	0.03
	58115	1/4 (3/8) x 15	100	0.035
	58120	1/4 (3/8) x 20	100	0.045
	58130	1/4 (3/8) x 30	100	0.071
	58136	1/4 (3/8) x 36	100	0.081
 <p>Closet Risers Compression ferrules included Closet nuts sold separately</p> <p>Zero Lead</p> <p>DISCOUNT 2 model V5081</p>		CTS (OD) x Length		
	57112	1/4 (3/8) x 12	100	0.031
	57115	1/4 (3/8) x 15	100	0.035
	57120	1/4 (3/8) x 20	100	0.05
	57130	1/4 (3/8) x 30	100	0.08
	57136	1/4 (3/8) x 36	100	0.085
 <p>Riser Accessories - Lav Nut</p> <p>Zero Lead</p> <p>DISCOUNT 2 model V5089</p>	33705	F NPT 1/2	100	0.017
	 <p>Riser Accessories - Ballcock Nut</p> <p>Zero Lead</p> <p>DISCOUNT 2 model V5089.1</p>	53017	F NPT 3/4	100
 <p>Ferrules For use with PEX compression fittings and risers</p> <p>Zero Lead</p> <p>DISCOUNT 2 model V5085</p>			CTS (OD)	
	53000	1/8 (1/4)	100	0.001
	53005	1/4 (3/8)	100	0.001
	53015	3/8 (1/2)	50	0.001
	53020	1/2 (5/8)	100	0.001
53040	3/4 (7/8)	100	0.003	


	Stock Code	Dimension	Qty	Approx. wt./lb. Each
 <p>Stainless Steel Compression Insert Stiffeners For use with MANABLOC compression fittings and risers</p> <p>Zero Lead</p> <p>DISCOUNT 2 model V5086</p>		CTS (OD)		
	56100	1/4 (3/8)	100	0.001
	56110	3/8 (1/2)	50	0.029
	56120	1/2 (5/8)	50	0.005
	56140	3/4 (7/8)	50	0.01
 <p>Plastic Escutcheon White</p> <p>Zero Lead</p> <p>Single model V5088</p> <p>Double</p> <p>DISCOUNT 2</p>				
	53115	3/8	50	0.012
	53120	1/2	50	0.012
	53122	1/2 (for threaded connection)	50	0.01
	53116	3/8	25	0.016
	53121	1/2	25	0.016
 <p>Finishing Sleeves Sleeve is 3.5" long</p> <p>DISCOUNT 2 model 2800.5US</p>	52500	3/8	10	0.05
	52520	1/2	10	0.059
 <p>Decorative Slewing 3' straight lengths</p> <p>DISCOUNT 2 model V5098</p>	52600	3/8	50	0.125
	52620	1/2	50	0.138
 <p>Colored Slewing Fits 3/8" and 1/2" tubing Sleeve is 4.5" long</p> <p>DISCOUNT 2 model 2852US</p>	54020	3/8 & 1/2 - Red	10	0.04
	54520	3/8 & 1/2 - Blue	10	0.04

		Stock Code	Dimension	Qty	Approx. wt./lb. Each
	Drop Ear Bend Supports *Not for use with FostaPEX DISCOUNT 2 <u>model 2850.1US</u>	50520	3/8 & 1/2	25	0.175
	Snap-in Bend Supports Bend supports snap in on 2" centers *Not for use with FostaPEX Bend Support <u>model 2850.3US</u>	51021	1/2	100	0.08
	Bracket	51022	1/2	50	0.541
	DISCOUNT 2				
	Plastic Bend Supports *Not for use with FostaPEX DISCOUNT 2 <u>model 2850.2US</u>	51000	3/8	25	0.048
		51020	1/2	25	0.083
		51040	5/8 & 3/4	25	0.155
		51060	1	25	0.26
		51070	1 1/4	5	0.44
	Plastic Bend Supports for Slab *Not for use with FostaPEX DISCOUNT 4 <u>model 2851US</u>	15106	3/8	10	0.09
		15107	1/2	10	0.115
		15108	5/8 & 3/4	10	0.178
		15111	1	1	0.83
	Turn-Out Clamps Fits 3/8" tubing and 1/2" tubing with standard or stub-out elbows Trim tapered tip to use with 1/2" tubing *Not for use with FostaPEX DISCOUNT 2 <u>model V5071</u>	52130	3/8 & 1/2	25	0.075

	Stock Code	Dimension	Qty	Approx. wt./lb. Each
 <p>Full Clamps Nail provided with each clamp</p> <p>DISCOUNT 2 <u>model V5092</u></p>	52220	1/2	100	0.013
	52240	3/4	50	0.019
 <p>J-Clamp Tubing Fasteners Nail provided with each clamp</p> <p>DISCOUNT 2 <u>model 2860US</u></p>	52000	3/8	100	0.006
	52020	1/2	100	0.008
	52040	3/4	100	0.013
	52060	1	100	0.021
 <p>Economy PEX Tubing Clamps</p> <p>DISCOUNT 2 <u>model V5095</u></p>	52100	1/4	100	0.002
	52110	3/8	100	0.002
	52120	1/2	100	0.003
	52140	3/4	50	0.005
 <p>Snap Clips *Not for use with FostaPEX</p> <p>Single <u>model 2862US</u></p> <p>Double</p> <p>DISCOUNT 2</p>	58015	3/8	100	0.006
	58020	1/2	100	0.011
	58040	3/4	100	0.01
	58060	1	50	0.014
	58016	3/8	50	0.012
	58021	1/2	50	0.012
 <p>Lock Clips For 5/8" ViegaPEX Barrier use 1/2" Lock Clip For 5/8" FostaPEX use 3/4" Lock Clip</p> <p>DISCOUNT 2 <u>model 2863US</u></p>	58071	3/8	100	0.014
	58072	1/2	100	0.013
	58073	3/4	50	0.015
	58074	1	50	0.025
	58075	1 1/4	50	0.03
	58076	1 1/2	25	0.04
	58077	2	15	

	Stock Code	Dimension	Qty	Approx. wt./lb. Each	
 <p>NO PHOTO AVAILABLE</p>	<p>Rail Adapter for Lock Clip</p> <p>DISCOUNT 2 <u>model 2869US</u></p>	58080	20		
	<p>Multi-Clip Mounting screw provided</p> <p>DISCOUNT 2 <u>model 2867US</u></p>	<p>52006 52007</p> <p>3/8 - 1 1/2 - 2</p>	<p>100 25</p>	0.025	
 <p>NO PHOTO AVAILABLE</p>	<p>Multi-Clip with Strut Clamp</p> <p>DISCOUNT 2 <u>model 2867.1US</u></p>	52017	1/2 - 2	25	
	<p>U-Channel Fastener 6.5' lengths Predrilled holes</p> <p>DISCOUNT 4 <u>model 2864US</u></p>	15310	in x ft 1/2 x 6 1/2	16	1.10
	<p>Suspension Clip Tubing Fasteners</p> <p>DISCOUNT 2 <u>model 2861US</u></p>	<p>55020 55040 55060 55070 55080 55090</p> <p>1/2 3/4 1 1 1/4 1 1/2 2</p>	<p>50 50 50 50 25 25</p>	<p>0.01 0.012 0.018 0.026 0.036</p>	

	Stock Code	Dimension	Qty	Approx. wt./lb. Each
 <p>Tubing Clamp DISCOUNT 2 <u>model 2868US</u></p>	56090	2	25	
 <p>Tubing Insulators Fits 1-3/8" hole DISCOUNT 2 <u>model V5094</u></p>	55100	3/8	50	0.018
	55165	3/8 - 1	25	0.014
	55120	1/2	50	0.019
	55140	3/4	50	0.014
	55160	1	50	0.04
 <p>Bundle Ties 14" Zip Tie <u>model V509Z</u> Pipethon Strap DISCOUNT 2</p>	43714		100	0.012
	43701		20	0.06
 <p>Movable Metal Frame Uncoiler Maximum coil size for 3/8" and 1/2" tubing is 1000' Maximum coil size for 3/4" tubing is 500' Not designed for 1" or larger tubing *Not for use with FostaPEX DISCOUNT 5 <u>model V5061</u></p>	53509		1	70.98
 <p>Ratcheting Tubing Cutters Recommended for FostaPEX Tubing Cutters <u>model 2840</u> Replacement Blade for 53541 DISCOUNT 5</p>		Maximum PEX Dimension		
	53541	1 1/4	1	1.15
	53551	1 1/2	1	0.954
	53561	2	1	1.874
	53542		1	0.19

	Stock Code	Dimension	Qty	Approx. wt./lb. Each
 <p>Tubing Cutters</p> <p>Basic - Up to 1" PEX <u>model 2889.2US</u></p> <p>Basic - Up to 1 1/2" PEX</p> <p>Wheel Cutter - Up to 2" PEX</p> <p>Replacement Blade for 21307</p> <p>Replacement Blade for 53641</p> <p>DISCOUNT 5</p>		Maximum PEX Dimension		
	21304	1	1	0.351
	21307	1 1/2	1	0.401
	53641	2	1	1.789
	21317		1	0.08
	53642		1	0.01

