



### TIMELESS STYLE AND QUIET PERFORMANCE FOR ANY ROOM IN YOUR HOME OR OFFICE.

NuTone ceiling fans are an elegant addition to any room. With different blade finishes to choose from, you can pick a style to suit your room decor. NuTone fans not only enhance the look of your room, but are also a practical way to improve the comfort of your living environment. During the cold weather months, flip a switch to reverse rotation direction to force warm air down. On hot summer days, the gently rotating blades produce a cool soothing breeze-indoors or out. Plus, NuTone's attention to detail and full line of accessories ensures that your fan is as effortless to install as it is to operate.



**Summer Comfort** counter clockwise



Winter Comfort clockwise



(Model CFS52RB with LK30ARB light kit shown)

### NUTONE HAS THE PERFECT FAN OR FAN-LIGHT COMBINATION FOR YOUR HOME.

What's your style? NuTone has ceiling fan products that are as functional as they are flexible. Start with one of our classic ceiling hugger or standard fans and pair it up with traditional or contemporary light fixtures designed to cast a uniform, warm glow or target specific room locations.

(Model TF40RB with TF40GAP shown)





Reversible, dual finish fan blades give you more options. Whether contemporary or traditional, NuTone's timeless designs bring it all together and keep any space perfectly comfortable.











30 Year Motor



Remote Control available (page 11, available (page 11, included.(12", 18", sold separately) sold separately)



4" and 6" Downrods 24", 36" and 48" sold separately)



5 Reversible Blades included



ENERGY STAR® qualified products are identified by U.S. Department of Energy and the Environmental Protection Agency as being among the most energy efficient products on the market.





#### CFH52BS

brushed steel finish 5 reversible finish MDF blades

light oa

dark cherry

# CFH - HUGGER SERIES CEILING FANS

Ideal for low ceiling applications, NuTone Hugger series fans offer the same classic styling as their taller cousins, but require less space. All Hugger housings mount flush with the ceiling and install directly onto an outlet box, positioning blades a mere 7" from the ceiling.



#### CFH52RB

oil-rubbed bronze finish 5 reversible finish MDF blades

dark cherry

medium cherry



#### CFH52WH

white finish 5 reversible finish MDF blades

white oak

polished white




Light Kit compatible (page 9, sold separately)



Wall Control available (page 11, sold separately)



5 Reversible Blades included (unless noted)



#### CF052WH


white finish 5 reversible finish ABS blades

white oak


polished white

#### **MULTIPLE MOUNTING OPTIONS**

close to ceiling mount



standard mount



4" and 6" downrods are included. Additional lengths sold separately.

#### CF052WB

weathered bronze finish 5 reversible finish ABS blades

dark cherry

#### CF052BQ

barbecue black finish 5 single finish ABS blades

dark ash



# **CEILING FANS**

Sit comfortably on your porch, deck, patio or gazebo and let a relaxing, cool breeze refresh you. NuTone Outdoor fans are WET-Rated. This means you can be assured they will perform as expected even when exposed directly to the elements.





ENERGY STAR® qualified products are identified by U.S. Department of Energy and the Environmental Protection Agency as being among the most energy efficient products on the market.



Outdoor Light Kit compatible (page 9) sold separately)



30 Year Motor Warranty



Wet rated for outdoor use



Wall Control available (page 11, sold separately)



5 Reversible Blades included (unless noted)



#### LIGHT KITS

Turn your ceiling fan into a brilliant light fixture. NuTone ceiling fans\* can be transformed into stunning light fixtures safely and easily. Choose the style that best complements your fan and room decor. Installation instructions are included with each light kit.

#### LK20 SERIES

#### **LK20ASRB**

Traditional Amber Scavo bowl Oil-rubbed bronze trim and finial EPACT 2005 compliant: 2) 13W medium base CFL bulbs included\*\*



#### **LK20FWBS**

Traditional Frosted White bowl Brushed steel trim and finial EPACT 2005 compliant: (2) 13W medium base CFL bulbs included\*\*



#### LK20FWWH

Traditional Frosted White bowl White trim and finial EPACT 2005 compliant: (2) 13W medium base CFL bulbs included\*\*



#### LK30 SERIES

#### LK30ABS

Contemporary Alabaster bowl Brushed steel trim and finial EPACT 2005 compliant: (2) 13W medium base CFL bulbs included\*\*



#### LK30ARB

Contemporary Alabaster bowl Oil-rubbed bronze trim and finial EPACT 2005 compliant: (2) 13W medium base CFL bulbs included\*\*



#### LK30AWH

Contemporary Alabaster bowl White trim and finial EPACT 2005 compliant: (2) 13W medium base CFL bulbs included\*\*

#### LK 50 SERIES - FOR OUTDOOR COVERED INSTALLATIONS

#### LK50DBQ

Outdoor Damp-Rated light kit Barbecue black trim EPACT 2005 compliant: (1) 13W medium base CFL bulb included\*\*



#### LK50DWH

Outdoor Damp-Rated light kit White trim EPACT 2005 compliant: (1) 13W medium base CFL bulb included\*\*



#### LK50DWB

Outdoor Damp-Rated light kit Weathered bronze trim EPACT 2005 compliant: (1) 13W medium base CFL bulb included\*\*



#### **TURTLE FITTERS**

#### TF40BS

Turtle fitter - Brushed steel EPACT 2005 compliant: (4) 13W medium base CFL bulbs included\*\*



#### TF40RB

Turtle fitter - Oil-rubbed Bronze EPACT 2005 compliant: (4) 13W medium base CFL bulbs included\*\*



#### TF40WH

Turtle fitter - White EPACT 2005 compliant: (4) 13W medium base CFL bulbs included\*\*



#### **TF40GAP**

Amber parchment glass shades for turtle fitter (set of 4)





## TF40GCL

Frosted and cut glass shades for turtle fitter (set of 4)

for turtle fitter (set of 4)

<sup>\*</sup> Commercial Series fans are not compatible with light kits.

<sup>\*\* 40</sup>W incandescent medium based bulbs may be substituted for CFL. Do not exceed recommended wattage.

#### **FINISHES**

NuTone ceiling fan finishes are designed to provide many years of beauty and durability. Finishes are either hand-painted or use electrostatically-applied powder coating for better adhesion. NuTone residential indoor ceiling fans come in four popular finishes. Outdoor wet-rated fans are designed to withstand outdoor conditions and are available in three finishes. NuTone's commercial fans are available in two finishes.



#### **CONTROLS**

All NuTone residential ceiling fans operate with a pull chain included with each fan. The optional hand-held remote control kit uses a receiver cleverly concealed in the fan and is available for use on all CFS Series fans. Whether you choose chain, wall or remote control operation, comfort is just a touch away.

#### **RCK01 - Optional Remote Control Kit**

Features fan on/off; high, medium and low speed; light on/off and dimmer control.

- Use with all CFS Series fans.
- A convenient wall mounted holder is included.

(Note: seasonal changes of forward and reverse cannot be changed with remote)

#### 78 Series Fan Wall Control 79 Series Fan & Light Wall Control

Features 4-speed "no-hum" ceiling fan speed control with HI-0FF-L0 light control.

- 120V AC 1.5 AMP
- Light Capacity: 300 watts max
- One control per fan
- Use with all NuTone Series ceiling fans
- · Available in both white and ivory finishes



78V / 78WH



79V / 79W

#### **INSTALLATION**

#### **Sloped Ceiling Adapters**

The sloped ceiling adapter kit can be used for cathedral and sloped ceilings up to 45°. Order extension downrod separately. BS shown. Also available in WH, RB and BR.



#### Downrods

For high ceilings, downrods in Series-matching finishes are available in up to five lengths ( $^{13}/_{16}$ " outer diameter).

CFS Series - 12", 18", 24", 36" and 48" CFO Series - 12", 18", 24" and 36"

CFC Series - 24", 36" and 48"

Model	Finish	Description
CFSA	XX	Slope adapter
DR12	XX	12" downrod
DR18	XX	18" downrod
DR24	XX	24" downrod
DR36	XX	36" downrod
DR48	XX	48" downrod

Model number is completed by adding two-digit finish code to model number



#### Page 4-5 Standard Series Fans

Model	Finish	Blade Finish (Reversible if two finishes are listed)	Fan Diameter	Ceiling Mount	Ceiling to Blade A**	Ceiling to lowest point on fan B**	Fan Housing Width C		Motor Warranty*	Speed Selection	RPM	AMPs	Watts	Down Rods Included	Down Rods Available As Accessory	Remote Control Compatible	Wall Control Compatible	Light Kits Available
CFS52WH	white	polished white/ white oak	52"	close to ceiling/ down rod	12.08"	12.79"	11"	YES	30 year	high medium low	173 117 64	0.52 0.36 0.21	62.30 28.50 9.20	4" and 6"	12", 18", 24", 36" 48"	YES	YES	YES
CFS52BS	brushed steel	light oak/ dark cherry	52"	close to ceiling/ down rod	12.08"	12.79"	11"	YES	30 year	high medium low	173 117 64	0.52 0.36 0.21	62.30 28.50 9.20	4" and 6"	36" 48"	YES	YES	YES
CFS52RB		dark cherry/ medium cherry	52"	close to ceiling/ down rod	12.08"	12.79"	11"	YES	30 year	high medium low	173 117 64	0.52 0.36 0.21	62.30 28.50 9.20	4" and 6"	12", 18", 24", 36" 48"	YES	YES	YES
RK01	K01 Remote control for Standard Series Ceiling Fans																	

#### Page 6 Hugger Series Fans

Model	Finish	Blade Finish (Reversible if two finishes are listed)	Fan Size	Ceiling Mount	Ceiling to Blade A**	Ceiling to lowest point on fan B**	Fan Housing Width C			Speed Selection	RPM	AMPs	Watts	Down Rods Included	Down Rods Available As Accessory	Remote Control Compatible	Wall Control Compatible	Light Kits Available
CFH52WH	white	polished white/ white oak	52"	flush mount	7"	7.8"	11.3"	NO	1 year	high medium low	175 117 72	0.60 0.40 0.23	73 34 15	NA	NA	NO	YES	YES
CFH52BS	brushed steel	light oak/ dark cherry	52"	flush mount	7"	7.8"	11.3"	NO	1 year	high medium low	175 117 72	0.60 0.40 0.23	73 34 15	NA	NA	NO	YES	YES
CFH52RB		dark cherry/ medium cherry	52"	flush mount	7"	7.8"	11.3"	NO	1 year	high medium low	175 117 72	0.60 0.40 0.23	73 34 15	NA	NA	NO	YES	YES

#### Page 7 Outdoor Series Fans

Model	Finish	Blade Finish (Reversible if two finishes are listed)	Fan Size	Ceiling Mount	Ceiling to Blade A**	Ceiling to lowest point on fan B**	Fan Housing Width C		Motor Warranty*	Speed Selection	RPM	AMPs	Watts	Down Rods Included	Down Rods Available As Accessory	Remote Control Compatible	Wall Control Compatible	Light Kits Available
CF052WH	white	polished white/ white oak	52"	close to ceiling / down rod	12.2"	12.9"	11.4"	YES	30 Year	high medium low	187 130 69	0.50 0.37 0.21	60.20 30.80 10.30	4" and 6"	12"	NO	YES	YES
CF052BQ	barbecue black	dark ash	52"	close to ceiling / down rod	12.2"	12.9"	11.4"	YES	30 Year	high medium low	187 130 69	0.50 0.37 0.21	60.20 30.80 10.30	4" and 6"	12", 18", 24", 36"	NO	YES	YES
CF052WB	weathered bronze	dark cherry/ light oak	52"	close to ceiling / down rod	12.2"	12.9"	11.4"	YES	30 Year	high medium low	187 130 69	0.50 0.37 0.21	60.20 30.80 10.30	4" and 6"	12", 18", 24", 36"	NO	YES	YES

#### Page 8 Commercial Series Fans


Model	Finish	Blade Finish (Reversible if two finishes are listed)	Fan Size	Ceiling Mount	Ceiling to Blade A**	Ceiling to lowest point on fan B**	Fan Housing Width C			Speed Selection	RPM	AMPs	Watts		Down Rods Available As Accessory	Remote Control Compatible	Wall Control Compatible	Light Kits Available
CFC56WH	white	white metal	56"	close to ceiling / down rod	11.6"	12.2"	7.4"	NO	1 year	high medium medium/low low	170 111 68 38	0.58 0.41 0.30 0.17	68.0 33.0 16.0 5.8	6"	24", 36", 48"	NO	YES	NO
CFC56BR	brown	brown metal	56"	close to ceiling / down rod	11.6"	12.2"	7.4"	NO	l year	high medium medium/low low	170 111 68 38	0.58 0.41 0.30 0.17	68.0 33.0 16.0 5.8	6"	24", 36", 48"	NO	YES	NO

#### Page 9 Light Kits

· ugc / L	.9						
Model	Style	Trim Finish	Glass Finish	Light Dimensions	Max. Bulb Watts Each***	Compatible with Fan Series	
LK20FWWH	traditional bowl	white	frosted white	10.125" w x 5.875" h	(2) 13 Watt medium base compact fluorescent	CFS, CFH	
LK20FWBS	traditional bowl	brushed steel	frosted white	10.125" w x 5.875" h	(2) 13 Watt medium base compact fluorescent	CFS, CFH	
LK20ASRB	traditional bowl	oil-rubbed bronze	amber scavo	10.125" w x 5.875" h	(2) 13 Watt medium base compact fluorescent	CFS, CFH	
LK30AWH	contemporary bowl	white	alabaster	10.125" w x 4.875" h	(2) 13 Watt medium base compact fluorescent	CFS, CFH	
LK30AB\$	contemporary bowl	brushed steel	alabaster	10.125" w x 4.875" h	(2) 13 Watt medium base compact fluorescent	CFS, CFH	
LK30ARB	contemporary bowl	oil-rubbed bronze	alabaster	10.125" w x 4.875" h	(2) 13 Watt medium base compact fluorescent	CFS, CFH	
TF40WH	turtle fitter	white	NA	11" w x 3.375" h	(4) 13 Watt medium base compact fluorescent	CFS, CFH	
TF40BS	turtle fitter	brushed steel	NA	11" w x 3.375" h	(4) 13 Watt medium base compact fluorescent	CFS, CFH	
TF40RB	turtle fitter	oil-rubbed bronze	NA	11" w x 3.375" h	(4) 13 Watt medium base compact fluorescent	CFS, CFH	

#### Page 9 Light Kits cont.

Model	Style	Trim Finish	Glass Finish	Light Dimensions	Max. Bulb Watts Each***	Compatible with Fan Series	
TF40GAP	turtle fitter glass	NA	amber parchment	5.375" w x 4.875" h	NA	CFS, CFH	
TF40GFW	turtle fitter glass	NA	frosted white	4.875" w x 4.5" h	NA	CFS, CFH	
TF40GCL	turtle fitter glass	NA	clear/frosted cut glass	5.25" w x 5.25" h	NA	CFS, CFH	
LK50DWH	outdoor damp rated	white	opaque white	10.125" w x 5.875" h	(1) 13 Watt medium base compact fluorescent	CF0	
LK50DWB	outdoor damp rated	weathered bronze	opaque white	10.125" w x 5.875" h	(1) 13 Watt medium base compact fluorescent	CF0	
LK50DBQ	outdoor damp rated	barbecue black	opaque white	10.125" w x 5.875" h	(1) 13 Watt medium base compact fluorescent	CF0	



- 30 year limited warranty on motor. Refer to warranty for details.

  \* Assumes ceiling fan installed without any extended length down rod

  \*\*\* 40W incandescent medium based bulbs may be substituted for CFL. Do not exceed maximum wattage.



## COMFORT. CONVENIENCE. EFFICIENCY. WELCOME TO A NUTONE HOME.

**NuTone®** is America's leading brand of residential built-in convenience products including door chimes, central vacuum systems, intercom systems, ceiling fans, ironing centers, backyard lighting and mosquito repellent systems, and ventilation fans.

## **NuTone**

#### **NuTone.com**

Broan-NuTone LLC, 926 W. State Street Hartford, WI 53027 **888-336-3948** In Canada call **877-896-1119** 

America's Choice For Green Builders.® Proud to be ENERGY STAR® partners.

